




TYPICAL SECTION AT DRAINAGE PANEL
1:20



DRAINAGE PANEL ELEVATION



STANDARD PANEL ELEVATION




TYPICAL SECTION
1:20


"PREVIEW COPY ONLY"

TYPICAL SECTION SHOWING WALL RAISED 3 METERS ABOVE AN ADJACENT OBJECT
1:20

DETAIL OF SOLID WALL FOR PRIMARY OUTER PERIMETER BARRIER PROTECTION
1:20



DETAIL OF DRAINAGE PANEL
1:10



DETAIL OF EXPANSION JOINT
1:10

NAME	TITLE	DATE	SIGNATURE
DIREK HADID	FIELD OPERATIONS MANAGER		
LARRY ROULAND	FIELD OPERATIONS MANAGER		
MUNDO PLANE	OPERATIONS MANAGER		
MURDINEH HUSOQ	TECHNICAL MANAGER		
	REP		

FLUOR IGODA DRAWING No.					
PROJECT	SCALE	DATE	TYPE	REV. No.	REV
AXY	000	15	SN	001	2

FLUOR IGODA

REFERENCE DRAWINGS: -
 AAXY-000-15SN-003 - PALISADE SWING GATE
 AAXY-000-15SN-004 - PALISADE SLIDING GATE

GENERAL NOTES

- ALL WORK IN ACCORDANCE WITH RELEVANT SECTIONS OF SABS 1200.
- DIMENSIONS TO BE CHECKED ON SITE AND ANY DISCREPANCIES BROUGHT TO ENGINEER'S NOTICE BEFORE ANY WORK IS PUT IN HAND.
- FOUNDATION EXCAVATIONS TO BE APPROVED BY ENGINEER.
- REINFORCING TO BE CHECKED BY ENGINEER.
- ALL DUCTS OR RECESSES IN CONCRETE TO BE APPROVED BY ENGINEER.
- CONCRETE GRADE = 30MPa @ 28 DAYS

REV	DATE	DRAWN	CHECKED	DESCRIPTION
2	28/11/11	JO	GA	CONCRETE FOUNDATION SIZE REVISED
1	08/10/10	JO	GA	ISSUED APPROVED FOR CONSTRUCTION
0	14/01/10	AR	GA	ISSUED FOR CLIENT APPROVAL



PERIMETER BARRIER PROTECTION
PRIMARY OUTER PERIMETER SOLID WALL STANDARD DETAILS

DRAWN	AR	DATE	14-01-2010
TRACED	GA	APPROVED	GA
CHECKED	GA	APPROVED	GA
SCALE	AS SHOWN		
DRAWING No.		REV	2