

RFQ: CRAC/SHB/6585

ANNEXURE "A" PAGE 1 OF 5

Material Number	Description	Unit	Price Excl Vat
1073937	BOLT, MACHINE, HEX HEAD, M16 X 40 MM LONG, STEEL, BLACK.SABS 135/LATEST	EA	
1073836	BOLT, MACHINE, HEX HEAD, M20 X 50 MM LONG, STEEL, BLACK.SABS 135/LATEST.	EA	
1073759	BOLT, MACHINE, HEX HEAD, M16 X 75 MM LONG, STEEL, BLACK.SABS 135/LATEST	EA	
1073747	BOLT, MACHINE, HEX HEAD, M16 X 50 MM LONG, STEEL, BLACK.SABS 135/LATEST	EA	
1073695	BOLT, MACHINE, HEX HEAD, M12 X 65 MM LONG, STEEL, BLACK.SABS 135/LATEST	EA	
1073671	BOLT, MACHINE, HEX HEAD, M12 X 50 MM LONG, STEEL, BLACK.SABS 135/LATEST	EA	
1073278	SCREW, MACHINE, PRECISION, HEXAGON HEAD, M10 X 30 MM LONG, STEEL GRADE 8.8, SABS 136/LATEST GRADE 8,8	EA	
1072135	RIVET, BLIND, 6,5 MM DIA, 4,8 MM - 6,8 MM GRIP, STEEL, ZINC-PLATED, PASSIVATED. PART NO. 2221-0815 AVDEL	EA	
1071267	RIVET, BLIND, 4,8 MM DIA, 5 MM - 5,8 MM GRIP, HOLLOW DOME HEAD, MONEL METAL OR STAINLESS STEEL, TYPE 305, MINIMUM SHEAR STRENGTH 4 KN, MINIMUM TENSILE STRENGTH 4 KN, P/N MP 4810 TUCKER, SSP 48111 TUCKER	EA	
107155	TYPE 305 RIVET, HOLLOW DOMED HEAD 4,8 MM DIA, 5,8 MM-8,6 MM GRIP RANGE, MONEL METAL OR STAINLESS STEEL, MINIMUM SHEAR STRENGTH 4 KN, MINIMUM TENSILE STRENGTH 4 KN P/N MP 48127 TUCKER, SSP 48143 TUCKER	EA	
1068200	RIVET, BLIND, STANDARD OPEN TYPE, 4,8 MM X 15 MM LONG, 7,6 MM - 9,6 MM GRIP, DOME HEAD, ALUMINIUM, P/N TAP/D 612 BS TUCKER	EA	
1066820	PIN, STRAIGHT, HEADED, STEEL, 9,5 MM DIA X 19 MM LONG, OVERALL LENGTH 22 MM, CENTRE LINE OF 2,5 MM DIA, SPLIT PIN HOLE 16 MM FROM HEAD, DRAWING NO. L 239/20115/LATEST IT 25.	EA	

ANNEXURE "A" PAGE 2 OF 5

1064364	RAWLBOLT, M5 X 50 MM LONG WITH ROUND HEAD SCREW, SHIELD 9 MM DIA, SHIELD LENGTH 38 MM LOOSE TYPE.	EA	
1063459	SHIELD, EXPANSION, PLASTIC WALL PLUG, 8 X 35 MM	EA	
1063435	SHIELD, EXPANSION, M10 X 50 MM NYLON WALL PLUG,	EA	
1063423	SHIELD, EXPANSION, M6 X 30 MM NYLON WALL PLUG,	EA	
1063411	PIN, HUCKBOLT, 10 MM DIA, 14,27 MM-17,45 MM GRIP, MEDIUM CARBON STEEL, MAKERS PART NUMBER 2311-1210 AVDEL	EA	
1063257	PIN RIVET, GROOVED, CARBON STEEL, 10 MM DIA X 36,5 MM LONG, 16,5 MM-22,5 MM GRIP RANGE, MAKERS PART NUMBER MR3540T-R10-16,5G HUCK	EA	
1061804	NUT, NYLOC TYPE, HEXAGON, M20, NORMAL HEIGHT, STEEL, SPECS No. BS 4929/LATEST PART 1	EA	
1061400	SCREW, PRECISION, HEXAGON HEAD, 0 BA X 1/2 IN LONG, STEEL, FULLY THREADED, SPECS NO. BS 57/LATEST TABLE 5	EA	
1061068	SCREW, MACHINE, SLOTTED FLAT CSK HEAD, 2 BA X 5/8 IN LONG, BRASS, SPECIFICATIONS BS 57/LATEST TABLE.	EA	
1059233	WASHER, FLAT, 2 BA, BRASS, SPECS NO BS 3410/LATEST TABLE 1	EA	
1059208	WASHER, FLAT, 3 BA, BRASS, SPECS NO. BS 3410/LATEST TABLE 1	EA	
1058240	WASHER, FLAT, ID 17 MM, OD 50 MM, THICKNESS 8 MM, STEEL, DRAWING NUMBER CME 406/12-430/LATEST.	EA	
1055094	COLLAR, HUCKBOLT, 1 IN DIA REGULAR, (STYLE C) TENSION TYPE, LOW CARBON STEEL GALVANISED, PART NUMBER LC-2R32G HUCK	EA	
1054974	PIN RIVET, GROOVED, ROUND HEAD 1 IN DIA, CARBON STEEL 13 3/4 IN - 14 IN GRIP PART NUMBER C50LR-BR32-220 HUCK	EA	
1054949	PIN RIVET, GROOVED, 1 IN DIA ROUND HEAD CARBON STEEL 10 1/4 IN - 10 1/2 IN GRIP PART NUMBER C50LR-BR32-164 HUCK	EA	
1054594	RIVET, BLIND, STANDARD OPEN TYPE, 3,2 MM DIA X 7 MM LONG DOME HEAD	EA	

ANNEXURE "A" PAGE 3 OF 5

1054582	RIVET, BLIND, STANDARD OPEN TYPE, ALUMINIUM, 4,8 MM DIA X 10 MM LONG, 85 MM - 6,40 MM GRIP 120 DEG CSK HEAD	EA	
1054318	PIN RIVET, GROOVED, 10 MM DIA TRUSS HEAD MEDIUM CARBON STEEL 10,5 MM - 13,5 MM GRIP SPECS NO. CME 137/LATEST	EA	
1054306	RIVET, BLIND, STANDARD OPEN TYPE, 4 MM DIA X 8 MM LONG, DOME HEAD ALUMINIUM, 3,2 MM - 4,8 MM GRIP	EA	
1054291	RIVET, BLIND, STANDARD OPEN, 4 MM DIA X 15 MM LONG, DOME HEAD, ALUMINIUM ALLOY	EA	
1054278	RIVET, BLIND, STANDARD OPEN TYPE, 4 MM DIA X 10 MM LONG DOME HEAD, ALUMINIUM ALLOY	EA	
1054266	RIVET, BLIND, STANDARD OPEN TYPE, 3,2 MM DIA X 6 MM LONG, DOME HEAD, ALUMINIUM ALLOY	EA	
1052267	PIN, HUCKBOLT, 7/8 IN DIA, 1 3/4 IN - 2 IN GRIP ROUND HEAD CARBON STEEL P/N C50LR-BR28-28 HUCK	EA	
1051893	SCREW, BRASS, SLOTTED CHEESE HEAD, 4 BA X 2 IN LONG, BRASS, SPECIFICATION NUMBER BS 57/LATEST TABLE 1	EA	
1051185	PIN, SPRIN, 5/32 IN DIA X 3/4 IN LONG, STEEL, CADMIUM PLATED.	EA	
1051136	PIN, SPRING, 1/8 IN DIA X 3/4 IN LONG, STEEL, CADMIUM PLATED.	EA	
1050899	NAIL, WIRE, ROUND, STEEL, 3,15 MM DIA X 65 MM LONG, SABS 820/LATEST TABLE 3	EA	
1049285	COLLAR, GROOVED PIN RIVET, 3/4 IN DIA, FLANGED (STYLE D) TENSION TYPE, LOW CARBON STEEL, GALVANISED, MAKERS PART NUMBER 3LC-2R24G HUCK	EA	
1049273	COLLAR, GROOVED PIN RIVET, 7/8 IN DIA, REGULAR (STYLE C) TENSION TYPE, LOW CARBON STEEL, MAKERS PART NUMBER LC-2R28 HUCK	EA	

ANNEXURE "A" PAGE 4 OF 5

1049046	PIN RIVET,GROOVED, 3/4 IN DIA, 1 1/2 IN - 1 3/4 IN GRIP , ROUND HEAD, CARBON STEEL MAKERS PART NUMBER C50LR-BR24-24 HUCK	EA	
1048999	PIN RIVET,GROOVED, 5/8 IN DIA, 1 1/4 IN - 1 1/2 IN GRIP, ROUND HEAD, CARBON STEEL MAKERS PART NUMBER C50LR-BR20-20 HUCK	EA	
1048926	WASHER,FLAT, M8, STEEL,BLACK, SABS 1149/LATEST TABLE.	EA	
1048797	SCREW,MACHINE, 2 BA X 1/2 IN LONG, STEEL, ZINC PLATED, SPECIFICATION NUMBER BS 57/LATEST.	EA	
1048408	STUD,PLAIN, 5/8 IN BSW X 3 IN LONG, STEEL, TYPE D, SPECIFICATION NUMBERBS 2693/LATEST, DRAWING NUMBER CME 01/16612-597/LATEST.	EA	
1048332	STUD,PLAIN, 5/8 IN BSW X 2 IN LONG,STEEL, TYPE D, DRAWING NUMBER CME 01/16604-597/LATEST, SPECIFICATION NUMBER BS 2693/LATEST	EA	
1048191	STUD,PLAIN, 3/8 IN BSW X 1 1/2 IN LONG, STEEL, TYPE D, DRAWING NUMBER CME 01/16204-597/LATEST,SPECIFICATION NUMBER BS 2693/LATEST	EA	
1048178	STUD,PLAIN,3/8 IN BSW X 1 1/4 IN LONG,STEEL, TYPE D, DRAWING NUMBER CME 01/16202-597/LATEST, SPECIFICATION NUMBER BS 2693/LATEST	EA	
1048105	SCREW,SLOTTED FLAT CSK HEAD, 2 BA X 1 IN LONG, BRASS, SPECS NO.BS 57/LATEST TABLE 3	EA	
1047605	SCREW, BRASS, SLOTTED CHEESE HEAD, 2 BA X 1 IN LONG, SPECS NO.BS 57/LATEST TABLE 1	EA	
1046268	PIN RIVET,GROOVED, 3/4 IN DIA, ROUND HEAD, 1 1/4 IN - 1 1/2 IN GRIP, CARBON STEEL P/N C50LR-BR24-20 HUCK	EA	
1046256	PIN RIVET, 3/4 IN DIA, 1 IN - 1 1/4 IN GRIP, ROUND HEAD, CARBON STEEL, MAKERS PART NUMBER C50LR-BR24-16 HUCK	EA	
1045453	RIVET,BLIND,STANDARD OPEN TYPE, 4,8 MM DIA X 12 MM LONG, DOME HEAD	EA	

ANNEXURE "A" PAGE 5 OF 5

1044799	NUT, HEX, 1 1/4 IN BSW, STEEL, BLACK	EA	
1044738	NUT, PLAIN, HEXAGON, 5/8 IN BSW, STEEL, BLACK	EA	
1044726	NUT, PLAIN, HEXAGON, 1/2 IN BSW, STEEL, BLACK	EA	
1044702	NUT, PLAIN, HEXAGON, 3/8 IN BSW, STEEL, BLACK	EA	
1043858	SCREW, MACHINE, PRECISION, HEXAGON HEAD, 3/4 IN BSW X 2 IN LONG, STEEL, FULLY THREADED.	EA	
1043834	PIN, SPLIT, 5 MM DIA X 63 MM, NOMINAL LEN, STEEL, SABS 796/LATEST	EA	
1043215	RIVET, BLIND, STANDARD OPEN TYRE, 3,2 MM DIA X 10 MM LONG, DOMED HEAD, ALUMINIUM ALLOY	EA	
1043163	SCREW, PRECISION, HEXAGON HEAD, 5/8 IN BSW X 1 IN LONG, STEEL, FULLY THREADED SPECS NO.BS 1083/LATEST	EA	
1043126	STAPLE, 19 MM X 2 MM GAUGE, STEEL, GALVANISED	EA	
1042991	SCREW, PRECISION, HEXAGON HEAD, 1/2 IN BSW X 1 1/2 IN LONG, STEEL, FULLY THREADED SPECS No.BS 1083/LATEST	EA	
1042978	SCREW, PRECISION, HEXAGON HEAD, 1/2 INCH BSW X 1 INCH LONG, STEEL, SPECIFICATION NUMBER BS 1083/LATEST	EA	

Take note:

Please note that other similar items that are not listed above will also be procured from the selected bidder.