

Groenbult-Hoedspruit										
No	Location Km posts	Category	No.trees	Size	Sides	Distance	Width	Cross Check	Areas	Comments
	3.13	B	1	M	RHS					
	4.2-9	A			Both-sides	350	5	1750	1750	
	5.14	B	1	M	LHS			0		
	13.13	B	1	M	LHS			0		
	14.3-14	A			Both-sides	550	5	2750	2750	
	14.17-18	B	3	S	LHS			0		
	15.1	B	2	S	RHS			0		
	15.5-7	A			RHS	100	5	500	500	
	15.11-14	A			LHS	150	5	750	750	
	16.3	B	4	S	RHS			0		
	16.6-10	A			Both-sides	200	5	1000	1000	
	17.4-20	A			Both-sides	800	5	4000	4000	
	18.8 - 9	A			LHS	50	5	250	250	
	18.12	B	6	S	RHS			0		
	27.2	B	2	M	LHS			0		
	29.19	B	1	L	LHS			0		Wild fig tree
	29.1	B	1	M	LHS			0		
	30.9	B	3	M	LHS			0		
	32.18	B	2	M	LHS			0		
	38.15	B	3	M	RHS			0		
	39.7 - 9	B	3	M	RHS			0		
	39.7 - 9	B	5	M	LHS			0		
	43.3	B	1	M	LHS			0		
	46.10	B	7	M	LHS			0		
	60.10	B	1	M	RHS			0		
	61.10-13	B	8	M	LHS			0		
	66.4-13	A			Both-sides	450	5	2250	2250	
	67.1	B	3	M	LHS			0		
	67.18	B	1	M	LHS			0		
	72.5	B	4	M	RHS			0		
	72.5	A			RHS	50	5	250	250	
	73.5-10	A			Both-sides	250	5	1250	1250	
	78.18	B	3	M	RHS			0		These trees are under bridge
	81.8-12	A			Both-sides	200	5	1000	1000	
	86.10	A			RHS	50	5	250	250	
	92.13-18	A			Both-sides	250	5	1250	1250	
	93.11	B	1	M	RHS			0		
	94.6-10	B	3	M	LHS			0		
	94.6-10	B	3	M	RHS			0		
	96.6	B	3	M	LHS			0		
	97.14-98.14	B	7	M	RHS			0		
	97.14-98.14	B	5	M	RHS			0		
	98.16-20	A			Both-sides	200	5	1000	1000	
	99.1-100.1	B	5	M	LHS			0		
	100.15	B	2	M	LHS			0		
	101.3	B	8	M	LHS			0		
	101.13-15	B	2	M	LHS			0		
	102.3-18	B	8	M	RHS			0		
	102.3-18	B	7	M	LHS			0		
	103.6-9	B	8	M	RHS			0		
	103.6-9	B	5	M	LHS			0		
	103.11	A			Both-sides	50	5	250	250	
	103.13	B	3	M	RHS			0		
	104.1	B	3	L	LHS			0		
	104.1	B	4	M	RHS			0		
	104.7	B	1	L	LHS			0		
	104.9	B	1	L	RHS			0		Wild-fig tree.
	104.15-105.10	A			Both-sides			0		
	104.17	B	4	M	LHS			0		
	105.7-8	B	4	M	LHS			0		
	105.18	B	9	S	LHS			0		
	107.1-19	B	7	M	RHS			0		
	107.1-19	B	8	M	LHS			0		
	108.6	B	4	M	LHS			0		
	110.17	B	2	M	LHS			0		
	110.17	B	2	M	RHS			0		
	112.11-15	A			Both-sides	200	5	1000	1000	
	114.11	A			Both-sides	50	5	250	250	
	114.15-17	B	7	M	LHS			0		
	115.1-7	A			RHS	300	5	1500	1500	
	116.1-3	A			Both-sides	200	5	1000	1000	
	116.9-12	A			Both-sides	150	5	750	750	
	117.7-8	A			Both-sides	100	5	500	500	
	119.1-19	A			Both-sides	900	5	4500	4500	
	121.1-3	B	5	S	LHS			0		
	121.7-20	A			Both-sides	650	5	3250	3250	
	129.15	A			RHS	50	5	250	250	
	137.1-3	A			Both-sides	100	5	500	500	
	142.2	B	?		RHS			0		Tree branches ermerging from underneath the bridge.
	142.14-17	B	4	M	RHS			0		

No	Location Km posts	Category	No.trees	Size	Sides	Distance	Width	Cross Check	Areas	Comments
	145.14-17	B	3	M	LHS			0		
	147.9-10	B	2	M	RHS			0		
	147.9-10	B	2	M	LHS			0		
	148.11-15	B	12	M	LHS			0		
	149.11-13	A			Both-sides	100	5	500	500	
	150.7	B	3	L	LHS			0		
	152.15	A			LHS	50	5	250	250	
	153.18-19	B	4	L	LHS	50	5	250	250	
	156.2	B	1	M	RHS			0		
	156.8	B	3	M	LHS			0		
	156.14	B	1	M	LHS			0		
	156.20	B	1	M	LHS			0		
	157.17-19	B	2	M	LHS			0		
	157.17-19	B	2	M	RHS			0		
	158.9-12	B	4	M	LHS			0		
	158.17	B	2	M	LHS			0		
	159.7	B	1	M	LHS			0		
	161.1-5	A			Both-sides	200	5	1000	1000	
	165.6	A			LHS			0		
	165.6	B	2	M	LHS			0		
	166.2	A			LHS	50	5	250	250	
	166.4	A			Both-sides	50	5	250	250	
	167.6-10	A			LHS	200	5	1000	1000	
	169.16	B	1	M	LHS			0		
	171.13	A			LHS	50	5	250	250	
	173.4	A			LHS	50	5	250	250	
	176.8	A			LHS	50	5	250	250	
	177.6-9	B	5	M	LHS			0		
	178.7	A			LHS	50	5	250	250	
	178.16	B	4	M	LHS			0		
	178.18	B	2	M	RHS			0		
	180.7	A			Both-sides			0		
	181.2	B	1	M	LHS			0		
	181.10-13	A			Both-sides	150	5	750	750	
	181.17	B	1	L	RHS			0		
	183.5	A			RHS	50	5	250	250	
	184.1	B	1	M	RHS			0		
	184.13-15	A			Both-sides	150	5	750	750	
	185.1	B	3	M	LHS			0		
	185.10	B	2	M	1			0		
	186.6-7	A			Both-sides	100	5	500	500	
	186.4-14	A			RHS	500	5	2500	2500	
	187.13	B	2	M	RHS			0		
	187.13	B	4	M	LHS			0		
	188-4-6	A			Both-sides	150	5	750	750	
	188.13	B	2	M	LHS			0		
	189.5	B	4	M	LHS			0		
	190.3	A			RHS	50	5	250	250	
	190.8	A			RHS	50	5	250	250	
	190.19-20	B	3	M	LHS			0		
	192.17	A			LHS	50	5	250	250	
	193.10	B	3	M	RHS			0		
	196.5	B	4	M	LHS			0		
	196.5	B	2	M	RHS			0		
	199.1	B	3	M	RHS			0		
	199.3	B	2	M	LHS			0		
	202.4-6	A			LHS	150	5	750	750	
	203.1-4	A			LHS	150	5	750	750	
	206.5-7	A			Both-sides	100	5	500	500	
	208.3-6	A			Both-sides	150	5	750	750	
	209.11-20	A			Both-sides	450	5	2250	2250	
	210.13	A			LHS	50	5	250	250	
	211.6-8	A			RHS	150	5	750	750	
	211.11-15	A			Both-sides	200	5	1000	1000	
						9950	265	49750	49750	

SMALL 29
MEDIUM 251
LARGE 14
294

Groenbult - Beit Bridge

No	Category	No.trees	Size	Sides	Distance	Width	Cross Check	Areas	Comments
3.13	B	1	M	RHS			0		
5.14	B	1	M	LHS			0		
13.13	B	1	M	LHS			0		
18.8 - 9	A			LHS	50	5	250	250	
27.2	B	2	M	LHS			0		
29.19	B	1	L	LHS			0		
29.1	B	1	M	LHS			0		
30.9	B	3	M	LHS			0		
32.18	B	2	M	LHS			0		
1.6	A			RHS	50	5	250	250	
2.12	B	2	M	RHS			0		
4.19	B	3	M	RHS			0		
8.18-19	B	4	M	RHS			0		
8.18-19	B	4	S	LHS			0		
9.16	B	1	M	RHS			0		
10.10	B	2	M	RHS			0		
12.1-3	B	2	M	LHS			0		
12.1-3	B	3	M	RHS			0		
13.12	B	4	M	LHS			0		
13.18-19	B	3	M	RHS			0		
16.17	B	1	M	RHS			0		
18.6	B	2	M	RHS			0		
19.14	B	3	M	LHS			0		
21.14-17	B	4	M	RHS			0		
21.14-17	B	3	M	LHS			0		
25.11	B	3	M	LHS			0		
25.11-15	B	6	M	RHS			0		
25.11-15	B	4	M	LHS			0		
25.19	B	1	M	LHS			0		
26.15-17	B	3	M	LHS			0		
26.15-17	B	4	M	RHS			0		
28.13	B	2	M	LHS			0		
28.13	B	3	S	RHS			0		
29.2	B	3	S	LHS			0		
29.2	B	2	S	RHS			0		
30.18-19	B	3	M	RHS			0		
30.18-19	B	2	M	LHS			0		
31.13	B	3	M	LHS			0		
31.13	B	4	S	RHS			0		
31.17	B	2	M	RHS			0		
32.13-15	B	4	M	LHS			0		
32.13-15	B	3	S	RHS			0		
33.1	B	2	M	RHS			0		
36.10-17	B	3	L	LHS			0		
38.5	B	4	S	RHS			0		
38.5	B	3	M	LHS			0		
38.13	B	5	S	LHS			0		
38.5	B	3	S	RHS			0		
41.16-20	A			LHS	50	5	250	250	
43.4-8	A			LHS	200	5	1000	1000	
43.15-19	A			LHS	200	5	1000	1000	
45.9-11	B	3	M	RHS			0		
45.9-11	B	4	M	LHS			0		
46.13-14	B	3	S	RHS			0		
46.13-14	B	4	S	LHS			0		
51.1	B	3	M	RHS			0		
51.19	B	2	M	LHS			0		
52.20	B	1	M	RHS			0		
54.7-8	B	2	M	RHS			0		
54.7-8	B	3	M	LHS			0		
55.7-12	B	11	M	LHS			0		
60.12	B	1	M	RHS			0		
62.6	B	1	M	RHS			0		
64.8-10	B	7	M	RHS			0		
64.8-10	B	3	M	LHS			0		
67.8	B	4	M	LHS			0		
68.1-5	B	3	M	RHS			0		
68.1-5	B	4	S	LHS			0		
68.10-13	A			LHS	50	5	250	250	
69.16	B	3	S	LHS			0		
69.16-19	B	2	S	LHS			0		
69.16-19	B	4	S	RHS			0		
71.18-20	B	5	S	LHS			0		
72.7	B	4	S	LHS			0		
72.7	B	2	S	RHS			0		
72.15-20	B	6	S	LHS			0		
73.4	B	3	M	LHS			0		
73.4	B	2	M	RHS			0		
73.11	B	2	S	LHS			0		
73.11	B	3	S	RHS			0		
73.13-15	B	4	S	LHS			0		
73.13-15	B	3	S	RHS			0		
73.19	B	2	L	LHS			0		
73.19	B	1	M	RHS			0		
74.3	B	2	S	RHS			0		
74.3	B	3	S	LHS			0		
75.11-12	B	4	S	LHS			0		
75.11-12	B	5	S	RHS			0		

No	Category	No.trees	Size	Sides	Distance	Width	Cross Check	Areas	Comments
75.14-15	B	3	M	RHS			0		
75.14-15	B	6	S	LHS			0		
76.10	B	4	S	LHS			0		
76.10	B	2	S	RHS			0		
76.13	B	2	L	RHS			0		
76.13	B	3	S	LHS			0		
76.19-90	A			LHS	150	5	750	750	
77.1-3	A			Both-sides	100	5	500	500	
77.12	B	2	L	LHS			0		
79.4	B	1	L	LHS			0		
79.6-9	B	3	M	LHS			0		
79.6-9	B	11	S	RHS			0		
80.2	B	6	S	LHS			0		
80.8-9	B	5	S	LHS			0		
80.18-19	B	7	S	RHS			0		
81.7-8	B	17	S	LHS			0		
81.7-8	B	13	S	RHS			0		
82.2	B	5	M	LHS			0		
82.13	B	4	S	RHS			0		
82.18	B	2	M	LHS			0		
82.18	B	1	L	RHS			0		
83.18	B	1	L	LHS			0		
84.1-15	B	12	L	LHS			0		
85.1	B	2	M	LHS			0		
85.5-9	A			Both-sides	200	5	1000	1000	
86.4-6	B	3	S	RHS			0		
86.4-6	B	4	S	LHS			0		
87.5	A			LHS	50	5	250	250	
87.8-11	A			Both-sides	150	5	750	750	
87.18	A			LHS	50	5	250	250	
89.9-11	A			Both-sides	150	5	750	750	
89.19	A			RHS	50	5	250	250	
90.6	B	2	M	RHS			0		
91.6-19	A			Both-sides	650	5	3250	3250	
92.4-7	A			Both-sides	150	5	750	750	
93.1-94.8	A			Both-sides	1400	5	7000	7000	
94.15-20	A			Both-sides	250	5	1250	1250	
95							0		
96.8-11	A			Both-sides	150	5	750	750	
97.2	B	1	M	RHS			0		
97.4-10	A			Both-sides	300	5	1500	1500	
97.13-15	A			RHS	100	5	500	500	
98.1	B	1	L	RHS			0		
99.1-13	A			Both-sides	600	5	3000	3000	
100.2-5	A			RHS	150	5	750	750	
101.1	B	2	M	RHS			0		
101.1	B	?		LHS			0		Tree emerging from side of the bridge.
101.11	B	3	M	LHS			0		
102.3-4	A			Both-sides	100	5	500	500	
104.1-7	B	14	S	RHS			0		
105.5-8	B	5	S	RHS			0		
107.5-9	A			Both-sides	200	5	1000	1000	
107.17	B	3	M	RHS			0		
108.2	B	2	M	RHS			0		
108.5-9	B	3	M	RHS			0		
109.10-12	A			RHS	100	5	500	500	
110.1	A			RHS	50	5	250	250	
110.3	A			LHS	50	5	250	250	
110.11	B	3	M	LHS			0		
110.14-16	B	8	S	LHS			0		
110.14-16	B	6	S	RHS			0		
111.2	B	1	L	RHS			0		
111.7	A			Both-sides	50	5	250	250	
111.16	B	2	M	LHS			0		
112.3	B	1	M	LHS			0		
112.7-9	A			RHS	100	5	500	500	
112.19	B	4	S	RHS			0		
113.8	A			LHS	50	5	250	250	
113.13-15	B	7	S	LHS			0		
113.13-15	B	5	S	RHS			0		
114.5	B	1	M	RHS			0		
114.8-9	B	3	M	RHS			0		
114.18	A			RHS	50	5	250	250	
116.5	B	5	S	RHS			0		
117.5-6	B	?	M	LHS			0		Branches of trees hanging over from the farmers' yards.WER.
118.16	B	1	M	RHS			0		
119.2-5	A			Both-sides	150	5	750	750	
119.15	B	2	M	RHS			0		
120.1	B	2	M	RHS			0		
120.11-14	A			Both-sides	150	5	750	750	
120.17	B	1	M	RHS			0		
121.2-6	A			LHS	200	5	1000	1000	
121.15	B	1	M	RHS			0		
123.17	A			LHS	50	5	250	250	
124.7	A			LHS	50	5	250	250	
124.11-16	A			LHS	250	5	1250	1250	
125.8	A			LHS	50	5	250	250	
125.11	B	1	S	RHS			0		
126.5	B	1	M	RHS			0		

No	Category	No.trees	Size	Sides	Distance	Width	Cross Check	Areas	Comments
127.2	B	2	S	LHS			0		
127.7	B	1	M	RHS			0		
128.5	B	1	L	RHS			0		
128.7	B	1	M	RHS			0		
129.8-11	B	6	M	LHS			0		
129.8-11	B	4	S	RHS			0		
130.8	B	3	M	LHS			0		
130.11-17	B	15	S	LHS			0		
130.17-19	B	4	S	LHS			0		
130.17-19	B	3	S	RHS			0		
131.2-18	B	10	S	LHS			0		
131.2-18	B	13	S	RHS			0		
132.2-3	B	4	S	LHS			0		
132.2-3	B	5	S	RHS			0		
132.15	A			LHS	50	5	250	250	
132.15	A			RHS	50	5	250	250	
133.2	A			RHS	50	5	250	250	
134.16-19	B	5	M	LHS			0		
135.4	B	1	L	RHS			0		
135.12-14	B	3	M	LHS			0		
135.12-14	B	4	S	RHS			0		
136.2	B	3	M	RHS			0		
136.12-13	B	4	S	LHS			0		
137.1	B	1	L	RHS			0		
137.10-15	B	9	S	RHS			0		
137.10-15	B	12	S	LHS			0		
138.6-10	B	8	S	LHS			0		
140.9	B	3	M	RHS			0		
140.17-19	B	8	M	LHS			0		
141.3	B	1	L	LHS			0		
141.10	B	2	M	RHS			0		
141.10	B	2	S	LHS			0		
142.14-16	B	16	S	RHS			0		
143.3	B	1	M	LHS			0		
143.10-11	B	4	M	RHS			0		
143.10-11	B	5	S	LHS			0		
143.16	B	3	S	LHS			0		
144.11	B	1	L	RHS			0		
144.17	B	3	S	LHS			0		
144.17	B	5	S	RHS			0		
145.1-7	B	12	S	LHS			0		
145.1-7	B	7	S	RHS			0		
145.9-11	A			LHS	100	5	500	500	
145.14-15	A			LHS	100	5	500	500	
145.17-20	A			Both-sides	150	5	750	750	
146.2	B	2	M	RHS			0		
146.5-8	A			Both-sides	150	5	750	750	
146.10-16	A			Both-sides	300	5	1500	1500	
146.18-20	A			Both-sides	100	5	500	500	
147.1-5	A			Both-sides	200	5	1000	1000	
147.8-10	B	13	S	RHS			0		
147.14-16	A			RHS	100	5	500	500	
148.14-20	A			LHS	300	5	1500	1500	
149.2-5	A			Both-sides	150	5	750	750	
149.8-10	B	7	S	RHS			0		
149.12-17	A			Both-sides	250	5	1250	1250	
150.3	B	2	M	RHS			0		
150.15-17	B	8	S	LHS			0		
151.1-3	B	5	M	LHS			0		
151.5-8	A			RHS	150	5	750	750	
151.12	B	3	M	LHS			0		
151.14-19	A			RHS	250	5	1250	1250	
152.1-6	A			Both-sides	250	5	1250	1250	
152.6-8	B	12	M	RHS			0		
153.4-7	B	7	M	RHS			0		
153.13-17	B	9	M	LHS			0		
154.3-5	B	6	M	LHS			0		
154.15-19	A			Both-sides	200	5	1000	1000	
155.6-8	A			Both-sides	100	5	500	500	
155.10-15	A			RHS	250	5	1250	1250	
156.4-10	B	8	M	RHS			0		
156.4-10	B	7	M	LHS			0		
156.12-15	B	6	M	RHS			0		
156.19	B	2	L	LHS			0		
158.2-5	A			Both-sides	150	5	750	750	
159.8	B	1	L	LHS			0		
159.13-14	B	3	M	LHS			0		
159.13-14	B	4	M	RHS			0		
160.11	B	3	M	LHS			0		
161.6	B	6	S	RHS			0		
161.6-10	A			LHS	200	5	1000	1000	
162.3-6	A			LHS	150	5	750	750	
162.8	B	1	L	LHS			0		
163.4-6	A			Both-sides	150	5	750	750	
163.15	B	3	M	RHS			0		
164.6	B	1	L	RHS			0		
165.11-13	B	8	S	RHS			0		
165.13-15	A			Both-sides	150	5	750	750	
167.3-9	B	18	S	RHS			0		

PREVIEW COPY ONLY

Adansonia digitata(Baobab)
tree need to be pruned.

Adansonia digitata(Baobab)
tree to be pruned.

No	Category	No.trees	Size	Sides	Distance	Width	Cross Check	Areas	Comments
167.12-17	B	11	S	LHS			0		
167.12-17	B	8	M	RHS			0		
167.18	A			LHS	50	5	250	250	
168.1-5	A			RHS	200	5	1000	1000	
168.7-9	B	7	M	LHS			0		
168.7-9	B	5	M	RHS			0		
168.15-17	B	6	M	LHS			0		
168.15-17	B	7	M	RHS			0		
169.1-5	A			LHS	200	5	1000	1000	
169.8-11	B	9	S	RHS			0		
169.15-19	A			LHS	200	5	1000	1000	
169.15-19	A			RHS	200	5	1000	1000	
170.14-19	A			RHS	250	5	1250	1250	
171.2.4	B	5	M	RHS			0		
171.7-8	B	3	M	RHS			0		
171.17-18	B	4	M	RHS			0		
172.5	B	2	L	RHS			0		
172.13	B	1	L	RHS			0		
172.19	B	3	M	RHS			0		
173.10	B	2	L	LHS			0		
173.12-15	B	8	M	RHS			0		
173.12	B	3	M	LHS			0		
174.1	B	2	L	RHS			0		
174.10	B	3	M	RHS			0		
175.7	B	5	M	RHS			0		
175.11-14	B	7	M	LHS			0		
175.16-20	A			Both-sides	200	5	1000	1000	
176.1-4	B	6	M	LHS			0		
176.9-11	B	7	M	RHS			0		
176.19	B	4	M	RHS			0		
178.8-10	A			LHS	100	5	500	500	
178.11	B	2	L	RHS			0		
178.16-19	B	18	S	RHS			0		
179.9-11	B	6	M	LHS			0		
179.14-17	A			Both-sides	150	5	750	750	
180.16-18	B	6	M	LHS			0		
180.16-18	B	7	M	RHS			0		
181.5	B	1	L	RHS			0		
181.7-10	A			Both-sides	150	5	750	750	
181.16	B	2	L	RHS			0		
182.3-5	B	6	S	RHS			0		
182.9-12	B	5	M	LHS			0		
183.3	B	1	M	RHS			0		
183.12	A			RHS	50	5	250	250	
184.2-5	B	6	S	LHS			0		
184.2-5	B	3	M	RHS			0		
184.10-14	A			RHS	200	5	1000	1000	
184.18	B	2	M	LHS			0		
186.4-6	A			LHS	100	5	500	500	
186.11--14	B	9	S	RHS			0		
186.17-20	A			Both-sides	150	5	750	750	
187.18-20	A			RHS	100	5	500	500	
188.6-10	A			RHS	200	5	1000	1000	
188.13	B	2	M	RHS			0		
188.18	B	3	M	LHS			0		
188.18	B	4	M	RHS			0		
189.2-5	B	5	S	RHS			0		
189.2-5	B	4	S	LHS			0		
189.9-11	B	3	M	RHS			0		
189.9-11	B	4	M	LHS			0		
190.6-9	B	5	M	RHS			0		
190.6-9	B	4	M	LHS			0		
190.11-14	A			LHS	150	5	750	750	Sclercarya birrea(Morula)tree
190.17-20	A			Both-sides	150	5	750	750	need to be pruned.
191.12	B	2	L	LHS			0		
191.15-18	B	5	M	RHS			0		
192.10-13	B	4	M	LHS			0		
193.2.4	B	5	M	LHS			0		1X Morula tree to be pruned.
193.7	B	2	L	LHS			0		
193.10-16	A			RHS	300	5	1500	1500	
194.7	B	1	L	RHS			0		1X Morula tree to be pruned.
195.1-5	A			Both-sides	200	5	1000	1000	
196.1	B	4	M	RHS			0		
196.1	B	3	M	LHS			0		
196.11-14	B	7	M	RHS			0		
196.11-14	B	5	M	LHS			0		
197.1-5	B	9	S	RHS			0		
197.1-5	B	7	M	LHS			0		
197.10-13	B	6	M	RHS			0		
197.10-13	B	5	M	LHS			0		
204.7	B	4	S	LHS			0		
204.11-13	A			RHS	100	5	500	500	
204.17-20	A			Both-sides	150	5	750	750	
205.6-8	B	9	S	RHS			0		
205.11	B	3	S	LHS			0		
206.1-3	B	5	M	RHS			0		
206.1-3	B	6	S	LHS			0		
206.7	B	4	M	RHS			0		
206.10-14	A			Both-sides	200	5	1000	1000	

No	Category	No.trees	Size	Sides	Distance	Width	Cross Check	Areas	Comments
206.15	B	3	M	LHS			0		
206.17-20	B	12	S	RHS			0		
207.3	B	2	M	RHS			0		
207.6-9	A			LHS	150	5	750	750	
207.12	B	1	L	RHS			0		
207.14-16	B	5	M	LHS			0		
207.14-16	B	8	S	RHS			0		
208.2	B	2	M	RHS			0		
208.5-8	A			Both-sides	150	5	750	750	
208.10-11	B	5	M	LHS			0		
208.12	B	3	M	RHS			0		
208.14-16	A			Both-sides	100	5	500	500	
209.18	B	4	M	LHS			0		
209.19	B	3	M	RHS			0		
210.2-4	B	9	S	RHS			0		
210.2-4	B	7	S	LHS			0		
210.5-7	B	11	S	RHS			0		
210.5-7	B	8	S	LHS			0		
210.8-10	B	13	S	RHS			0		
210.12	B	4	M	LHS			0		
210.14-18	A			Both-sides	200	5	1000	1000	
210.20	B	3	M	LHS			0		
211.1-3	B	9	S	RHS			0		
211.1-3	B	8	S	LHS			0		
211.5-8	A			RHS	150	5	750	750	
211.10	B	3	M	LHS			0		
211.12	A			Both-sides	50	5	250	250	
211.17-19	B	8	S	LHS			0		
211.20	B	2	M	RHS			0		
212.10	A			LHS	50	5	250	250	
212.11	B	4	M	RHS			0		
212.15-17	B	16	S	LHS			0		
212.15-17	B	13	S	RHS			0		
212.18-20	A			Both-sides	100	5	500	500	
213.2	B	3	M	RHS			0		
213.5-8	B	11	S	LHS			0		
213.5-8	B	9	S	RHS			0		
213.11-13	B	8	M	LHS			0		
214.17-19	A			RHS	100	5	500	500	
215.9-18	A			Both-sides	450	5	2250	2250	
215.18	B	2	L	RHS			0		
215.18	B	1	L	LHS			0		
					16200	485	81000	81000	

1315
SMALL 685
MEDIUM 572
LARGE 58
1315

"PREVIEW COPY ONLY"