

TRANSNET FREIGHT RAIL

a Division of TRANSNET SOC LIMITED (Registration No. 1990/000900/30)

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

ISSUE DATE : 26 SEPTEMBER 2012

CLOSING DATE _: 09 OCTOBER 2012

CLOSING TIME 10H00

Please note that late responses and those delivered or posted to the wrong address will be disqualified.



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

SCHEDULE OF DOCUMENTS

Section

- 1. Notice to Bidders
- 2. Project Specification
- 3. Quotation form
- 4. Resolution of Board of Directors (Respondent's Representative)
- 5. Certificate of Acquaintance with RFQ Documents
- 6. Service fees and Costs
- 7. Certificate of attendance of briefing session
- 8. General tender conditions
- 9. Standard terms and conditions of contract

Annexures

Annexure A - Supplier Declaration Form



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

NOTICE TO BIDDERS

1.—	Quotations are requested from selected persons, companies, close corporations or enterprises (hereinafter referred to as the "Respondent(s)") to supply the above-mentioned requirement(s) to TRANSNET.
-	On or after 04 July 2012 the RFQ documents may be inspected at, and are obtainable FREE OF CHARGE
	from the office of Local Acquisition Council Room 631 6th Floor, Transnet Park Building, Modderdam Street, Bellville.
	Any additional information or clarification will be faxed or emailed to all potential Respondents, if necessary.
	OR

Quotations are requested from selected persons companies, close corporations or enterprises (herein after referred to as the "Respondent(s)") to supply the above-mentioned requirement(s) to TRANSNET.

On or after 26 September 2012 the RFQ documents may be inspected at, and are obtainable from the office of Local Acquisition Council Room 631 6th Floor, Transnet Park Building, Modderdam Street, Bellville, A non-refundable tender fee of R100, 00 (inclusive of VAT) is applicable per tender. Payment is to be made to Transnet Freight Rail, Standard Bank Account No. 203158598, Branch code 004085. The deposit slip must reflect as reference: **RFQ BLE/51962** and your company name. Receipt / proof of payment to be presented prior to collection of tender/s (No proof of payment no tender).

NOTE 1.1 This amount is not refundable. RFQ documents will only be available until Tuesday 02 October 2012 at 15h00.

- 1.2 No RFQ documents will be sold after the deadline indicated above.
- 2. A formal briefing session be held but should Respondents have specific queries they should email these to the TRANSNET employee(s) indicated below:

Name : Tamara Dlamini (021) 940 3831

Division : Transnet Freight Rail – Supply Chain Services

Email : Tamara.Dlamini@transnet.net

Respondent's Signature	3	Date and Company Stamp



A compulsory Quotation briefing session will be conducted at GRW Gate, North Yard in Worcester on Wednesday 03 October 2012, at 11h00 for a period of \pm 1 hour. (Respondent to provide own transportation and accommodation).

Respondents failing to attend the compulsory briefing session will be disqualified.

The briefing session will start punctually at 11h00 and Respondents arriving late will not be accommodated.

Site inspection: Viewing of the actual site will be discussed at the Briefing Session.

For specific queries before the closing of the RFQ, the following Transnet Freight Rail's employee(s) may be contacted by email only:

Name : Norman Lakay (021) 940 3022 / 083 449 5625

Division : Transnet Freight Rail

Email Norman.Lakay@transnet.net

Quotations must reach the offices of Supply Chain Services, before the closing hour on the date shown below, and must be enclosed in a sealed envelope which must have inscribed on the outside:

RFQ No : WR/BLE/51962

Description : Replacement of water reticulation

Closing date and time : 09 October 2012 at 10h00 Closing address (refer options paragraph 4 below)

3. DELIVERY INSTRUCTIONS FOR THIS RFQ.

- 4.1 If posted, the envelope must be addressed to the Secretary, Transnet Freight Rail Acquisition Council, PO Box 2986 Bellville 7535 and must be dispatched in time for sorting by the Post Office to reach the Secretary before the closing time of the RFQ. In the event of the late receipt of a Quotation, the Respondent's franking machine impression will not be accepted as proof that the response was posted in time.
- 4.2 <u>If delivered by hand</u>, the envelope is to be deposited in the Transnet Freight Rail tender box which is located at the main entrance, Foyer of this building at ground Floor between 07:30 and 16:00, Mondays to Fridays and should be addressed as follows:

LOCAL ACQUISITION COUNCIL Transnet Park Ground Floor Modderdam Road BELLVILLE

Respondent's Signature	4	Date and Company Stamp



4.3 <u>If dispatched by courier</u>, the envelope must be addressed as follows and delivered to the Office of The Secretary, Local Acquisition Council and a signature obtained from that Office.

LOCAL ACQUISITION COUNCIL Transnet Park Ground Floor Modderdam Road BELLVILLE

The measurements of the "tender slot" are 500mm wide x 100mm high, and Respondents must please ensure that response documents or files are not larger than the above dimensions. Responses which are too bulky (i.e. more than 100mm thick) must be split into two or more files, and placed in separate envelopes. **Tender number and description must be written outside the envelope.**

- 4. Please note that this RFQ closes punctually at 10:00 on Tuesday 09 October 2012.
- If responses are not posted or delivered as stipulated herein, such responses will not be considered and will be treated as "UNRESPONSIVE".
- 6. NO EMAIL OR FACSIMILE RESPONSES WILL BE CONSIDERED.
- 7. The responses to this RFQ will be opened as soon as practicable after the expiry of the time advertised for receiving them.
- 8. TRANSNET shall not, at the opening of responses, disclose to any other company any confidential details pertaining to the Quotations / information received, i.e. pricing, delivery, etc. The names and location of the Respondents will, however, be divulged to other Respondents upon request.
- 9. Envelopes must not contain documents relating to any RFQ other than that shown on the envelope.
- 10. No slips are to be attached to the response documents. Any additional conditions must be embodied in an accompanying letter. Subject only to clause 22 (ALTERATIONS MADE BY THE RESPONDENT TO TENDER PRICES) of the General Tender Conditions, alterations, additions or deletions must not be made by the Respondent to the actual RFQ documents.

BROAD-BASED BLACK ECONOMIC EMPOWERMENT ("BBBEE")

TRANSNET fully endorses and supports the South African Government's Broad-Based Black Economic Empowerment Programme and it is strongly of the opinion that all business enterprises have an equal obligation to redress the imbalances of the past. TRANSNET would therefore prefer to do business with business enterprises who share these same values and who are prepared to contribute to meaningful BBBEE initiatives (including and not limited to enterprise development, subcontracting and Joint Ventures) as part of their tender response.

Respondent's Signature	5	Date and Company Stamp



Transnet would accordingly allow a "preference" in accordance with the 10% preference system, as per the Preferential Procurement Policy Framework Act 5 of 2000 (as amended) to companies who provide a BBBEE accreditation Certificate. All procurement and disposal transactions in excess of R30000 will be evaluated accordingly. All transactions below R30000 will as far as possible be earmarked for EME's.

TRANSNET consequently urges Respondents (Large enterprises and QSE's – see below) to have themselves duly accredited by any one of the Accreditation Agencies <u>approved</u> by SANAS (South African National Accreditation System, under the auspices of the DTI).

In terms of Government Gazette No. 32094, Notice No. 354 dated 23 March 2010, as from 1 August 2010, only BBBEE accreditation Certificates issued by SANAS approved verification agencies will be valid.

However accreditation certificates issued before 23 March 2012 and which are still within their one (1) year validity period will still be acceptable, until their expiry date provided that the accreditation was done in accordance with the latest codes (i.e. those promulgated on 9 February 2007).

BBBEE Accreditation Certificates issued after the published date i.e. 23 March 2010, by a Verification Agency not approved by SANAS, will **NOT** be acceptable as from 23 March 2010.

- 12.1 Enterprises will be rated by such Accreditation Agencies based on the following:
 - (a) Large Enterprises (i.e. annual turnover >R35 million):
 - Rating level based on all 7 (seven) elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
 - (b) Qualifying Small Enterprises QSE (i.e. annual turnover >R5 million but <R35 million):
 - Rating based on any 4 (four) of the elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
 - (c) Exempted Micro Enterprises EME (i.e. annual turnover <R5m are exempted from being rated or verified):
 - Automatic BBBEE Level 4 rating, irrespective of race ownership, i.e. 100% BBBEE recognition
 - Black ownership >50% or Black Women ownership >30% automatically qualify as Level 3 BBBEE rating, i.e. 110% BBBEE recognition
 - ➤ EME's should provide documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% (to be renewed annually) from their Auditors / Accounting Officers
- 12.2 In addition to the above, Respondents who wish to enter into a Joint Venture (JV) or subcontract portions of the contract to BBBEE companies must state in their Tenders / Proposals the percentage of the total contract value which would be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and/or sub-contractors, as well as a breakdown of the distribution of the aforementioned percentage allocation must also be furnished with the tender response to enable Transnet to evaluate / adjudicate on all tenders received on a fair basis.

Respondent's Signature	6	Date and Company Stamp



12.3 Each Respondent is required to furnish proof of its BBBEE status (Certificate and Detailed Scorecard) as stipulated above to TRANSNET.

	Scorecard) as stipulated above to TRANSNET.
	Turnover: Indicate your company's most recent annual turnover:
	R
•	If annual turnover <r5m, accounting="" and="" annual="" as="" attach="" auditors="" black="" confirming="" if="" letter="" officers="" ownership="" percentage="" please="" turnover="" well="" women="">R5m please attach BBBEE certificate and detailed scorecard from an accredited rating agency.</r5m,>
12.4	The DTI has created an online B-BBEE Registry (http://www.dti.gov.za) in order to provide a central and standardized source of the B-BBEE status of all entities, and to facilitate the flow of this information amongst entities by providing a Unique Profile Number (UPN) per each listing. Existing and prospective suppliers are therefore urged to list their B-BBEE status on the DTI Registry. Hence, entities verified by DTI, will receive the following benefits:
	- Their BBBEE status will be verified and confirmed by the DTI, before listing on the Registry - Listing on the Registry will provide suppliers the option to market themselves on the DTI B-BBEE Opportunities Network. This is a search engine that is designed to help businesses find B-BBEE compliant entities who match specific requirements in terms of the nature of services/goods provided, region, B-BBEE status or other search criteria.
	Transnet supports this DTI initiative and will use the DTI Registry to verify prospective and existing suppliers' BBBEE credentials.
12.5	The respondent will provide Transnet with its DTI B-BBEE UNIQUE PROFILE NUMBER with all tender submissions.
	DTI BBBEE UNIQUE PROFILE NUMBER:
12.6	Failure to submit your BBBEE information in terms of 14.3 and/or 14.5 (above) will result in a score of zero being allocated for BBBEE evaluation.
11.	COMMUNICATION
	Respondents are warned that a response will be liable to disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of TRANSNET in respect of this

Respondent's Signature 7 Date and Company Stamp

A respondent may, however, BEFORE THE CLOSING DATE AND TIME, direct any enquiries relating to the RFQ to the TRANSNET employee as indicated in (2) above, and may also at any time after the closing

RFQ between the closing date and the date of the award of the business.



date of the RFQ, communicate with the Secretary of the Western Region Acquisition Council, at telephone no. 021 940 3831 or fax no. 011 774 9813 on any matter relating to its RFQ response.

12. **RFQ SCHEDULE**

Respondents will be contacted as soon as practicable with a status update. At this time short-listed Respondents may be asked to meet with TRANSNET representatives at a location to be agreed.

13. INSTRUCTIONS FOR COMPLETING THE RFQ

- (i) Sign one set of documents (sign and date the bottom of each page). This set will serve as the legal and binding .The following returnable documents must accompany all Quotations:
 - Respondent's latest audited financial statements;
 - Respondent's valid Tax Clearance Certificate.

14. COMPLIANCE

The successful Respondent (hereinafter referred to as the "Supplier") shall be in full and complete compliance with any and all applicable State and Local Laws and Regulations.

15. **ADDITIONAL NOTES**:

- All returnable documents as indicated in the Quotation Form (Section 3) must be returned with the response
- Respondents are to note that Quotations in which firm prices are quoted for the duration of any resulting contract may receive precedence over prices which are subject to adjustment
- Changes by the Respondent to its submission will not be considered after the closing date
- The person or persons signing the Quotation must be legally authorised by the Respondent to do so (Refer Section 4). A list of those person(s) authorised to negotiate on your behalf (if not the authorised signatories) must also be submitted along with the Quotation together with their contact details.
- All prices must be quoted in South African Rands
- TRANSNET reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents and may wish to visit the Respondent's place of manufacture (works) during this process.

NB: Unless otherwise expressly stated, all Quotations furnished pursuant to this Request shall be deemed to be offers. Any exceptions to this statement must be clearly and specifically indicated. TRANSNET reserves the right to reject any or all offers.

FAILURE TO OBSERVE ANY OF THE ABOVE-MENTIONED REQUIREMENTS MAY RESULT IN A QUOTATION BEING REJECTED

Respondent's Signature	8	Date and Company Stamp



16. **DISCLAIMERS**

Respondents are hereby advised that TRANSNET is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. In particular, please note that TRANSNET reserves the right to:

- modify the RFQ's Service(s) and request Respondents to re-bid on any changes
- reject any Quotation which does not conform to instructions and specifications which are detailed herein
- disqualify Quotations submitted after the stated submission deadline
- not necessarily accept the lowest priced Quotation
- · reject all Quotations, if it so decides
- award a contract in connection with this Quotation at any time after the RFQ's closing date
- award only a portion of the proposed Services which are reflected in the scope of this RFQ
- · split the award of the contract between more than one Supplier
- make no award of a contract

Kindly note that TRANSNET will not reimburse any Respondent for any preparatory costs or other work performed in connection with this Quotation, whether or not the Respondent is awarded a contract.

17. Any QUOTATION submitted by a Respondent is subject to review and negotiation of the proposed contract by TRANSNET's Legal Counsel.

NAME OF RESPONDENT	, 0	
PHYSICAL ADDRESS	N	
Respondent's contact person.	Name	
	Designation	
	Telephone	
	Cellphone	
	Facsimile	
	Email	
Respondent's Signature	9	Date and Company Stamp



TRANSNER

TRANSNET urges its clients, suppliers and the general public to report any fraud or corruption on the part of TRANSNET's employees to

TIP-OFFS ANONYMOUS: 0800 003 056

SUBSTANCE ABUSE TESTING

The OHSA (Act 85 of 1993) clearly states in the Safety Regulations no. 2A "INTOXICATION" An employer or user, as the case may be, shall not permit any person who appears to be under the influence of intoxicating liquor or drugs, to enter or remain at a workplace". Transnet Freight Rail enforces this legislation by means of its Substance Abuse Policy, and therefore reserves the right to do substance abuse testing on anyone who enters their premises.



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

SEE ANNEXURE A -PROJECT SPECIFICATION - attached hereto REPLACEMENT OF WATER RETRICULATION at North Yard Worcester 1.

2. Scope of Work:

- The work required shall be to replace and modify a section of the water reticulation feeding GRW and The
 Diesel Depot for approximately 175 meter with 150mm. m-PVC longitudinal with the precast wall up to
 the Shunting embankment and connect to existing Domestic branch-off points.
- Also move the 50mm water meter at GRW to the outside of the wall and provide a meter box and a new stop valve in front of the meter.
- The tarred road will be cut neatly to accommodate the new pipeline where it crosses the road at the embankment and properly filled with good clean material and compacted as Per clause 4.5.2
- Also replace damaged tarred area after completion of pipe laying process to match existing.
- The work shall be carried out in accordance with this specification and the drawings with special reference
 to the South African Bureau of Standards (SABS) 1200. The particular SABS 1200 sections to consider
 are DB; L; LB and LD. Furthermore, the Code of Practice SABS 0120 and Special report number 35 "Pipe
 Laying Principles" published by HMSO to British Codes of Practice must be followed and the red-book for
 STANDARD SPECIFICATIONS FOR ROADWORKS AS PER CLAUCE 11-2.3.

Class of pipe to be used:

The water pipes shall be:

- The water fittings shall be malleable cast-iron fittings to SABS 509. Any exposed joint shall be sealed with "Denso" tape or other approved means.
 - Modified mPVC with the manufacturing and testing procedures complying with SABS 966/1976 to class 16 (16 bar) including fittings to suit.

Respondent's Signature	11	Date and Company Stamp



3. Site Establishment:

- No facilities will be necessary for the employer's (TFR) staff .but a daybook (diary) and site instruction book for reference and engineering input must be kept on the site.
- The facilities for the contractor shall be at the contractor's discretion but shall not be less than that as prescribed by law and to ensure that the standards required are met.

4. Excavations:

- The contractor must allow for clearance of the site to be excavated to a width associated to the depth required for proper excavation of the pipe. Excavate to reduced levels to suit layout as indicated on the plan or as per the site instruction if deviated from the drawings and to optimum depth and width. Any over excavation shall be to the contractor costs. Allow for the necessary de-watering and shoring to ensure that no collapse of the trenches shall occur especially when working near to the track. Further allow for barriers and caution tape along the trench to caution and protect the employer's and patrons.
- The water line shall be laid as follows:

 The water pipe shall at all times be between 800mm and 1000mm from the finished ground level. The water line shall be sleeved where it crosses the road and this sleeve pipe shall have a clearance of not greater than 20mm between the water pipe and sleeve pipe and filled with "Sista" or equivalent filling material to prevent pipe movement. The sleeve pipe shall extend one metre beyond the end of the road shoulder.

4 The installation of the pipes

Brief notes on the SABS 1200 that relate to the installing of pipe. The drawing references are annexed as Drawing "A".

4.1 Excavations:

- Pipe trenches shall be excavated to a depth suitable for the provision of adequate cover over the crown of the pipe, and to specified or allowed width SABS 12000 DB C1.5.2.
- The sides of trenches shall be as near vertical as possible for a height at least the full diameter of the pipe, plus the specific depth of selected fill blanket over the pipe, SABS 1200DB 1.5.4.
- Trench bottom: material unsuitable for the bottom of the trench shall be excavated, refilled with selected material and compacted, SABS 1200DB C1.5.5.

Respondent's Signature	12	Date and Company Stamp



- It is important that the trench is not opened too far in advance of the pipe laying operation. Where possible, pipes must be back-filled immediately after laying, with the joints left open for testing.
- It is recommended that the depth of cover, from the top of the pipe to the ground surface, be **not less than 800mm**.

4.2 Bedding

- Bedding and fill shall be selected granular material. The trench bed must be free of all stone or hard projections, which are likely to cause damage to the pipe, SABS 1200LB C1.2.3 & SABS 1200LB C1.3.3.
 - mPVC pipe shall be supported on a continuous bed of selected granular material of compacted depth at least 100mm, and covering the full width of the trench, SABS 1200LB C1.5.3 & SABS DWG LB-2.
 - i) Selected granular material shall be material of granular, non-cohesive nature, graded between 0,6mm and 19mm, is free draining and has the specified compact ability, SABS 1200LB C1.3.1.
 - ii) Compaction density for bedding cradle shall be 90% modified AASHTO, SABS 1200LB C1.5.1.1.4.
 - iii) Additional selected granular material shall be placed around the pipe in layers of approximately 100mm, SABS DWG LB-3 and compacted to the specified density, to a height of 100mm above the crown of the pipe.

4.3 Fill Blanket

- The fill blanket shall be the specified density (90% modified AASHTO) up to a depth of at least **300 mm** above **the crown** of the pipeline, SABS 1200LB C1.5.1.4 & 1200LB C1.5.3.
- Particular care should be taken at all times to prevent damage, deflection or displacement of the pipeline. See Drawing "A" for reference.

4.4 Back-filling

Fill material

Selected fill material shall be used and shall be free of vegetation, lumps and stones or any other foreign particles of diameter exceeding 30mm.

See Drawing "A" for reference.		
December 4 Circulus	42	Data and Common Chann
Respondent's Signature	13	Date and Company Sta



4.5 Minimum Cover

 Design the water line to provide a minimum crown depth cover over the top of the pipeline of 900mm.


For further notes see clause 4.1 above.

Filling / Compaction

- Backfill of pipe trenches shall commence after the pipe has been laid and firmly bedded in the bedding cradle, and the selected fill blanket placed and compacted as specified, SABS 1200DB C1.5.6.1.
- 4.6 Rule of Thumb Test for Suitability of Soil as a Backfill Material
 - STEP 1 Make a representative sample by quartering.
 - STEP 2 Take a 250mm length of 160mm diameter pipe. Fill it loosely with sample.
 - STEP 3 Lift pipe off loose filling.
 - STEP 4 Tamp filling back into pipe about 60mm at a time using a metal rammer with 37mm

diameter head. Tamp until no further compaction can be obtained. Measure X.

Conclusion:



Conclusion:

If X = 25mm or less – the soil is suitable.

If X = 26mm to 75mm – the material can be used only with extra care in compacting backfill, but

not in wet conditions.

If X = 76mm or over – the material is unsuitable.



Note: Pipe must be back-filled immediately after lying, leaving the joints exposed for testing. The pipeline must be laid directly on the prepared bedding in the trench, and any temporary supports, bricks or other foreign, hard bodies must be removed.

4.7 Compaction

- In areas of non- road traffic loads, back-filling shall be in layers of not exceeding 300 mm (after compaction) and the material compacted to 90% modified AASHTO density, SABS 1200DB C1.5.7.1.
- In areas of road traffic loads, trenches shall be back-filled in layers not exceeding 150mm (after compaction) and the material compacted to 93% modified AASHTO density (cohesive soils) and to 98% in the case of non-cohesive soils, SABS 1200DB C1.5.7.2.
- Cement Stabilisation of base will be done for the *full width of the road x 450mm thick* and compaction layers of 150mm to 98% Mod. AASHTO AS PER CLAUCE 11 2.3 OF Red Book for Standard Road Specifications.

Note: Concrete encasing of horizontal mPVC pipelines is not recommended, as it converts a flexible pipeline into a long, un-reinforced concrete beam of negligible flexural strength, likely to fracture with minor ground movement, SABS 0120 C1.4. If en-casing of concrete is required and the traffic loading is high then reinforcing of this section will be considered.

4.8 Joints

Flexible joints are available for all types of pipe and should be used in preference to rigid joints. They allow the pipeline to flex in the event of soil movements and also allow for thermal change, SABS 1200LD C1.3.2 & SABS 0120 C1.5.

5 Water Reticulation:

• Replace the 150mm main supply pipe and connect to 50mm branch line as shown at site meeting.

Respondent's Signature	15	Date and Company Stamp



- The water line shall be laid as indicated, between 800mm. and 900 mm. from the finished ground level.
 The pipe and fittings shall be manufactured in accordance with SABS 966/1976 and laid in accordance with SABS 1200 L.
- The existing water meter and a new stop valve complete with a closable valve box will be
 placed in a position at the connection point outside the fence at GRW.

6 Valves and valve box:

6.1 The valve shall comply with SABS 664 class 16 "waterworks gate valve" non-rising spindle with cap top. The minimum specifications shall be as given below:

Body/Bonnet/Stuffing Box/Gate/Hand-wheel

Spindle

Spindle nut/Gate Seat/Body Seat

· Gland packing

Gasket

Cast Iron to BS 1452 grade 220

Bronze to BS 2872 grade 114

Bronze to BS 1400 grade LG2

Graphite asbestos

Rubber

The operation shall be for 16 bar (1,6MPa) pressure rating. The valve shall be fitted with a table "D" flange for easy maintenance.

Provide and install valve chambers as per drawing "B"

6.2 Anchoring:

Pipes must be anchored at all change of direction, at valves, all stop ends and reducers. Concrete Trust blocks are most commonly used at all anchor points. Anchors points on the pipeline should be protected by means of a *layer of plastic* sheeting.

It is essential that mPVC pipes are backfilled immediately after each pipe is installed, in order to contain the expansion and contraction that would occur in an open trench. Immediate backfilling restricts expansion and contraction to each individual pipe length where it is catered for by the "LYNG" socket.

Respondent's Signature	16	Date and Company Stamp



Note: All Trust Blocks should be extended onto the socket area of the fitting that is being anchored, and should be keyed into the sides and bottom of the trench. As per Drawing "C"&"D"

7 TESTING:

WATER:

The water line shall be tested as per the SABS 1200 L and to the nominal test for a period of not exceeding 1 hour, to hydraulic pressure equal to 1,25 times the maximum working pressure of the pipe under test. The allowable leakage rate shall be as based on ISO recommendations DP 4191.

The allowable tolerance shall be as per clause 6 of the SABS 1200 L.

The pipe shall be disinfected in accordance with clause 5 of the SABS 1200 L and shall be flushed clean followed by 0,15 grams per litre of calcium hypochlorite allowed to slowly fill the pipe line and repeated until the water complies with requirements of portable water.








TRANSNET LIMITED

(REGISTRATION NO. 90 00900-06)
(hereinafter referred to as SPOORNET)


DRAWING A

TYPICAL CROSS SECTION DETAIL





Manhole with valve "B"



1.50m. x 1.50m. 1brick wall, plastered on outside and bagged on the inside with a 1m.x1m. Blue Fibre Manhole cover placed on a 75mm. x 25mpa foundation.




Drawing "C"

Preview copy only.



THRUST BLOCKS FOR T-PIECES



NOTES

- These dimensions and the form of the block are intended as a guide only. The final shape is to be determined on site.
- Where possible the block is to be cast against, undisturbed insitu material.
- 3. The couplings must remain flexible and removable.
- Thrust blocks for pipes larger than 300s to be individually designed.




Drawing "D"

Preview copy only.



THRUST BLOCKS FOR END CAPS



NOTES

- 1. Dimensions given are minimum sizes
- 2. Block is to be cast against undisturbed material.
- 3. The couplings must remain flexible and removable



1. EXECUTIVE OVERVIEW

The selected service provider(s) will share in the mission and business objectives of TRANSNET. These mutual goals will be met by meeting contract requirements and new challenges in an environment of teamwork, joint participation, flexibility, innovation and open communications. In this spirit of partnership, TRANSNET and its Supplier(s) will study the current ways they do business to enhance current practices and support processes and systems. Such a partnership will allow TRANSNET to reach higher levels of quality, service and profitability.

Specifically, TRANSNET seeks to benefit from this partnership in the following ways:

- TRANSNET must receive reduced cost of acquisition and improved service benefits resulting from the Supplier's economies of scale and streamlined service processes.
- TRANSNET must achieve appropriate availability that meets user needs while reducing costs for both TRANSNET and the chosen Supplier(s).
- TRANSNET must receive proactive improvements from the Supplier with respect to the provision of Services and related processes.
- TRANSNET's overall competitive advantage must be strengthened by the chosen Supplier's leading edge technology and service delivery systems.
- TRANSNET end users must be able to rely on the chosen Supplier's personnel for service enquiries, recommendations and substitutions.
- TRANSNET must reduce costs by streamlining its acquisition of Services, including managed service processes on a Group basis.

2. GENERAL INFORMATION

It is required that all TRANSNET operating divisions will be included in the scope of this Quotation.

The service provider(s) shall be fully responsible to TRANSNET for the acts and omissions of persons directly or indirectly employed by them.

The service provider(s) must provide the identified information requested and comply with the requirements stated in the RFQ.

3. EXCHANGE AND REMITTANCE

The attention of the Respondents is specially directed to clause 7 of the General Tender Conditions Form CSS5 (revised August 2008). The Respondent is also to note that the particulars of the exchange rate on which the Respondent has based its tendered price(s), is/are to be stipulated hereunder only if TRANSNET is requested by the Respondent to effect payment overseas direct to the Respondent's principal/Supplier.

Pagnandant's Cignature	24	Data and Company Stomp




4. SERVICE LEVELS

- Experienced national account representative/s to work with Transnet's sourcing/procurement department (no sales representatives are needed for individual department/locations).
 Additionally, there shall be a minimal number of people, fully informed and accountable for this agreement.
- Transnet will have quarterly reviews with the Supplier's account representative on an ongoing basis.
- Transnet reserves the right to request that any member of the Supplier's team involved on the Transnet account be replaced if deemed not to be adding value for Transnet
- Supplier guarantees that it will achieve a 95% service level on the following measures. If the Supplier does not achieve this level as an average over each guarter, Transnet will receive a 1.5% rebate on quarterly fees payable in the next guarter:
 - On-time deliverables
- Supplier must provide a toll-free number or alternative number for customer service calls.
- Failure of the Supplier to comply with stated service level requirements will give Transnet the right to cancel the contract in whole, without penalty, giving 30 (thirty) days' notice to the Supplier.

Accepted:		O_{K} .	
YES		NO	

5. CONTINUOUS IMPROVEMENT INITIATIVES AND VALUE ADD

Respondents shall indicate whether they are committed to participate in the continuous improvement initiatives of TRANSNET to reduce the overall cost of transportation within South Africa during the duration of the contract



If "yes", please specify.

Respondents must briefly describe their commitment to the continuous improvement initiatives and give examples of specific areas and strategies where cost reduction initiatives can be introduced. Specific areas and proposed potential savings percentages should be included. Additional information can be appended to the Respondent's Quotation if there is insufficient space available.

Respondent's Signature	25	Date and Company Stamp

6.



RISK		
Respondents must elaborate on th	ne control measures put in place	e by their company, which mitigate the
risk to TRANSNET, pertaining to po	otential non-performance by a S	upplier in relation to -
non to 110 atomic 1, portaining to pe	stormar non porrormance by a c	applier in relation to
(i) quality of the Service(s) provided	۱۰	
(i) quanty of the contribute) provides		
	•	
(ii) continuity of provision of the Sei	rvice(s):	
(ii) continuity of provision of the col	1100,00	
•	7.4	
(iii) compliance with the Occupation	nal Health and Safety Act 85 of	1993
(iii) derripliande with the decapation	iai i ioaitii ana caroty 7 tot, co or	1000
L		
Respondent's Signature	26	Date and Company Stamp



7. REFERENCES

Please indicate below the company names and contact details of existing customers whom TRANSNET may contact to seek third party evaluations of your current service levels:

Name of Company	Nature of work & period	Telephone number	Contact Person
		•	

8. EVALUATION CRITERIA

TRANSNET will utilise the following criteria (not necessarily in this order) in choosing a Supplier, if so required:

- Pricing (fees) Whilst not the sole factor for consideration, competitive pricing will be critical in indicating how much you value TRANSNET's business
- An explicit commitment to continuous improvement initiatives
- Compliance Completeness of your responses and content of the Quotation will be considered
- Financial strength
- References
- BBBEE status of company
- Letter of Good Standing Compensation Commissioner
- Asbestos accredited

Respondent's Signature	27	Date and Company Stamp



RFQ NUMBER: BLE/51855

REMOVE ASBESTOS ROOF SHEETS AND REPLACE WITH IBR ROOF SHEETS AT BRACKENFELL GOODS SHED.

I/We			
	(name of company,	close corporation or partnersh	nip)
	of (fu	ull address)	0/
carrying on t	ousiness under style or title of	coby	
		N	
represented	by		
in my capaci	ty as	, 	
case may be	e, dated	a certified copy orices quoted in the schedule ference	Members or Certificate of Partners, as the f which is annexed hereto, hereby offer to of prices in accordance with the terms set and dated panying schedule of RFQ documents.
I/We agree t	to be bound by those conditions in	n TRANSNET's :	
(i)	Standard Terms and Condition	ons of Contract, Form No. US	S7 - Services (revised August 2008);
(ii)	General Tender Conditions,	Form CSS5 – Services (revis	ed August 2008); and
(iii)	any other standard or specia form; and;-	I conditions mentioned and/o	r embodied in the Request for Quotation
Resp	ondent's Signature	28	Date and Company Stamp



I/We accept that unless TRANSNET should otherwise decide and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence). together with TRANSNET's acceptance thereof shall constitute a binding contract between TRANSNET and me/us.

Should TRANSNET decide that a formal contract should be signed and so inform me/us in the facsimile or letter of acceptance, this Quotation (and, if any, its covering letter and any subsequent exchange of correspondence) together with TRANSNET's letter of acceptance, shall constitute a binding contract between TRANSNET and me/us until the formal contract is signed.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to enter into a formal contract if called upon to do so, or fail to commence the service, within 4 (four) weeks, TRANSNET may, without prejudice to any other legal remedy which it may have, recover from me/us any expense to which it may have been put in calling for Quotations afresh and/or having to accept any less favourable Quotation.

I/We accept that any contract resulting from this offer will be for a period ofonly; and agree to a penalty clause to be negotiated with TRANSNET, which will allow TRANSNET to invoke a penalty (details to be negotiated) against us should the delivery of the Services be delayed due to non-performance by us.

The law of the Republic of South Africa shall govern the contract created by the acceptance of this RFQ. The domicillium citandi et executandi shall be a place in the Republic of South Africa to be specified by the Respondent

hereunder, at which all legal documents ma iurisdiction of the courts of the Republic of Son name of their accredited agent in the Republic have to be entered into in the event of their Quato the contract. Respondent to indicate domicillium citandi et expendicular according to the contract.	outh Africa. Foreign Responder ic of South Africa who is emponentation being accepted and to	nts shall, therefore, state hereunder, the owered to sign any contract which may
5/6/		
NOTIFICATION OF AWARD OF RFQ		
As soon as possible after approval to award informed of the acceptance of its Quotation. The successful Supplier and the reason as to category of price, deliverables, quality, BBBEI VALIDITY PERIOD	Unsuccessful Respondents wo why their Quotations have to	vill be advised in writing of the name of been unsuccessful, for example, in the
TRANSNET desires a validity period of 3 (thr that Respondents may offer an earlier valid		
Respondent's Signature	29	Date and Company Stamp

Respondent's Signature



Date and Company Stamp

	on. Should Respondents be unable to of the description of the descript	comply with this validity period	d, an alternative validity period must be
This I	RFQ is valid until	(State alternat	ve validity period/date).
TAX	(VAT) REGISTRATION NUMBER		
The R	Respondent must state hereunder the tax req	gistration number which is applica	ble to Value-Added Tax:
- TAX	CLEARANCE CERTIFICATE		
Respo	ondents are required to forward a valid copy	of their company's Tax Clearance	e Certificate with their Quotation.
Indica	te tax clearance certificate expiry date:		- \
BAN	KING DETAILS		
	BANK:		$O_{I_{i}}$
	BRANCH NAME / CODE:		_
	ACCOUNT HOLDER:	-07	_
	ACCOUNT NUMBER:	702	<u> </u>
NAM	E(S) AND ADDRESS / ADDRESSES (OF DIRECTOR(S) OR MEMBI	ER(S)
	Respondent must disclose hereunder to bany or close corporation (C.C.) on who		
(i)	Registration number of company AC	.C	
(ii)	Registered name of company / C.C.		
(iii)	Full name(s) of director/member(s)	Address/Addresses	ID Number/s

30



REGISTRATION CERTIFICATE

Respondents must submit a certified copy of their company's Registration Certificate with their Quotation.

NAME AND ADDRESS OF ACCREDITED AGENT

Provide hereunder, if applicable, details of the accredited agent in the Republic of South Africa appointed as local representative by foreign Respondents and whose address shall be regarded as the Respondent's domicilium citandi et executandi in terms of the Standard Terms and Conditions of Contract, US7 – Services (revised August 2008).

Name				
Address				
) *
CONFIDENTIA	ALITY		6	
Should the need	d however arise to divulge ar	ny information glean	d from provision of t	is to be treated with strict confidence. he Service(s), which is either directly or mation will have to be obtained from
DISCLOSURE	OF PRICES TENDERED	0,		
Respondents:		TRANSNET may	disclose their tend	dered prices and conditions to other
Y	ES	NO		
	·			
Respond	dent's Signature	31		Date and Company Stamp



DECLARATION

Respondents to declare hereunder whether any family and/or direct relationship exists between any of the owners / members / directors / partners / shareholders (unlisted companies) of the responding company and any employee or board member of the TRANSNET Group:

	YES			NO			
FULL NA	ease indicate be ME OF OWNER R/SHAREHOLD	R/MEMBER/DIRE	ECTOR/			ADDRESS	
						77.	
Indicate r	nature of relations	ship (if any):			. (
		te and accurate in the business with T			ly lead to the disqu	ualification of a response and may pred	clude

PRICE REVIEW

The successful Respondent(s) will be obliged to submit to an annual price review. TRANSNET will be benchmarking this price offering(s) against the lowest price received as per the benchmarking exercise. If the Respondent's price(s) is/are found to be higher than the benchmarked price(s), then the Respondent shall match or better such price(s) within 30 days - failing which the Contract may be terminated at TRANSNET's discretion or the particular Service(s) purchased outside the contract.

RETURNABLE DOCUMENTS

Respondents are required to submit the following returnable documents with their responses (see tick):

✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓

Respondent's Signature	32	Date and Company Stamp



NOTE: Sections 1, 2, 3, 4, 5, 6, 7, , and 8 , as indicated in the footer of each page, must be signed and dated by the Respondent.

By signing the RFQ documents, the Respondent is deemed to acknowledge that he / she has made himself / herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet Limited will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed properly to take it into account for the purpose of calculating tendered prices or otherwise.

SIGNED at	this	day of	2012.
SIGNATURE OF WITNESSES:		ADDRESS (<u>DF_WITNESSES</u> :
1.	1		4.
2.	2	70,	
	, 0	26,	
SIGNATURE OF RESPONDENT'S AUTHORISED R	REPRESENTATI	VE:	
SIGNATURE OF RESPONDENT'S AUTHORISED R	_		
	NAME:		
*	DESIGNATION	ON:	
Respondent's Signature	33		Date and Company Stamp



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

SIGNING POWER: RESOLUTION OF BOARD OF DIRECTORS

Name of Company		
It was resolved at a meeting of the	e Board of Directors held on	that
_		
FULL NAME(S)	CAPACITY	SIGNATURE
		<u> </u>
	0,	
	N	
	118	
- * 6		
in his/her capacity as indicated a	above is/are hereby authorised to e	enter into, sign, execute and complete any
documents relating to Tenders, Qu	uotations and/or Contracts for the su	pply of Services.
FULL NAME		
		SIGNATURE CHAIRMAN
FULL NAME		SIGNATURE SECRETARY
		SIGNATURE SECRETARY
Respondent's Signature	- 34	Date and Company Stamp



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

CERTIFICATE OF ACQUAINTANCE WITH RFQ DOCUMENTS

NAME OF COMPANY:			131.
		o'	413
I/We			do
hereby certify that I/we acquainted myself	ourselves with all t	he documentation cor	nprising this RFQ and all conditions
contained therein, as laid down by Transwhich I/we submitted my/our response.	snet Limited for th	e carrying out of the	proposed supply/service/works for
I/We furthermore agree that Transnet	Limited shall rec	ognise no claim fro	m me/us for relief based on an
allegation that I/we overlooked any RA	Q/contract condition	on or failed to take i	t into account for the purpose of
calculating my/our offered prices or other	rwise.		
SIGNED at	on this	day of	2012.
WITNESS:			
		SIGNATURE C	DF RESPONDENT
Respondent's Signature	35		Date and Company Stamp



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

SERVICE FEES AND COSTS

Description	Unit	Quantity	Rate	Total
DAYWORK RATES Section 1				
Labour				
Site Agent (Foreman)	hr	8		
Assistant Foreman	hr	8		
Artisan	hr	8		•
Trade-hand	hr	8		* * *
Assistant Office Duty	hr	8		
Labour	hr	8		
Driver Class 2	hr	8		
Material Handling costs (10%)	item	%	>>>>>	
P&G	item	1		
Site establish cost	item	1))	
Site de-establish cost	item	1		
EARTHWORKS				
Excavate in all material with machine				
for pipe with 900mm cover. 500mm		•		
wide	M	175		
Extra over – intermediate material	M ₃	10		
Extra over - hard rock	M ³	10		
Extra over – boulders	M³	20		
Hand excavations	М³	20		
Hand excavation – disruptive 40%	М³	3.5		
Services crossing	Item	5		
Services alongside trench	m	175		
Hand excavations (restricted)	M³	5		
Hand excavation (under tracks)	М³	0		
Load spoil excavation material and				
dump on site radius 400m	m³	36.75		
Load, spoil excavation material to				
dump site radius 40 km.	m³	2		
REPAIR TO ROADS				
Imported selected gravel G4	m³	3		
Placing & comp G4 - 150mm layer	m²	3.5		
Prime area for premix	m²	3.5		
Premix asphalt - 30mm	m²	3.5		

Respondent's Signature	36	Date and Company Stamp





Single seal (chip and spray)	m²	0	
Double seal	m²	0	
Cape seal (chip, spray & slurry)	m²	0	
Slurry seal	m²	0	
Sweep area	m²	3.5	
BACKFILLING (PIPE TRENCHES)		0.0	
Back fill pipe trenches as per SABS			
1200 up to 1m deep	m³	84.5	
Clean fill compact	m³	36.7	
Imported clean fill	m³	36.7	
WATER PIPES mPVC class 16		00.1	
Lay/joint complete:			
50mm diameter	m	5	
110mm diameter	m	0	
150mm diameter	m	175	
Denso tape wraped around pipe	1		
80mm diameter	m	5	
FITTINGS mPVC for class 16			1
Extra over pipeline			
90° Bends including anchor block			
50mm diameter	item	1)
80mm diameter	item		
90mm diameter	item	\sim	
110mm diameter	item		
160mm diameter	item		
200mm diameter	item		
•			
45° Bends including Trust block			
75mm diameter	item		
90mm diameter	item		
110mm diameter	item		
160mm diameter	item		
150mm diameter	item	4	
200mm diameter	item		
Tee including Thrust block			
60*60*60mm	item		
75*75*75mm	item		
150*150*50mm	item	1	
110*110*160mm	item		
160*160*110mm	item		
160*160*160mm	item		
200*200*160mm	item		
_			
Pipe sleeve for 150mm MPVC	item	1	





"Sista" Filler	item	10	
FITTINGS for Galvanised Pipe			
Extra over pipeline			
90 ⁰ Bends			
20mm diameter	item		
25mm diameter	item		
80mm diameter	item		
100mm diameter	item		
150m diameter	item		
200mm diameter	item		
G/I Socket 50mm	item	1	
Table "D" Flange/MPVC			
Including nuts bolts and gasket.			
150mm	item		
100mm	item		
50mm	item	2	
Water meter 50mm complete with	item	0) •
connecting fittings			
Gate Valves complete with			
connecting fittings			
200mm	item		
160/150mm	item		
110/100mm	item		
80/75mm	item		
63mm	item		
50mm	item	1	
•			
Signal Air Valve 50mm			
Provide and install signal air-valves	item	1	
complete with fittings			
Meter chambers			
Provide meter box as per specification	item	1	
TOTAL (vat excluded)			

Price in Words:		
(Excluding VAT)		
Respondent's Signature	38	Date and Company Stamp



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

CERTIFICATE OF ATTENDANCE OF BRIEFING SESSION

It is hereby certified that -	
1	
2	
Representative(s) of(name	of company)
attended the briefing session in respect of the pr	roposed Service(s) to be rendered in terms of this RFQ on
TRANSNET REPRESENTATIVE	RESPONDENT'S REPRESENTATIVE
DATE:	DATE:
Respondent's Signature	39 Date and Company Stamp



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

GENERAL TENDER CONDITIONS - SERVICES

Refer Form CSS5 - Copy available on request.

"It is the responsibility of the Tenderer to ensure they are familiar with Form CSS5."



RFQ NUMBER: BLE/51962

REPLACEMENT OF WATER RETICULATION AT NORTH YARD IN WORCESTER.

STANDARD TERMS AND CONDITIONS OF CONTRACT

FOR THE PROVISION OF SERVICES TO TRANSNET

Refer Form US7 - Copy available on request.

"It is the responsibility of the Tenderer to ensure they are familiar with Form US7."

Respondents should note the obligations as set out in Clause 19 of the General Tender Conditions (Section 7) which reads as follows:

"The Supplier shall adhere to the Standard Terms and Conditions of Contract as set out in Form US7 - Services). Should the Respondent find any conditions unacceptable, it should indicate which conditions are unacceptable and offer an alternative. Please note that any alternative offered shall be compared with acceptance of the Form US7 conditions or alternatives offered by other Respondents."

Respondent's Signature	∆ 1	Date and Company Stamp