Part C2: Pricing Data

PRIENE

Part C2 Pricing Data



Part C2

PRICING DATA

INDEX

•	
Section	Description
C2.1	Pricing Instructions
C2.2	Bill of Quantities – Civil
C2.2	Bill of Quantities – Air-Condition
	21/
 	2

Part C2 Pricing Data TRANSNET

freight rail

C.2

PART C2.1

PRICING INSTRUCTIONS

- The agreement is based on the NEC Engineering and Construction contract 3.
 The electrical work has been drawn up in accordance with the provisions of the model bills of quantities for electrical work, published by the South African Association of Quantity Surveyors (July 2005).
- 2. It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders.
- 3. Reference to any particular trademark, name, patent, design, type, specific origin or producer is purely to establish a standard for requirements. Products or articles of an equivalent standard may be substituted.
- 4. The Bills of Quantities is not intended for the ordering of materials. Any ordering of materials, based on the Bills of Quantities, is at the Contractor's risk quantities should thus be confirmed for correctness before ordering.
- 5. The amount of the Preliminaries to be included in each monthly payment certificate shall be assessed as an amount project to the value of the work duly executed in the same ratio as the preliminaries bears to the total of prices excluding any contingency sum, the amount of the Preliminaries and any amount in respect of contract price adjustment if provided for in the contract.
- 6. The following abbreviations are used in the Bills of Quantities:

ea = each

m² = square metre

m = metre

pr = pair

- 7. The prices and rates in these Bills of Quantities are fully inclusive prices for the work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the work described in accordance with the provisions of the scope of work and shall cover liabilities and obligations set forth or implied in the Contract data, as well as profit.
- 8. The prices/rates supplied in Tables 2, 3, 4, 5 and 6 shall be for 'supply and install' unless stated otherwise.
- 9. Where the scope of work requires detailed drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount tendered for such items. The contractor shall provide for all work needed to make the substation complete and any items not included by the contractor under item "Other" of the "Bill of Quantities".
- 10. Where no quantity has been provided against an item in the Bills of Quantities, the Contractor shall use their discretion and provide the quantity. If the contractor does not agree with given units or quantities the contractor to indicate in a separate note.

Contract
Part C2: Pricing Data

C2.1 Pricing Instructions



- 11. The quantities set out in these Bills of Quantities are approximate and may not necessarily represent the actual amount of work to be done.
- 12. The short descriptions of the items of payment given in these Bills of Quantities are only for purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 13. Tenderers shall ensure that provision (financial as well as time) for excavations in a range of soil types is made for in their tenders.
- 14. The total in the Bill of Quantities shall be exclusive of VAT, and shall be transferred to form C1.1 (Form of Offer and Acceptance).

PRIENEN

Contract Part C2: Pricing Data C2.1 Pricing Instructions



TI 001H Scope of works - Construction

12-Mar-10

Dwg ea: TI 001B GRFL - 400

	DESCRIPTION	Unit	Qty	Rate	Total
	DEMOLISHING				
	Brickwork and partitions Break through 230mm wall for single door and make good	ea	1		
	Breakdown and remove partitions including doors and frames	m²	383		
3	Breakdown and remove partitions including integral counter	m²	11		
4	Take out and remove existing single doors	ea	1		
5	Take out and remove existing double doors	ea	2		
	Floor Finishes Take out existing carpet tiles Type : Belgotex	m²	113	_1	
2	Take out existing tiles Type : Ceramic	m²	355		
3	Take out existing tiles Type : Vinyl asbestos	m²	273	17,	
1	Ceilings Take out existing ceilings	mi²	886		
	Walls Remove wall tiles Type : Ceramic	m²	178		
	Plumbing fittings Take out existing wc and terminate connections	ea	5		
2	Take out existing wash hand basin and terminate connections	ea	5		
3	Take out existing urinal and terminate connections	ea	2		
	Electrical Strip and terminate existing points Type : power	ea	25		
2	Strip and terminate existing power skirting Type : 2 Tier Colour : grey	m	45		
3	Strip and terminate existing points Type . light switches	ea	20		
4	Strip and terminate light fittings Type : Suspended ceiling mounted	ea	129		
5	Strip and terminate light fittings Type : Downlighter	ea	10		
	Partitioning Drywall partition Thickness : 90mm	m²	2		
2	Drywall partition Thickness : 110mm	m²	288		
3	Brickwork in filling in opening in existing wall	m²	2		



	TI 001H					
4	Extra over partition for single di Frame Material		ea	1		
	Door material	Natural aeadised aluminium Semi solid masonite				
		: 813 x 2032mm				
		: Natural aeadised aluminium				
		: 500 x 500mm				
		: Dulux matt finish				
5	Extra over partition for two hou		ea	3		
		: Natural aeadised aluminium				
	Door material	: Semi solid masonite				
		: 900 x 2032mm : Dulux matt finish				
	Paint iinisti	: Dulux mail imisn				
6	Extra over partition for double	door - D7	ea	1		
·		: Natural aeadised aluminium				
	Door material	: Semi solid masonite				
	Door size	: 1613 x 2400mm				
	Paint finish	: Dulux matt finish				
7	Extra over partition for single d		ea	1		
		: Natural aeadised aluminium			1	
		: Semi solid masonite : 900 x 2600mm				
		: Dulux matt finish				
		. Saas mate milon				
8	Extra over partition for single d	oor - D9	ea	3		
	Frame Material	: Natural aeadised aluminium		4		
	Door material	: Semi solid masonite				
		: 813 x 2600mm				
	Paint finish	: Dulux matt finish)	
	Aluminium glazed deers		1			
1	Aluminium glazed doors Door - D10			1		
•	Frame Material	: Natural aeadised aluminium	-			
		: Natural aeadised aluminium				
	Glazing Material	: 6.4mm Clear Safety glass				
		: 1500 x 2600mm				
2	Door - D3		ea	2		
	Frame Material	: Natural aeadised aluminium				
		: Natural aeadised aluminium : 6.4mm Clear Safety glass				
		: 1500 x 2400mm				
	Seal	Gas and smoke				
	Timber doors					
1	Door - D6		ea	1		
	Frame Material	: Natural aeadised aluminium				
	Door material Door size	: Semi solid masonite				
	Paint finish	: 813 2032mm : Dulux matt finish				
	T diff iiiigii	. Dudy frait initiati				
	Ironmongery					
1	Supply and fix back to back pu		pr	5		
	Supplier	Ironmongery Warehouse (Pty) Ltd				
	Code	: DPH206				
_	Complete and fire basels to be	II bandlaa		2		
2	Supply and fix back to back pu Supplier	: Ironmongery Warehouse (Pty) Ltd	pr	2		
		: DPH205				
	5545	. 5.1.200				
3	Supply and fix back to back pu	ll handles	pr	4		
		: Ironmongery Warehouse (Pty) Ltd				
	Code	: DPH209				
	Owner to and find			_		
4	Supply and fix lever handle on		pr	3		
		: Ironmongery Warehouse (Pty) Ltd : SH811				
	Code	. Onor I				
5	Supply and fix cylinder escutch	neon	pr	6		
		: Ironmongery Warehouse (Pty) Ltd				
		: DCE-002				

Part C2 Pricing Data: Civil

	TI 001H					
6	Supply and fix roller catch lock Supplier : Code :	Ironmongery Warehouse (Pty) Ltd D046R	ea	1		
7	Supply and fix cylinder deadlock Supplier : Code :	Ironmongery Warehouse (Pty) Ltd D045D	ea	1		
8	Supply and fix cylinder sashlock Supplier : Code :	Ironmongery Warehouse (Pty) Ltd DO36S	ea	3		
9	Supply and fix cylinder deadlock Supplier : Code :	Ironmongery Warehouse (Pty) Ltd DO37D	ea	4		
10	Supply and fix single cylinder Supplier : Code :	Ironmongery Warehouse (Pty) Ltd 771.10.30.9	ea	2		
11	Supply and fix double cylinder Supplier : Code :	Ironmongery Warehouse (Pty) Ltd 920.30.30.9	ea	3	1	
12	Supplier :	Ironmongery Warehouse (Pty) Ltd 740.30.30.9	ea	1	1	
13		Ironmongery Warehouse (Pty) Ltd 740.33.33.9	ea	Ĉ		
14		ess hinge Ironmongery Warehouse (Pty) Ltd W4441/1	p	9		
15		Ironmongery Warehouse (Pty) Ltd DDS-018	ea	17		
16		closer Ironmongery Warehouse (Pty) Ltd TS73	ea	3		
17		Ironmongery Warehouse (Pty) Ltd	ea	6		
18	Supply and fix signage "Male" an Supplier : Size :	d "Female" Ironmongery Warehouse (Pty) Ltd 150 x 150mm	ea	2		
1	Type :	Wall unit type "A"	ea	1		
	Size Adjustable shelves Finish Door handles Door handle size	14T0 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm				
2	Type : Size : Drawers : Finish : Door handles : Door handle size : Size	Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm	ea	1		
3	Kickplate : Type : Size : Adjustable shelves : Finish : Door handles Door handle size : Kickplate :	100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm	еа	1		

	TI 001H		,			i.
	Vanity units					
1	Size :	600 x 2000mm	ea	2		
	Finish : Type :	30mm Caeser stone Sahara				
	Splashback :	100mm high				
	Holes for drop in basins :	2				
	FLOOR FINISHES					
	Carpet tiles					
1	Supply and lay carpet tiles		m²	207		
	Size : Manufacturer :	500 x 500mm Berberpoint				
	Range :	Nexbac				
	Colour :	Charcoal				
2	Supply and lay carpet tiles	F00 F00	m²	163		
	Size : Manufacturer :	500 x 500mm Berberpoint				
	Range :	Nexbac				
	Colour :	Senegal			4	
3	Supply and lay carpet tile Size :	300 x 300mm	m²	22		
	Manufacturer :	Polyflor				
	Range : Colour :	•				
				•	2	
4	Supply and lay 30mm floor scree	d	m²	1		
5	Supply and lay carpet tiles		ea	4)	
	Size : Manufacturer :	400 x 600mm Berberpoint				
	Range :	Nexbac				
	Colour :	Lava				
6	Supply and lay carpet tiles Size :	400 x 1800mm	ea	2		
	Manufacturer :	Berberpoint				
	Range : Colour :	Nexbac Charcoal				
		Charlotti				
7	Supply and lay carpet tiles Size :	400 x 1800mm	ea	3		
	Manufacturer :	Berberpoint				
	Range : Colour :	Nexbac Senegal				
	Porcelain tiles					
1	Supply and lay porcelain tiles		m²	388		
	Size : Manufacturer :	600 x 600mm Ceregran				
	Code	CJ1536SB				
	Colour	Grey				
	Grouting :	Dove grey				
2	Supply and lay porcelain tiles on	treads and risers of staircase	m²	19		
_	Size :	600 x 600mm				
	Manufacturer : Code :	Ceragran CJ1536SB				
	Colour :	Grey				
	Grouting : Grout colour :	3mm Dove grey				
		• • •				
1	Skirtings Supply and install aluminium ski	rting to Drywall partitions	m	128		
	Size :	75mm				
	Colour :	Natural aeadized				
2		rting to concrete columns circular on plan 75mm	m	21		
		Natural aeadized				

Part C2 Pricing Data: Civil

	<u>TI 001H</u>		1 1		1	П	
3	Supply and install meranti skir	ting to brick walls	m	46			
3		: 100mm	""	40			
		: Black varnish					
4	Supply and install granite tile s		m	15			
	Size Manufacturer	: 100mm : Ceragran					
	Colour	: Coal					
	Code	SO5					
	Grouting	: 3mm					
	Grout colour	: Dove grey					
5	Supply and install porcelain tile	skirting to brick walls	m	113			
Ů		: 100mm					
	Manufacturer	: Ceragran					
	Colour	: Coal					
	Code	CJ 1536 SB					
		: 3mm : Dove grey					
	Grout colour	. Bove grey					
6	Supply and install porcelain tile	skirting to concrete columns circular on plan	m	8			
		: 100mm			4		
	Manufacturer	: Ceragran					
	Colour Code	: Coal CJ 1536 SB					
		: 3mm					
	-	: Dove grey					
_	Overally and least 11			40			
7		e skirting to brick walls on treads and risers : 100mm	m				
	Manufacturer	: Ceragran) *		
	Colour	: Coal	4				
	Code	CJ 1536 SB					
		: 3mm					
	Grout colour	: Dove grey		'			
	Skirting finish						
1	Prepare and apply varnish to s		m	46			
		: Meranti					
	Undercoat Final Coats	: One coat sanding sealer : Two coats high gloss varnish					
		: Clear					
	Edge trim to tiled skirting						
1	Supply and fix aluminium trim Size	: 10mm	m	148			
	Туре	: Genesis		140			
	Manufacturer	: Union tile					
	CEILINGS						
	CEILINGS						
	Ceiling						
1	1200x600mm Mineral fibre sus		m²	728			
	Type	: Suspended					
	Manufacturer Colour	OWA : White					
	Size	: 1200 x 600mm					
	Grid colour	: Dove grey					
,	Suspended plasterboard ceilin	n with paint finish	m²	102			
-		: "Rhiea" gypsum plasterboard		102			
		: 6,4mm					
	• •	: 38 x 50mm SA pine					
	Finish	: Gypsum skim plaster					
3	Prepare and apply paint to ceil	ings	m²	102			
	First coat	: One coat primer					
		: Two coats "Weatherguard"					
		: Dulux : White					
	Colour						
4	Prepare and apply paint to con		m²	52			
		: One coat primer					
		: Two coats "Weatherguard" : Dulux					
		: Birch Bark Caeae					
			,	,			

Part C2 Pricing Data: Civil

TI 001H

	11 001H	1				I
	WALL FINISHES					
1	Painting Paint samples - 1m²		ea	5		
	Undercoat :	Plaster primer	ea	3		
	Final Coats :	Two coats acrylic PVA				
	Supplier :	Dulux				
	Range : Colour :	TBA TBA				
	Colodi .	IBA				
2		ng painted plastered wall including preparation	m²	851		
	First coat :	•				
	Final Coats : Supplier :	Two coats "Weatherguard" Dulux				
	Code :	6J1-4				
	Colour :	Birch Bark Caeae				
3	Brange and apply point on and	including Gamma Zenith stratio plastered wall	m²	20		
3	First coat :		m-	20		
	Final Coats :	Two coats "Weatherguard"				
	Supplier :	Dulux				
	Code : Colour :	6J1-7 River Rock				
	Coloui .	RIVEI ROCK				
4	Ditto circular on plan to concrete	cols	m²	108		
_	B		2	000		
5	First coat :	ng painted plastered wall including preparation One coat primer	m²	229		
	Final Coats :	Two coats "Weatherguard"				
	Supplier :	Dulux			•	
	Code : Colour :	5K3-5 Wood Moss	4			
	Coloui .	vvood ivioss				
6		ng painted plastered wall including preparation	m²	151		
		One coat primer				
	Final Coats : Supplier :	Two coats "Weatherguard" Dulux				
	Code :	5K2-6				
	Colour :	Field Gear				
7	Prenare and apply paint to existi	ng painted plastered wall including preparation	m²	26		
•		One coat primer				
	Final Coats :	Two coats Acrylic PVA				
	Supplier :	Dulux				
	Colour :	Timeless				
8	Supply and lay porcelain tiles		m²	55		
	Size :	300 x 600mm				
	Manufacturer : Range :	Ceragran Solfen				
	Colour :	Pearl - SO3				
	Grouting :	2mm				
	Grout colour :	White				
9	Supply and lay random smooth s	andstone cladding	m²	9		
Ĭ	Туре	Stratastone		·		
	Thickness :	25mm				
	code :	C112				
10	Supply and lay sandstone claddi	ng	m²	16		
	Type :	Stratastone				
	Thickness : code :	25mm C141				
	coue :	0141				
11	Supply and lay mosaic tile		m²	23		
	Size :	400 x400mm				
	Manufacturer : Range :	Niro Solfen				
	Colour :	Coal SO5 mosaico A				
	Grouting :	2mm				
	Grout colour :	White				

	TI 001H					
12	Supply and lay porcelain tiles Size :	600 x 600mm	m²	44		
	Manufacturer :					
	Code :	CJ1536 SB				
	Grouting :					
	Grout colour :	Dove grey				
13	Supply and lay glazed tiles		m²	1		
	Size :	100 x 100mm				
	Manufacturer :					
	Range :					
	Grouting :	Pietra Salvia/Raku/Gun metal/Evergreen 3mm				
	Grout colour :					
14	Prepare and apply paint to exist		m	33		
	Preparation : Final Coats :	Run down with fine sandpaper Two coats varnish				
	Supplier :					
	Colour :	Clear				
	Propers and onely point to select	ing motal balustrading	2	40		
15	Prepare and apply paint to exist Preparation :	Run down with fine sandpaper	m²	12	1	
	Final Coats :					
	Supplier :	Dulux				
	Colour :	Black				
	Edge trim to tiled walls					
1	Supply and fix aluminium trim					
	Size :	10mm	m	31		
	Type :					
	Manufacturer :	Union tile	1			
	Mirrors		4			
1	Supply and fix mirrors over vani	ities				
	Type :	Silvered float glass copper backed	ea	2		
	Thickness :					
	Edges : Size :					
	Fixing :					
	PLUMBING					
	Plumbing fittings					
1	WC Pan		ea	3		
	Manufacturer :	Vaal				
	Range :	Orchid				
	Code : Seat :	439016 Wooden				
	Code :	8520Z0				
	Floor bracket code :					
	Cistern :	Geberit Kombifix 110.765.06.1				
	Code : Twist dual flush actuator	115.780.21.1				
	Stop cock :	15mm 128CP "Star" underwall pattern				
2	Wash hand basin Manufacturer :	Vaal	ea	5		
	Range :	Cameo	ea	J		
	Code :	439016				
	Size :	595 x 455mm				
	Tapholes : Colour :	3 semi punched White				
	Faucet :					
	Code :	115.721.21.1				
	Stop cock :	15mm 128CP "Star" underwall pattern				
3	Wash hand basin					
ŭ	Manufacturer :	Vaal	ea	1		
	Range :	Hibiscus				
		7023				
		510 x 405mm 3 semi punched				
		White				
	Faucet :	Isca Iscamix 89 elbow action cp mixer				
		8919CH				
	Stop cock :	15mm 128CP "Star" underwall pattern	T			

Part C2 Pricing Data: Civil

	<u>TI 001H</u>	1	ı.	1 11	ı
	Plumbing connections Allow for all works in connection with hot and cold water supply drainage etc to new fittings	ea	12		
1	ELECTRICAL Plugs corporate desk connections (one red, one white) fed from power skirting	ea	19		
	Application : Desks		40		
2	earmal single plug Application : Power skirting	ea	12		
3	earmal single plug Application : Walls	ea	14		
4	earmal double plug Application : Power skirting	ea	1		
5	earmal double plug Application : walls	ea	2		
6	Dedicated single plug connected to Standby Generator Application : Power skirting	ea	14	1	
7	Dedicated single plug connected to Standby Generator Application : Desks	ea	19	1	
	Plugs - Supplies Supply from DB Type : Single phase	ea	16	19	
2	Circuit breaker in DB Type : Single phase	ea	16)	
1	Miscellaneous	m	48		
2	Power skirting covers Size : 2 Tier Material : Steel Colour : Grey	ea	27		
1	New lighting New light fittings ceiling mounted Type : 600 x 600mm 2 x 55 wett figurescent Application : Flush ceiling mounted	ea	80		
2	Supplier : Phillips New light fittings ceiling mounted Type : Low voltage downlighter	ea	19		
	Application Cups Celling mounted Supplier Phillips	ea	13		
3	New light fittings ceiling mounted Type : PL wide fitting Code : 2XPL-70 Application : Flush ceiling mounted Supplier : Phillips	ea	22		
	Motion detector Motion detector Code : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense	ea	17		
1	Lighting - Supplies Supply from DB Type : Single phase	ea	24		
2	Circuit breaker in DB Type : Single phase	ea	24		
1	CLEANING Cleaning Final deep cleaning to all areas	m²	886		

Part C2 Pricing Data: Civil

TI 001H

TI 001H

Scope of works - Construction

12-Mar-10

Dwg ea: TI 001B 1SFL - 400

	DESCRIPTION	Unit	Otr	Data	Total
	DESCRIPTION	Unit	Qty	Rate	Total
	DEMOLISHING				
1	Brickwork and partitions Breakdown and remove partitions including doors and frames	m²	449		
2	Take out and remove existing single doors	ea	1		
3	Take out and remove existing double doors	ea	3		
1	Floor Finishes Take out existing carpet tiles Type : Belgotex	m²	510		
2	Take out existing tiles Type : Ceramic	m²	116	. 7	
3	Take out existing tiles Type : Vinyl asbestos	m²	68	4	
1	Ceilings Take out existing ceilings	m²	160),	
1	Walls Remove wall tiles Type : Ceramic	m²	119		
1	Plumbing fittings Take out existing wc and terminate connections	ea	5		
2	Take out existing wash hand basin and terminate connections	ea	5		
3	Take out existing urinal and terminate connections	ea	2		
4	Take out existing kitchen sink unit and terminate connections	ea	2		
1	Electrical Strip and terminate existing points Type : power	ea	59		
2	Strip and terminate existing power skirting Type : 2 Tier Colour : grev	m	135		
3	Strip and terminate existing points Type : light switches	ea	9		
4	Strip and terminate light fittings Type : Suspended ceiling mounted	ea	30		
5	Strip and terminate light fittings Type : Ceiling mounted	ea	76		
6	Strip and terminate light fittings Type : Downlighter	ea	14		
1	Window finishes Strip and remove existing blinds Type : Vertical Size : 50mm	m²	110		
	STRUCTURE Coring through existing reinforced concrete slab				
1	Size : 100mm	ea	6		
		-			

Part C2 Pricing Data: Civil

	<u>TI 001H</u>	1	1	I		1
	Chasing for other trades in plastered brickwork and making good					
1	Allowance generally	item				
1	Partitioning Drywall partition Thickness 1 00mm	m²	85			
	Thickness : 90mm	2				
	Brickwork in piers plastered on all sides	m3	2			
3	Extra over partition for single door - D1 Frame Material : Natural aeadised aluminium Door material : Semi solid masonite Door size : 813 x 2032mm Door louvre material : Natural aeadised aluminium Louvre size : 500 x 500mm Paint finish : Dulux matt finish	ea	1			
4	Extra over partition for single door - D4	ea	2			
	Frame Material : Natural aeadised aluminium Door material : Natural aeadised aluminium Door size : 900 x 2032mm Door louvre material : Natural aeadised aluminium			1		
5	Extra over partition for two hour fire rate single door - D2 Frame Material : Natural aeadised aluminium Door material : Semi solid masonite Door size : 900 x 2032mm Paint finish : Dulux matt finish	ea	1	AL.		
6	Extra over partition for double door - D7 Frame Material : Natural aeadised aluminium	ea	1)`		
	Door material : Semi solid masonite Door size : 1613 x 2400mm Paint finish : Dulux matt finish	34				
1	Aluminium glazed doors Door - D3	ea	3			
	Frame Material : Natural aeadised aluminium Door material : Natural aeadised aluminium Glazing Material : 6.4mm Clear Safety glass					
	Door size : 1500 x 2400mm Seal Gas and smoke					
1	Timber doors Door - D6 Frame Material : Natural aeadised aluminium	ea	1			
	Door material : Semi solid masonite Door size : 813 x 2032mi Paint finish : Dulux matt finish					
1	Glass Glass view panel - G3	ea	1			
2	Glass view panel - G4	ea	1			
3	Panel joint : Frame Facetted glass view panel - Type 1 Frame Material : Natural aeadised aluminium Glazing Material : 6.5mm Clear Safety glass Total size : 3528 x 2600mm Panel size : 1086 x 2600mm Panel joint : Frame	еа	1			

Part C2 Pricing Data: Civil

	<u>TI 001H</u>				
	Foodford place view panel Time 2				
4	Frame Material : Natural aeadised aluminium	ea	1		
	Glazing Material : 6.5mm Clear Safety glass				
	Total size : 3595 x 2600mm				
	Panel size : 1198 x 2600mm				
	Panel joint : Frame				
	Decals				
1	Decals type F4 to G4 glass panels	item			
2	Decals type F3 to facetted panels types 1and 2	item			
	Ironmongoni				
1	Supply and fix back to back pull handles	pr	5		
•	Supplier : Ironmongery Warehouse (Pty) Ltd	Pi			
	Code : DPH206				
2	Supply and fix back to back pull handles Supplier : Ironmongery Warehouse (Pty) Ltd	pr	1		
	Code : DPH209				
3	Supply and fix lever handle on rose	pr	3	4	
	Supplier : Ironmongery Warehouse (Pty) Ltd				
	Code : SH811				
4	Supply and fix cylinder escutcheon	pr	2,5		
	Supplier : Ironmongery Warehouse (Pty) Ltd				
	Code : DCE-002		•		
_	Comply and fix rellar actables to				
5	Supply and fix roller catch lock Supplier : Ironmongery Warehouse (Pty) Ltd	ea) •	
	Code : D046R	4			
6	Supply and fix cylinder deadlock	ea	1		
	Supplier : Ironmongery Warehouse (Pty) Ltd Code : D045D) '			
	. 50435				
7	Supply and fix cylinder sashlock	ea	3		
	Supplier : Ironmongery Warehouse (Pty) Ltd				
	Code : DO36S				
8	Supply and fix cylinder deadlock	ea	1		
·	Supplier : Ironmongery Warehouse (Pty) Ltd				
	Code : DO37D				
_	Complete and Strationals and index				
9	Supply and fix single cylinder Supplier : Ironmongery Warehouse (Pty) Ltd	ea	3		
	Code : 771.10.30.9				
10	Supply and fix double cylinder	ea	1		
	Supplier : Ironniongery Warehouse (Pty) Ltd Code : 920.30.30.9				
	. 32450430.3				
11	Supply and fix keab cylinder	ea	1		
	Supplier : dronmongery Warehouse (Pty) Ltd				
	Code 740.30.30.9				
12	Supply and fix keab cylinder	ea	1		
	Supplier : Ironmongery Warehouse (Pty) Ltd				
	Code : 740.33.33.9				
	O				
13	Supply and fix 42 x 100mm sinkless hinge Supplier : Ironmongery Warehouse (Pty) Ltd	pr	3		
	Code : W4441/1				
14	Supply and fix doorstops	ea	12		
	Supplier : Ironmongery Warehouse (Pty) Ltd Code : DDS-018				
	. טטס-טוס				
15	Supply and fix regular arm door closer	ea	1		
	Supplier : Ironmongery Warehouse (Pty) Ltd				
	Code : TS73				
16	Supply and fix slide channel door closer	ea	4		
.0	Supplier : Ironmongery Warehouse (Pty) Ltd	Ca	7		
	Code : TS90				

Part C2 Pricing Data: Civil

	<u>TI 001H</u>		1	ſ		ı	T.
17		Ironmongery Warehouse (Pty) Ltd 150 x 150mm	ea	1			
18		nd "Female" Ironmongery Warehouse (Pty) Ltd 150 x 150mm	ea	2			
	Kitchen units						
1	Type : Size : Adjustable shelves : Finish : Door handles : Door handle size : Size	Wall unit type "A" 1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm	ea	1			
2	Type : Size : Drawers : Finish : Door handles : Door handle size Kickplate : Size : Si	Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm	еа	1	7		
3	Type : Size : Adjustable shelves : Finish : Door handles : Door handle size : Kickplate : Size	Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm	ea	1	M		
1	Vanity units Size : Finish : Type : Splashback : Holes for drop in basins :	600 x 2000mm 30mm Caeser stone Sahara 100mm high 2	ea	2			
1	FLOOR FINISHES Carpet tiles Supply and lay carpet tiles Size : Manufacturer :: Range :: Colour ::	500 x 500mm Berberpoint Nexbac Charcoal	m²	198			
2	Supply and lay carpet tiles Size : Manufacturer : Range :	500 × 500mm Benberpoint Nexba	m²	253			
3	Colour Supply and lay carpet tile Size Manufacturer Range Colour Colour		m²	47			
4	Supply and lay 30mm floor scree	ed	m²	18			
5	Supply and lay carpet tiles Size : Manufacturer : Range : Colour :	Berberpoint	ea	2			
6	Supply and lay carpet tiles Size : Manufacturer : Range : Colour :	Berberpoint Nexbac	ea	1			

Part C2 Pricing Data: Civil

	TI 001H					
7	Supply and lay carpet tiles Size	: 400 x 600mm	ea	5		
	Manufacturer	: Berberpoint				
	Range	: Nexbac				
	Colour	: Lava				
8	Supply and lay carpet tiles		ea	2		
0	Size	: 400 x 604mm	ea ea			
	Manufacturer	: Berberpoint				
	Range	: Nexbac				
	Colour	: Lava				
9	Supply and lay carpet tiles		ea	2		
	Size	: 400 x 971mm				
	Manufacturer	: Berberpoint				
	Range Colour	: Nexbac				
	Colour	: Lava				
10	Supply and lay carpet tiles		ea	1		
	Size	: 604 x 1200mm				
	Manufacturer	: Berberpoint				
	Range Colour	: Nexbac : Lava				
11	Supply and lay carpet tiles		ea	2		
	Size	: 400 x 1403mm				
	Manufacturer Range	: Berberpoint : Nexbac				
	Colour	: Lava				
12	Supply and lay carpet tiles	400 4000	ea	6)	
	Size Manufacturer	: 400 x 1800mm : Berberpoint				
	Range	: Nexbac	4			
	Colour	: Senegal		•		
				_		
13	Supply and lay carpet tiles Size	: 400 x 1800mm	ea	3		
	Manufacturer	: Berberpoint				
	Range	: Nexbac				
	Colour	: Charcoal				
	Porcelain tiles	1				
1	Supply and lay porcelain tiles	·	m²	112		
	Size	: 600 x 600mm				
	Manufacturer	: Ceragran				
	Code Colour	: CJ1536SB : Grey				
	Grouting	: Grey : 3mm				
	Grout colour	: Dove grey				
2		on treads and risers of staircase : 600 x 600mm	m²	38		
	Size Manufacturer	Ceragran				
	Code	: CJ1536SB				
	Colour	Grey				
	Grouting Crout colour	: 3mm : Dove grey				
	Grout colour	. Dove grey				
3	Supply and lay porcelain tiles		m²	41		
	Size	: 300 x 300mm				
	Manufacturer	: Ceragran				
	Code Colour	: CJ1561SB : Grey				
	Grouting	: 3mm				
	Grout colour	: Dove grey				
	Skirtings	7				
1	Skirtings Supply and install aluminium	L skirting to Drywall partitions	m	69		
	Size	: 75mm		- 00		
	Colour	: Natural aeadized				
	Supply and install meranti ski	rting to brick walls		34		
2	Size	: 100mm	m	34		
	Paint	: Black varnish				

Supply and install granit	te tile skirting to brick walls	m	27		
Size	: 100mm				
Manufacturer	: Ceragran				
Colour	: Coal				
Code	SO5				
Grouting	: 3mm				
Grout colour	: Dove grey				
	elain tile skirting to brick walls	m	123		
Size	: 100mm				
Manufacturer	: Ceragran				
Colour	: Coal				
Code	CJ 1536 SB				
Grouting	: 3mm				
Grout colour					
Grout colour	: Dove grey				
Supply and inetall parce	elain tile skirting to brick walls on treads and risers	m	24		
		m	24		
Size	: 100mm				
Manufacturer	: Ceragran				
Colour	: Coal				
Code	CJ 1536 SB				
Grouting	: 3mm				
Grout colour	: Dove grey				
C. Cat Goldan	. Doro gio,				
Skirting finish					
Prepare and apply varni	sh to skirting	m	34		
		- 111	34		
Timber	: Meranti				
Undercoat	: One coat sanding sealer				
Final Coats	: Two coats high gloss varnish				
Colour	: Clear				
)	
Edge trim to tiled skirtin	g	4			
Supply and fix aluminius					
Size	: 10mm		174		
	: Genesis	1111	1/4		
			•		
Туре					
Manufacturer	: Union tile	8			
		3			
Manufacturer CEILINGS	: Union tile	3	570		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib	: Union tile	M ²	570		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type	: Union tile pre suspended ceiling : Suspended	M ²	570		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer	: Union tile pre suspended ceiling : Suspended : OWA	m²	570		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour	: Union tile re suspended ceiling : Suspended : OWA : White	m²	570		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm	M ²	570		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour	: Union tile re suspended ceiling : Suspended : OWA : White	m ²	570		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically	m²	570 87		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer	: Union tile ve suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer	: Union tile ve suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Colour Size	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height	: Union tile re suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Down : 500mm	m	87		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboarg	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm				
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : 600mm : Folling with paint finish : "Rhiea" gypsum plasterboard	m	87		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness	: Union tile : Suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Dove grey decling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm	m	87		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness Support structure	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 300mm	m	87		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness	: Union tile : Suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Dove grey decling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm	m	87		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material Thickness Support structure Finish	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : 500mm 1 ceiling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster	m m²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material Thickness Support structure Finish Prepare and apply paint	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : Folion with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster	m	87		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness Support structure Finish Prepare and apply paint First coat	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Down : Suspended : OWA : White : 1200 x 600mm / Solomm / Solom	m m²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material Thickness Support structure Finish Prepare and apply paint	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : Folion with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster	m m²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness Support structure Finish Prepare and apply paint First coat Final Coats	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Down : Suspended : OWA : White : 1200 x 600mm / Solomm / Solom	m m²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness Support structure Finish Prepare and apply paint First coat	: Union tile pre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : 500mm : 500mm 1 ceiling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard"	m m²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material Thickness Support structure Finish Prepare and apply paint First coat First coat Final Coats Supplier	: Union tile irre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : 500mm 1 ceiling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard" : Dulux	m m²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material Thickness Support structure Finish Prepare and apply paint First coat First coat Final Coats Supplier	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : 500mm : 1200 x 600mm : 604mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard" : Dulux : White	m m²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness Support structure Finish Prepare and apply paint First coat Final Coats Supplier Colour Prepare and apply paint	: Union tile irre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : 500mm I celling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard" : Dulux : White	m ²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness Support structure Finish Prepare and apply paint First coat Supplier Colour Prepare and apply paint First coat First coat First coat First coat Frepare and apply paint First coat	: Union tile irre suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm : 600mm : 600mm : Goods must finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard" : Dulux : White to concrete soffits : One coat primer	m ²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material Thickness Support structure Finish Prepare and apply paint First coat Final Coats Supplier Colour Prepare and apply paint First coat First coat Final Coats	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm Celling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard" : Dulux : White to concrete soffits : One coat primer : Two coats "Weatherguard"	m ²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboard Material Thickness Support structure Finish Prepare and apply paint First coat Final Coats Supplier Colour Prepare and apply paint First coat First coat Final Coats Supplier Colour	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Down : Winte : 1200 x 600mm : 500mm : 500mm : 604mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard" : Dulux : White to concrete soffits : One coat primer : Two coats "Weatherguard" : Dulux : White	m ²	118		
Manufacturer CEILINGS Ceiling 1200x600mm Mineral fib Type Manufacturer Colour Size Grid colour Extra over 1200x600mm Type Manufacturer Colour Size Height Suspended plasterboare Material Thickness Support structure Finish Prepare and apply paint First coat Final Coats Supplier Colour Prepare and apply paint First coat First coat Final Coats	: Union tile ire suspended ceiling : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : Dove grey Mineral fibre ceiling boards for fixing vertically : Suspended : OWA : White : 1200 x 600mm : 500mm Celling with paint finish : "Rhiea" gypsum plasterboard : 6,4mm : 38 x 50mm SA pine : Gypsum skim plaster to ceilings : One coat primer : Two coats "Weatherguard" : Dulux : White to concrete soffits : One coat primer : Two coats "Weatherguard"	m ²	118		

Part C2 Pricing Data: Civil

	TI 001H					
	WINDOW COVERINGS					
	External windows					
1	Supply and install blinds to wir	idows - F1	ea	41		
	Туре	: Venetian				
	Manufacturer	: All Blinds				
	Thickness	: 25mm Thick				
	Colour	: Aluminium				
	Size	: 1160 x 2309mm				
	WALL FINISHES					
	Painting					
1	Paint samples - 1m²		ea	5		
	Undercoat	: Plaster primer				
	Final Coats	: Two coats acrylic PVA				
	Supplier	: Dulux				
	Range	: TBA				
	Colour	: TBA				
2	Prepare and apply paint to exis	ting painted plastered wall including preparation	m²	483		
		: One coat primer				
	Final Coats	: Two coats "Weatherguard"				
	Supplier	: Dulux				
		: 6J1-4				
	Colour	: Birch Bark Caeae				
3	Prepare and apply paint on an	d including Gamma Zenith stratio plastered wall	m²	69		
Ü		: White PVA		00	7	
		: Two coats "Weatherguard"				
		: Dulux			•	
		: 6J1-7	4			
	Colour	: River Rock				
	Propers and apply point to self-	ting pointed plactared wall including preservi-		149		
4		ting painted plastered wall including preparation : One coat primer	m ²	149		
	Final Coats	: Two coats "Weatherguard"				
	Supplier	: Two coats *veatherguard : Dulux				
	_ 12	: 5K3-5				
		: Wood Moss				
5		ting painted plastered wall including preparation	m²	142		
	First coat	: One coat primer				
		: Two coats "Weatherguard"				
		: Dulux : 5K2-6				
		: 5K2-6 : Field Gear				
	Colour	. I loid Ocal				
6	Prepare and apply paint to exis	ting painted plastered wall including preparation	m²	26		
	First coat	: One coat primer				
		: Two coats Acrylic PVA				
		: Dulux				
	Colour	: Timeless				
	Supply and lay paradain tiles		2			
7	Supply and lay porcelain tiles	: 300 x 600mm	m²	55		
	Manufacturer	: Ceragran				
	Range	: Solfen				
	Colour	: Pearl - SO3				
		: 2mm				
		: White				
	Supply and lay nevertain #11-		2	64		
ð	Supply and lay porcelain tiles Size	: 600 x 600mm	m²	64		
		: Ceragran				
		: Ceragran : CJ1536SB				
		: 3mm				
		: Dove grey				
		<u> </u>				
9	Supply and lay wallpaper		m²	16		
	Supplier	: Design syndicate				
		: 9242				

Part C2 Pricing Data: Civil

	TI 001H					
10	Supply and lay sandstone cladd	ling	m²	14		1
		Stratastone				
	Thickness :	25mm				
	code :	C141				
11	Supply and lay glazed tiles		m²	1		
		100 x 100mm				
	Manufacturer :	Johnson				
	Range :					
	Tile colour mix (refer ID Elevatior:					
	3	3mm				
	Grout colour :	White				
12			m	33		
		Run down with fine sandpaper				
		Two coats varnish				
		Dulux				
	Colour :	Clear				
42	Brange and apply paint to exist	ing motal halustrading	m²	12		
13	Prepare and apply paint to exist Preparation :		III-	12		
		Run down with fine sandpaper Two coats enamel				
		Dulux Black				
	Colodi :	Black				
14	Prepare and apply paint to exist	ing cills	m	48		
		Run down with fine sandpaper		70		
	· ·	Two coats "Weatherguard"				
		Dulux				
		River rock				
	Edge trim to tiled walls		4			
1	Supply and fix aluminium trim					
	Size :	10mm	m	31		
	Type :	Genesis				
	Manufacturer :	Union tile				
	Mirrors					
1	Supply and fix mirrors over van					
		Silvered float glass copper backed	ea	2		
	Thickness :					
	Edges :					
	Size :	2000 x 750mm high				
	Fixing :	Dome capped mirror screws				
	DITIMDING					
	PLUMBING					
	Plumbing fittings					
1	WC Pan			5		
1	Manufacturer :	Vaal	ea	3		
	Range :	Orchid				
	Code :	439016				
	Seat :	Wooden				
	Code	852020				
	Floor bracket code :	808220				
	Cistern	Geberit Kombifix				
	Code :	110.765.00.1				
	Twist dual flush actuator :	115.780.21.1				
	Stop cock :	15mm 128CP "Star" underwall pattern				
	•					
2	Wash hand basin					
	Manufacturer :		ea	5		
	Range :	Cameo				
	Code :	439016				
	Size :	595 x 455mm				
		Anti syphon				
	Tapholes :	3 semi punched				
		White				
		Geberit				
	Code :					
	Stop cock :	15mm 128CP "Star" underwall pattern				

	TI 001H					
3	Urinal		ea	2		1
·	Manufacturer :	Vaal		_		
	Range :	Sweetpea top inlet				
	Code :	705126				
	Size :	565 x 275 x 310mm				
	Grating :	38mm cp domical				
	Flushmaster	Exposed top inlet FJ6000				
	Stop cock :	15mm 128CP "Star" underwall pattern				
	=					
	Plumbing connections					
1	Allow for all works in connection	with hot and cold water supply	ea	12		
	drainage etc to new fittings					
	ELECTRICAL					
	EEEC TIUC.IE					
	Plugs					
1		e red, one white) fed from power skirting	ea	40		
•		Desks				
	PP 1111					
2	earmal single plug		ea	27		
	Application :	Power skirting				
3	earmal double plug		ea	8	1	
	Application :	Power skirting				
	Dadianted single plus compated	to Standby Concretor		40		
4	Dedicated single plug connected		ea	19	*	
	Application :	Power skirting				
5	Dedicated single plug connected	to Standby Generator	ea	30		
·		Desks	- Cu			
	PP 1111					
	Plugs - Supplies					
1	Supply from DB		ea	25		
	Type :	Single phase				
2	Circuit breaker in DB		ea	25		
	Type :	Single phase	1			
	Miscellaneous					
1	Power skirting		m	100		
- 1	Size :	2 Tier	""	100		
	Material :	2 Tier Steel				
	Colour :	Grey				
2	Power skirting covers		ea	54		
	Size :	2 Tier				
	Material :	Steel				
	Colour :	Grey				
	Now lighting					
1	New lighting New light fittings ceiling mountee		ea	61		
•	Type :	600 x 600mm 2 x 55watt flourescent	ea	01		
	Application :	Flush ceiling mounted				
	Supplier :	Phillips				
2	New light fittings ceiling mounte					
	Туре	Low voltage on dimmer	ea	12		
	Code :	QBS105/12V				
	Application :	Flush ceiling mounted				
	Supplier :	Phillips				
3	New light fittings ceiling mounte	d				
3	Type :		ea	3		
		N/A	Ju	ŭ		
	Application :	Flush ceiling mounted				
	Supplier :	Phillips				
4	New light fittings ceiling mounted					
		Low voltage downlighter	ea	1		
		QBS105/12V				
		Flush ceiling mounted				
	Supplier :	Phillips				
5	New light fittings ceiling mounter	d				
ŭ	Type :		ea	3		
	Code :					
	Application :					
	Supplier :	Spazio				

Part C2 Pricing Data: Civil

	<u>TI 001H</u>					
6	New light fittings ceiling mounted Type :	d PL wide fitting	ea	37		
	Code : Application :	2XPL-70 Flush ceiling mounted	- Ca	01		
	Supplier :	Phillips				
	Motion detector			16		
1	Motion detector Code :	CMR PDT10	ea	16		
	Application : Supplier :	Flush ceiling mounted Electro Sense				
	Cable tray					
1	Cable tray		m	83		
1	Lighting - Supplies Supply from DB		ea	23		
	Type :	Single phase				
2	Circuit breaker in DB Type :	Single phase	ea	23		
		_			1	
	CLEANING	_				
1	Cleaning Final deep cleaning to all areas		m²	669		
	g and a second				<i>1</i> -2.	
) `	
			1			
			1			
		_()				
		, 0				
		$\mathcal{O}_{\mathcal{O}}$				
		47				
		ALE VIEW CON				

Pricing Data: Civil

TI 001H

TI 001H

Scope of works - Construction

12-Mar-10

Dwg ea: TI 001B 2NFL - 400

	DESCRIPTION	Unit	Qty	Rate	Total
	DEMOLISHING				
1	Brickwork and partitions Breakdown and remove partitions including doors and frames	m²	325		
2	Take out and remove existing single doors	ea	1		
3	Take out and remove existing double doors	ea	3		
1	Floor Finishes Take out existing carpet tiles Type : Belgotex	m²	431		
2	Take out existing tiles Type : Ceramic	m²	116	1	
3	Take out existing tiles Type : Vinyl asbestos	m²	135	4	
1	Ceilings Take out existing ceilings	m²	160		
1	Walls Remove wall tiles Type : Ceramic	m²	119		
1	Plumbing fittings Take out existing wc and terminate connections	ea	5		
2	Take out existing wash hand basin and terminate connections	ea	5		
3	Take out existing urinal and terminate connections	ea	2		
4	Take out existing kitchen sink unit and terminate connections	ea	1		
1	Electrical Strip and terminate existing points Type : power	ea	7		
2	Strip and terminate existing power skirting Type : 2 Tier Colour : grey	m	118		
3	Strip and terminate existing points Type : light switches	ea	12		
4	Strip and terminate light fittings Type : Suspended ceiling mounted	ea	-		
5	Strip and terminate light fittings Type : Ceiling mounted	ea	-		
6	Strip and terminate light fittings Type : Downlighter	ea	-		
1	Window finishes Strip and remove existing blinds Type : Vertical Size : 50mm	m²	110		
	STRUCTURE				
	Coring through existing reinforced concrete slab				
1	Size : 100mm	ea	6		



	TI 001H		1	ı		ı
	Chasing for other trades in plastered brickwork and m	aking good				
1	Allowance generally		item			
	Partitioning					
1	Drywall partition		m²	81		
	Thickness : 90mm					
2	Extra over partition for single door - D1		ea	1		
	Frame Material : Natural aeadised alu	minium				
	Door material : Semi solid masonite					
	Door size : 813 x 2032mm					
	Door louvre material : Natural aeadised alu	minium				
	Louvre size : 500 x 500mm					
	Paint finish : Dulux matt finish					
3	Extra over partition for two hour fire rate single door -	D2	ea	1		
	Frame Material : Natural aeadised alu	minium				
	Door material : Semi solid masonite					
	Door size : 900 x 2032mm					
	Paint finish : Dulux matt finish					
	Aluminium glazed doors				4	
1	Door - D3		ea	3		
	Frame Material : Natural aeadised alu	minium				
	Door material : Natural aeadised alu	minium				
	Glazing Material : 6.4mm Clear Safety	glass				
	Door size : 1500 x 2400mm					
	Seal Gas and smoke					
	Timber doors					
1	Door - D6		ea	1)	
	Frame Material : Natural aeadised alu	minium	1			
	Door material : Semi solid masonite					
	Door size : 813 x 2032mm Paint finish : Dulux matt finish					
	Paint linish : Dulux matt linish					
	Glass					
1			ea	1		
	Frame Material : Natural aeadised alu Glazing Material : 6.5mm Clear Safety					
	Total size : 3457 x 2600mm	giass				
	Panel size : 1239 x 2600mm					
	Fin size : 6 x 150mm					
	Door size : 900 x 2032mm (D4)					
	Panel joint : Frame					
2	Facetted glass view panel - Type 1		ea	1		
	Frame Material : Natural aeadised alu	minium	ea	•		
	Glazing Material : 6.5mm Clear Safety					
	Total size : 3528 x 2600mm	,				
	Panel size : 1176 x 2600mm					
	Panel joint : Frame					
3	Facetted glass view panel - Type 2		ea	1		
ŭ	Frame Material Natural aeadised alu	minium		-		
	Glazing Material : 6.5mm Clear Safety	glass				
	Total size : 3595 x 2600mm					
	Panel size : 1198 x 2600mm					
	Panel joint : Frame					
	Decals					
1	Decals type F3 to facetted panels types 1and 2		item			
	Ironmongery					
1	Supply and fix back to back pull handles		pr	3		
	Supplier : Ironmongery Wareho	use (Pty) Ltd		ŭ		
	Code : DPH206	. ,,				
2	Supply and fix back to back pull handles	une (Dtv) I td	pr	1		
	Supplier : Ironmongery Wareho Code : DPH209	use (Pty) Ltd				
	. DF11203					11

	<u>TI 001H</u>		,		,	
3	Supply and fix lever handle on Supplier Code	rose : Ironmongery Warehouse (Pty) Ltd : SH811	pr	2		
4	Supply and fix cylinder escutch Supplier Code	neon : Ironmongery Warehouse (Pty) Ltd : DCE-002	pr	2		
5		ck : Ironmongery Warehouse (Pty) Ltd : DO36S	ea	2		
6	Supply and fix cylinder deadlo Supplier Code	ck : Ironmongery Warehouse (Pty) Ltd : DO37D	ea	1		
7	Supply and fix single cylinder Supplier Code	: Ironmongery Warehouse (Pty) Ltd : 771.10.30.9	ea	2		
8		: Ironmongery Warehouse (Pty) Ltd : 740.33.33.9	ea	1		
9	Supply and fix 42 x 100mm sin Supplier Code	kless hinge : Ironmongery Warehouse (Pty) Ltd : W4441/1	pr	1,5	1	
0		: Ironmongery Warehouse (Pty) Ltd : DDS-018	ea	C		
1		r closer : Ironmongery Warehouse (Pty) Ltd : TS73	e a	1		
2	• • • • • • • • • • • • • • • • • • • •	cor closer : Ironmongery Warehouse (Pty) Ltd : TS90	ea	3		
3		: Ironmongery Warehouse (Pty) Ltd : 150 x 150mm	ea	1		
4	Supply and fix signage "Male" Supplier Size	and "Female" : Ironmongery Warehouse (Pty) Ltd : 150 x 150mm	ea	2		
ı	Kitchen units Type	: Walkunit type W	ea	1		
	Size Adjustable shelves Finish Door handles Door handle size	: 14 0 x 300 x 680mm : One Fornica Windsor Cherry 784 : Design Hardware satin chrome B 2652 96mm				
2	Type Size	: Floor drawer unit unit type "H" : 383 x 600 x 850mm : Four	ea	1		
	Finish Door handles Door handle size Kickplate	: Formica Windsor Cherry 784 : Design Hardware satin chrome B 2652 : 96mm : 100mm				
3	Adjustable shelves	: Floor unit unit type "E" : 1027 x 600 x 850mm : One	ea	1		
	Door handles Door handle size	 Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm 				

	TT 00111						
	TI 001H	1	1		1	II	1
	Vanity units						
1	Size	: 600 x 2000mm	ea	2			
	Finish	: 30mm Caeser stone					
	Type	: Sahara					
	Splashback	: 100mm high					
	Holes for drop in basins	: 2					
	FLOOR FINISHES						
							
	Carpet tiles						
1	Supply and lay carpet tiles		m²	252			
	Size	: 500 x 500mm					
	Manufacturer	: Berberpoint					
	Range	: Nexbac					
	Colour	: Charcoal					
2	Supply and lay carpet tiles		m²	211			
	Size	: 500 x 500mm					
	Manufacturer	: Berberpoint					
	Range	: Nexbac					
	Colour	: Senegal					
3	Supply and lay carpet tile		m²	46	4		
	Size	: 300 x 300mm					
	Manufacturer	: Polyflor					
	Range	: Polyflex Plus					
	Colour	: Cream Caramel					
4	Supply and lay carpet tiles	. 400 v 400mm	ea	2			
	Size	: 400 x 400mm					
	Manufacturer Range	: Berberpoint : Nexbac					
	Colour	: Lava	4				
	Colour	. Lava					
5	Supply and lay carpet tiles		ea	1			
	Size	: 400 x 500mm	,				
	Manufacturer	: Berberpoint					
	Range	: Nexbac					
	Colour	: Lava	Ĭ				
6	Supply and lay carpet tiles		ea	5			
0	Size	: 400 x 600mm	ea	3			
	Manufacturer	: Berberpoint					
	Range	: Nexbac					
	Colour	: Lava					
7	Supply and lay carpet tiles		ea	2			
	Size	: 400 x 604mm					
	Manufacturer	: Berberpoint					
	Range	: Nexbac					
	Colour	: Lava					
8	Supply and lay carpet tiles		ea	2			
	Size	: 400 x 971mm					
	Manufacturer	Berberpoint					
	Range	: Nexbac Lava					
	Colour	Lava					
9	Supply and lay carpet tiles	*	ea	1			
J	Size	: 604 x 1200mm	Ju	,			
	Manufacturer	: Berberpoint					
	Range	: Nexbac					
	Colour	: Lava					
10	Supply and lay carpet tiles	. 400 v 4402 mm	ea	2			
	Size Manufacturer	: 400 x 1403mm : Berberpoint					
	Range	: Berberpoint : Nexbac					
11	Supply and lay carpet tiles		ea	6			
	Size	: 400 x 1800mm					
	Manufacturer	: Berberpoint					
	Colour	: Senegal					
11	Colour Supply and lay carpet tiles Size	: Lava : 400 x 1800mm	ea	6			

	TI 001H						
12	Supply and lay carpet tiles		ea	3	1	I	1
12	Size	: 400 x 1800mm	ea	, ,			
		: Berberpoint					
		: Nexbac					
	_	: Charcoal					
	Porcelain tiles						
1	Supply and lay porcelain tiles		m²	112			
		: 600 x 600mm					
	Manufacturer	: Ceragran					
	Code	: CJ1536SB					
	Colour						
	· ·	: 3mm					
	Grout colour	: Dove grey					
2	Supply and lay porcelain tiles of	n treads and risers of staircase	m²	38			
_		: 600 x 600mm					
		: Ceragran					
		: CJ1536SB					
	Colour	: Grey					
	· ·	: 3mm					
	Grout colour	: Dove grey					
	Summly and law are				4		
3	Supply and lay porcelain tiles	200 v 200mm	m²	48			
	Size Manufacturer	: 300 x 300mm : Ceragran					
	Code	: Ceragran : CJ1561SB					
		: Grey					
		: 2mm					
	Grout colour	: Dove grey					
	Skirtings)		
1	Supply and install aluminium s		n	43			
		: 75mm					
	Colour	: Natural aeadized					
,	Supply and install meranti skirt	ing to brick walls	m	48			
-		: 100mm	(""	40			
		: Black varnish					
3	Supply and install granite tile s	kirting to brick walls	m	14			
		kirting to brick walls 100mm					
	Manufacturer	: Ceragran					
	Colour	: Coal					
	Code Grouting	: SO5 : 3mm					
		: Dove grey					
	Grout colour	. Dove grey					
4	Supply and install porcelain tile	skirting to brick walls	m	123			
	Size	: 100mm					
	Manufacturer	: Ceragran					
	Colour	: Coal					
	Code	: CJ 1536 SB					
	Grouting	: 3mm					
	Grout colour	Dove grey					
5	Supply and install porcelain tile	skirting to brick walls on treads and risers	m	24			
		: 100mm					
	Manufacturer	: Ceragran					
	Colour	: Coal					
	Code	: CJ 1536 SB					
	Grouting	: 3mm					
	Grout colour	: Dove grey					
	Skirting finish						
4	Prepare and apply varnish to sl	rirting	m	48			
		: Meranti		40			
		One coat sanding sealer					
	Final Coats	: Two coats high gloss varnish					
		: Clear					
	Edge trim to tiled skirting						
1	Supply and fix aluminium trim	10mm		464			
	Size Type	: 10mm : Genesis	m	161			
	Manufacturer	: Genesis : Union tile					
	manaracturer	Cilion die					
	T. Control of the Con		1			II .	1

Part C2 Pricing Data: Civil

	TI 001H					
	CEILINGS					
	Calling					
1	1200x600mm Mineral fibre suspe	nded ceiling	m²	570		
	Type :	Suspended				
	Manufacturer :	OWA				
	Colour : Size :	White 1200 x 600mm				
	Grid colour :	Dove grey				
2		fibre ceiling boards for fixing vertically	m	87		
	Type : Manufacturer :	Suspended OWA				
	Colour :	White				
	Size :	1200 x 600mm				
	Height :	500mm				
3	Suspended plasterboard ceiling	with paint finish	m²	118		
-		"Rhiea" gypsum plasterboard				
	Thickness :					
	Support structure :	•				
	Finish :	Gypsum skim plaster			4	
4	Prepare and apply paint to ceiling		m²	118		
		One coat primer			1	
	Final Coats : Supplier :	Two coats "Weatherguard" Dulux				
		White				
					7	
5	Prepare and apply paint to concr		m²	52		
	First coat : Final Coats :	One coat primer Two coats "Weatherquard") '	
	Supplier :	Dulux	1			
	Colour :	Birch Bark Caeae				
	WINDOW COVERINGS					
	WINDOW COVERINGS					
	External windows					
1	Supply and install blinds to wind		ea	41		
		Venetian				
	Manufacturer : Thickness :	All Blinds 25mm Thick				
	Colour :	Aluminium				
	Size :	1160 x 2309mm				
	WALL DINICHES					
	WALL FINISHES					
	Painting					
1	Paint samples - 1m²		ea	5		
	Undercoat :	Plaster primer				
	Final Coats : Supplier :	Two coats acrylic PVA				
	Range :	TBA				
	Colour	TBA				
,	Prepare and apply paint to eviate	ng painted plastered wall including preparation	m²	339		
_		One coat primer		333		
	Final Coats :	Two coats "Weatherguard"				
	Supplier :	Dulux 6J1-4				
	Code : Colour :	6J1-4 Birch Bark Caeae				
3		including Gamma Zenith stratio plastered wall	m²	44		
	First coat :	White PVA Two coats "Weatherguard"				
	Supplier :					
	Code :					
	Colour :	River Rock				
4	Prepare and apply paint to existing	ng painted plastered wall including preparation	m²	135		
	First coat :	One coat primer				
	Final Coats : Supplier :	Two coats "Weatherguard" Dulux				
	Code :					
		Wood Moss				

Part C2 Pricing Data: Civil

	TI 001H						
_	TI 001H	tion uninted plantaged and live to the		444	I	1	
5		sting painted plastered wall including preparation	m²	110			
	First coat	: One coat primer					
	Final Coats	: Two coats "Weatherguard"					
	Supplier	: Dulux					
	Code	: 5K2-6					
	Colour	: Field Gear					
6		sting painted plastered wall including preparation	m²	26			
	First coat	: One coat primer					
	Final Coats	: Two coats Acrylic PVA					
	Supplier	: Dulux					
	Colour	: Timeless					
7	Supply and lay porcelain tiles		m²	55			
	Size	: 300 x 600mm					
	Manufacturer	: Ceragran					
	Range	: Solfen					
	Colour	: Pearl - SO3					
	Grouting	: 2mm					
	Grout colour	: White					
8	Supply and lay porcelain tiles		m²	64			
	Size	: 600 x 600mm			4		
	Manufacturer	: Ceragran					
	Code	: CJ1536SB					
	Grouting	: 3mm					
	Grout colour	: Dove grey					
	,	5 7					
9	Supply and lay sandstone clad	ding	m²	14			
	Туре	: Stratastone					
	Thickness	: 25mm					
	code	: C141					
			4				
10	Supply and lay glazed tiles		m²	1			
	Size	: 100 x 100mm		-			
	Manufacturer	: Johnson					
		: Tozzeto					
	Tile colour mix (refer ID Elevation						
	Grouting Grouting	: 3mm					
	Grout colour	: White					
	C. Out Coloul	· mile					
11	Prepare and apply paint to exis	sting varnished handrail	m	33			
"	Preparation	: Run down with fine sandpaper	- ""	33			
	Final Coats	: Two coats varnish					
	Supplier	: Dulux					
	Colour	: Dulux : Clear					
	Ooloui	· Olcai					
12	Prepare and apply paint to exis	sting metal halustrading	m²	12			
12	Preparation	: Run down with fine sandpaper	- ""	14			
	Final Coats	: Two coats enamel					
	Supplier	: Dulux					
	Colour	: Black					
	Brongro and analysis in the	stingspills		40			
13	Prepare and apply paint to exis		m	48			
	Preparation	Run down with fine sandpaper					
	Final Coats	: Two coats "Weatherguard"					
	Supplier	Dulux					
	Colour	: River rock					
	Education to till						
	Edge trim to tiled walls						
1	Supply and fix aluminium trim	. 10					
	Size	: 10mm	m	31			
	Туре	: Genesis					
	Manufacturer	: Union tile					
	Mirrors						
1	Supply and fix mirrors over va						
	Туре	: Silvered float glass copper backed	ea	2			
	Thickness	: 6mm					
	Edges	: Bevelled and polishes					
	Size	: 2000 x 750mm high					
		: Dome capped mirror screws					
	Fixing						1

Part C2 Pricing Data: Civil

TI 001H					
PLUMBING					
Plumbing fittings					
WC Pan		ea	5		
Manufacturer	: Vaal				
Range	: Orchid				
Code	: 439016				
Seat	: Wooden				
Code	: 8520Z0				
Floor bracket code	: 8082Z0				
Cistern	: Geberit Kombifix				
Code	: 110.765.00.1				
Twist dual flush actuator	: 115.780.21.1				
Stop cock	: 15mm 128CP "Star" underwall pattern				
Wash hand basin					
Manufacturer	: Vaal	ea	5		
Range	: Cameo	"	ŭ		
Code	: 439016				
Size	: 595 x 455mm				
Trap	: Anti syphon				
Tapholes	: 3 semi punched				
Colour	: White				
Faucet	: Geberit				
Code	: 115.721.21.1				
Stop cock					
Stop Cock	: 15mm 128CP "Star" underwall pattern				
Urinal			2		
Urinal	. Vool	ea	2		
Manufacturer	: Vaal				
Range	: Sweetpea top inlet				
Code	: 705126				
Size	: 565 x 275 x 310mm	_			
Grating	: 38mm cp domical				
	Exposed top inlet FJ6000				
Flushmaster					
Stop cock	: 15mm 128CP "Star" underwall pattern				
Stop cock	: 15mm 12oCP Star underwall pattern				
Stop cock Plumbing connections		0			
Stop cock Plumbing connections Allow for all works in conr	nection with hot and cold water supply	ea	12		
Stop cock Plumbing connections	nection with hot and cold water supply	ea	12		
Stop cock Plumbing connections Allow for all works in conducinage etc to new fitting	nection with hot and cold water supply	ea	12		
Stop cock Plumbing connections Allow for all works in conr	nection with hot and cold water supply	ea	12		
Stop cock Plumbing connections Allow for all works in conding etc to new fitting ELECTRICAL	nection with hot and cold water supply	ea	12		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs	nection with hot and cold water supply)			
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection	nection with hot and cold water supply is	ea	12		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs	nection with hot and cold water supply)			
Stop cock Plumbing connections Allow for all works in condition of the confidence	nection with hot and cold water supply is	ea	22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug	nection with hot and cold water supply is ins (one red, one white) fed from power skirting : Desks)			
Stop cock Plumbing connections Allow for all works in condition of the confidence	nection with hot and cold water supply is	ea	22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application	nection with hot and cold water supply is ins (one red, one white) fed from power skirting : Desks	ea ea	22 30		
Stop cock Plumbing connections Allow for all works in condition of the confidence o	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting	ea	22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application	nection with hot and cold water supply is ins (one red, one white) fed from power skirting : Desks	ea ea	22 30		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting	ea ea	22 30 6		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting	ea ea	22 30		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting	ea ea ea	22 30 6		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting	ea ea ea	22 30 6		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting	ea ea ea	22 30 6		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting	ea ea ea	22 30 6 27		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Dedicated single plug con	nection with hot and cold water supply is ns (one red, one white) fed from power skirting Desks Power skirting Power skirting nected to Standby Generator Power skirting	ea ea ea	22 30 6 27		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application	nection with hot and cold water supply is ns (one red, one white) fed from power skirting Desks Power skirting Power skirting nected to Standby Generator Power skirting	ea ea ea	22 30 6 27		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies	nection with hot and cold water supply is ns (one red, one white) fed from power skirting Desks Power skirting Power skirting nected to Standby Generator Power skirting	ea ea ea ea	22 30 6 27 22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB	nection with hot and cold water supply is ins (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting inected to Standby Generator : Desks	ea ea ea	22 30 6 27		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies	nection with hot and cold water supply is ns (one red, one white) fed from power skirting Desks Power skirting Power skirting nected to Standby Generator Power skirting	ea ea ea ea	22 30 6 27 22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type	nection with hot and cold water supply is ins (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting inected to Standby Generator : Desks	ea ea ea ea	22 30 6 27 22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting inected to Standby Generator : Desks : Single phase	ea ea ea ea	22 30 6 27 22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type	nection with hot and cold water supply is ins (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting inected to Standby Generator : Desks	ea ea ea ea	22 30 6 27 22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting inected to Standby Generator : Desks : Single phase	ea ea ea ea	22 30 6 27 22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting inected to Standby Generator : Desks : Single phase	ea ea ea ea	22 30 6 27 22 21		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting inected to Standby Generator : Power skirting inected to Standby Generator : Desks : Single phase : Single phase	ea ea ea ea	22 30 6 27 22		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Single phase : Single phase : 2 Tier	ea ea ea ea	22 30 6 27 22 21		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size Material	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting nected to Standby Generator : Power skirting nected to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel	ea ea ea ea	22 30 6 27 22 21		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Single phase : Single phase : 2 Tier	ea ea ea ea	22 30 6 27 22 21		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size Material Colour	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting nected to Standby Generator : Power skirting nected to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel	ea ea ea ea m	22 30 6 27 22 21 21 99		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size Material Colour Power skirting covers	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting nected to Standby Generator : Power skirting nected to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel : Grey	ea ea ea ea	22 30 6 27 22 21		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size Material Colour Power skirting covers Size	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting nected to Standby Generator : Power skirting nected to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel : Grey : 2 Tier	ea ea ea ea m	22 30 6 27 22 21 21 99		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size Material Colour Power skirting covers Size Material	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting nected to Standby Generator : Power skirting nected to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel : Grey	ea ea ea ea m	22 30 6 27 22 21 21 99		
Stop cock Plumbing connections Allow for all works in conr drainage etc to new fitting ELECTRICAL Plugs corporate desk connection Application earmal single plug Application earmal double plug Application Dedicated single plug con Application Dedicated single plug con Application Plugs - Supplies Supply from DB Type Circuit breaker in DB Type Miscellaneous Power skirting Size Material Colour Power skirting covers Size	nection with hot and cold water supply is ns (one red, one white) fed from power skirting : Desks : Power skirting : Power skirting nected to Standby Generator : Power skirting nected to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel : Grey : 2 Tier	ea ea ea ea m	22 30 6 27 22 21 21 99		

Part C2 Pricing Data: Civil

	TI 001H					
	New lighting					
1	New light fittings ceiling mounte		ea	68		
	Type : Application :	600 x 600mm 2 x 55watt flourescent Flush ceiling mounted				
	Supplier :	· · · · · · · · · · · · · · · · · · ·				
		·				
2	New light fittings ceiling mounte	ed				
		Low voltage on dimmer	ea	11		
		QBS105/12V				
		Flush ceiling mounted Phillips				
	Suppliel .	Fillips				
3	New light fittings ceiling mounte	ed				
		Low voltage eyeball downlighter 30W	ea	3		
	Code :					
	Application : Supplier :	· · · · · · · · · · · · · · · · · · ·				
		Fillips				
4	New light fittings ceiling mounte	ed				
	31:	Pendant light fitting	ea	3		
	Code :					
	Application : Supplier :	Flush ceiling mounted Spazio				
	Suppliel .	Spazio				
5	New light fittings ceiling mounte	ed				
	. 7	PL wide fitting	ea	33		
	Code :	=: :: = : *				
	Application : Supplier :	Flush ceiling mounted Phillips				
		Fillips				
	Motion detector					
1	Motion detector		ea	17)	
	Code :	CMR PDT10	1			
	Application : Supplier :	Flush ceiling mounted Electro Sense				
	Suppliel .	Electio Serise				
	Cable tray					
1	Cable tray		m	66		
	Lighting - Supplies Supply from DB		ea	24		
- 1	Type :	Single phase	ea	24		
	. , , , ,	Cingle phase				
2	Circuit breaker in DB		ea	24		
	Type :	Single phase				
	CLEANING					
	Cleaning					
1	Final deep cleaning to all areas		m²	669		
						1
		Single phase Single phase				

Part C2 Pricing Data: Civil

TI 001H

TI 001H

Scope of works - Construction 12-Mar-10

Dwg ea: TI 001B 3RFL - 400

	DESCRIPTION		Unit	Qty	Rate	Total
	DEMOLISHING					
	Brickwork and partitions					
1	Breakdown and remove partitions including doors and fram	es	m²	393		
2	Take out and remove existing single doors		ea	1		
3	Take out and remove existing double doors		ea	3		
1	Floor Finishes Take out existing carpet tiles Type : Belgotex		m²	426	_1	
2	Take out existing tiles Type : Ceramic		m²	116	1	
3	Take out existing tiles Type : Vinyl asbestos		m²	149	12.	
1	Ceilings Take out existing ceilings		m²	160		
1	Walls Remove wall tiles Type : Ceramic	R	m²	119		
1	Plumbing fittings Take out existing wc and terminate connections	رن)	ea	5		
2	Take out existing wash hand basin and terminate connectio	ns	ea	5		
3	Take out existing urinal and terminate connections	N	ea	2		
4	Take out existing kitchen sink unit and terminate connection	16)	ea	1		
1	Electrical Strip and terminate existing points Type : power		ea	6		
2	Strip and terminate existing power skirting Type : 2 Tier Colour : grey		m	118		
3	Strip and terminate existing points Type : light switches		ea	13		
	Strip and terminate light futings Type : Suspended ceiling mounted	d	ea	30		
	Strip and terminate light fittings Type : Ceiling mounted		ea	-		
	Strip and terminate light fittings Type : Downlighter		ea	13		
	Window finishes Strip and remove existing blinds Type : Vertical Size : 50mm		m²	110		
	STRUCTURE					
	Coring through existing reinforced concrete slab					
1	Size : 100mm		ea	6		



	TI 001H					
	Chasing for other trades in plaste	ered brickwork and making good				
1	Allowance generally		item			
	Partitioning					
	Drywall partition		m²	81		
	Thickness :	90mm		•		
	Extra over partition for single do		ea	1		
	Frame Material :	Natural aeadised aluminium Semi solid masonite				
	Door material : Door size :	813 x 2032mm				
	Door louvre material :	Natural aeadised aluminium				
	Louvre size :	500 x 500mm				
	Paint finish :	Dulux matt finish				
	Every avery position for single de-	D4				
	Extra over partition for single door Frame Material :	Natural aeadised aluminium	ea	1		
	Door material :	Semi solid masonite				
	Door size :					
	Door louvre material :	Natural aeadised aluminium				
	Every avery marketing for the s	Fire vete simple door D2				
	Extra over partition for two hour frame Material :	fire rate single door - D2 Natural aeadised aluminium	ea	1	1	
	Door material :	Semi solid masonite				
	Door size :					
	Paint finish :	Dulux matt finish				
	Aluminium glazed doors Door - D3					
	Frame Material :	Natural aeadised aluminium	ea			
	Door material :	Natural aeadised aluminium				
	Glazing Material :	6.4mm Clear Safety glass	4			
		1500 x 2400mm				
	Seal	Gas and smoke				
	Timber doors					
	Door - D6		ea	2		
	Frame Material :	Natural aeadised aluminium	- Gu	_		
	Door material :	Semi solid masonite				
	Door size :	813 x 2032mm				
	Paint finish :	Dulux matt finish				
	Glass					
1	Glass view panel - G4		ea	1		
	Frame Material :	Natural aeadised aluminium				
	Glazing Material :	6.5mm Clear Safety glass				
	Total size :	6588 x 2600mm				
	Panel size : Fin size :	1091 x 2600mm 6 x 150mm				
	Panel joint :	Frame				
	Facetted glass view panel - Type		ea	1		
	Frame Material :	Natural acadised aluminium				
	Glazing Material Total size :	6.5mm Clear Safety glass 3528 x 2600mm				
	Panel size	1176 x 2600mm				
	Panel joint :	Frame				
	Facetted glass view panel Type		ea	1		
		Natural aeadised aluminium 6.5mm Clear Safety glass				
		3595 x 2600mm				
	Panel size :	1198 x 2600mm				
	Panel joint :	Frame				
	Danala					
	Decals Decals type F4 to G4 glass panel		item			
	Describing the Factor of Grands pariet		ROIII			
2	Decals type F3 to facetted panels	types 1and 2	item			
	Ironmongery					
	Supply and fix back to back pull		pr	3		
		Ironmongery Warehouse (Pty) Ltd DPH206				
	- Coule	DI TIZUU				

Part C2 Pricing Data: Civil

	TI 001H					
2	Supply and fix back to back p Supplier Code	ull handles : Ironmongery Warehouse (Pty) Ltd : DPH209	pr	1		
3	Supply and fix lever handle o Supplier Code	n rose : Ironmongery Warehouse (Pty) Ltd : SH811	pr	3		
4	Supply and fix cylinder escut Supplier Code	cheon : Ironmongery Warehouse (Pty) Ltd : DCE-002	pr	3		
5	Supply and fix cylinder sashle Supplier Code	: Ironmongery Warehouse (Pty) Ltd : DO36S	ea	3		
6	Supply and fix cylinder deadle Supplier Code	cck : Ironmongery Warehouse (Pty) Ltd : DO37D	ea	1		
7	Supply and fix single cylinder Supplier Code	: Ironmongery Warehouse (Pty) Ltd : 771.10.30.9	ea	2	4	
8	Supply and fix keab cylinder Supplier Code	: Ironmongery Warehouse (Pty) Ltd : 740.30.30.9	ea	1	17	
9	Supply and fix keab cylinder Supplier Code	: Ironmongery Warehouse (Pty) Ltd : 740.33.33.9	ea	1	14.	
10	Supply and fix 42 x 100mm si Supplier Code	nkless hinge : Ironmongery Warehouse (Pty) Ltd : W4441/1	pf	1,5		
11	Supply and fix doorstops Supplier Code	: Ironmongery Warehouse (Pty) Ltd : DDS-018	ea	10		
12	Supply and fix regular arm do Supplier Code	or closer : Ironmongery Warehouse (Pty) Ltd : TS73	ea	1		
13	Supply and fix slide channel of Supplier Code	loor closer : Ironmongery Warehouse (Pty) Ltd : TS90	ea	3		
14	Supply and fix signage "Tea of Supplier Size	:up" : Ironmongery Warehouse (Pty) Ltd : 150 x 150mm	ea	1		
15	Supply and fix signage "Male Supplier Size	' and "Female" : Ironmongery Warehouse (Pty) Ltd 150 x 150mm	ea	2		
	Kitchen units					
1	Type Size Adjustable shelves Finish Door handles Door handle size	: Wall unit type "A" : 1410 x 300 x 680mm : One : Formica Windsor Cherry 784 : Design Hardware satin chrome B 2652 : 96mm	ea	1		
2	Type Size Drawers Finish Door handles Door handle size Kickplate	: Floor drawer unit unit type "H" : 383 x 600 x 850mm : Four : Formica Windsor Cherry 784 : Design Hardware satin chrome B 2652 : 96mm : 100mm	ea	1		

	TI 001H						
3		: Floor unit unit type "E"	1 1	1	1	II.	İ
3	Type		ea	'			
	Size	: 1027 x 600 x 850mm					
		: One					
		: Formica Windsor Cherry 784					
	Door handles	: Design Hardware satin chrome B 2652					
	Door handle size	: 96mm					
	Kickplate	: 100mm					
	Vanity units						
1	Size	: 600 x 2000mm		2			
- 1			ea	2			
	Finish	: 30mm Caeser stone					
	Туре	: Sahara					
	Splashback	: 100mm high					
	Holes for drop in basins	: 2					
	FLOOR FINISHES						
	Carpet tiles						
1	Supply and lay carpet tiles		m²	0			
1		: 500 x 500mm	111	U			
	Size						
	Manufacturer	: Berberpoint					
		: Nexbac					
	Colour	: Charcoal					
2	Supply and lay carpet tiles		m²	-			
	Size	: 500 x 500mm					
		: Berberpoint					
		: Nexbac					
	•	: Senegal		4			
	Colour	. Conogai					
3	Supply and lay carpet tile		m²	47			
3		: 300 x 300mm		4'			
	Size		4				
	Manufacturer	: Polyflor					
		: Polyflex Plus					
	Colour	: Cream Caramel					
4	Supply and lay carpet tiles		ea	2			
	Size	: 400 x 400mm					
	Manufacturer	: Berberpoint					
		: Nexbac					
	= -	: Lava					
5	Supply and lay carpet tiles		ea	1			
·		: 400 x 500mm	- ou	•			
		: Berberpoint					
	3 -	: Nexbac					
	Colour	: Lava					
6	Supply and lay carpet tiles	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ea	5			
	Size	: 400 x 600mm					
		: Berberpoint					
	Range	: Nexbac					
	Colour	: Lava					
7	Supply and lay carpet tiles		ea	2			
	Size	: 400 x 604mm					
	Manufacturer	Berberpoint					
	Range	: Nexbac					
	Colour	: Lava					
	55.541						
8	Supply and lay carpet tiles		00	2			
٥		. 400 v 071mm	ea	2			
		: 400 x 971mm					
		: Berberpoint					
		: Nexbac					
	Colour	: Lava					
9	Supply and lay carpet tiles		ea	1			
	Size	: 604 x 1200mm					
		: Berberpoint					
		: Nexbac					
	•	: Lava					
			l l				

Part C2 Pricing Data: Civil

	TI 001H					
10	Supply and lay carpet tiles		ea	2		
		: 400 x 1403mm				
		: Berberpoint				
		: Nexbac : Lava				
	Coloui	. Lava				
11	Supply and lay carpet tiles		ea	6		
		: 400 x 1800mm				
		: Berberpoint				
		: Nexbac : Senegal				
	Coloui	. Seriegai				
12	Supply and lay carpet tiles		ea	3		
		: 400 x 1800mm				
		: Berberpoint				
		: Nexbac : Charcoal				
	Coloui	: Charcoar				
	Porcelain tiles					
1	Supply and lay porcelain tiles		m²	112		
		: 600 x 600mm				
		: Ceragran				
		: CJ1536SB				
	Colour Grouting	: Grey : 3mm				
		: Dove grey				
		• •				
2		on treads and risers of staircase	m²	38		
		: 600 x 600mm			<i>(</i> -7.	
	Manufacturer Code	: Ceragran : CJ1536SB				
		: Grey) •	
		: 3mm	4			
		: Dove grey				
3	Supply and lay porcelain tiles Size	: 300 x 300mm	m²	39		
		: Ceragran				
	Code	: CJ1561SB				
	Colour	: Grey				
	Grouting	: 3mm				
	Grout colour	: Dove grey				
	Skirtings					
1	Supply and install aluminium s	kirting to Drywall partitions	m	49		
		: 75mm				
	Colour	: Natural aeadized				
	Supply and install meranti skirt					
2		: 100mm	m	56		
		: Black varnish				
3	Supply and install granite tile s		m	23		
	Size	: 100mm				
	Manufacturer Colour	Ceragran : Coal				
	Code	SO5				
	Grouting	: 3mm				
	Grout colour	: Dove grey				
	Supply and install research (1)	ackirting to brick well-		400		
4	Supply and install porcelain tile Size	: 100mm	m	123		
		: Ceragran				
		: Coal				
	Code	: CJ 1536 SB				
	3	: 3mm				
	Grout colour	: Dove grey				
-	Supply and install porcelain tile	e skirting to brick walls on treads and risers	m	24		
		: 100mm	""	24		
5						
5	Manufacturer	: Ceragran				
5	Manufacturer Colour	: Coal				
5	Manufacturer Colour Code	: Coal : CJ 1536 SB				
5	Manufacturer Colour Code Grouting	: Coal				

Part C2 Pricing Data: Civil

Description		TIAAIII						
1 Prepare and apply variable to electring Timbor 1 Control Standing analor Under Control Standing analor Under Control Standing analor Under Control Standing analor Under Control Standing analor Standing and It adminishment in 10 form Type 1 Control Standing I Standing analor I Type 1 Standing I Standing I Standing I Standing Analor Manufacturer : Union tile Cetting				1 1	i		II.	i
Trinder Undercost : One coat sanding sealer Final Coats Coolur Coolur Coolur Supply and fix aluminium frim Size : One coat fixed high gloss variath Colling Size : One coat fixed high gloss variath Colling 1 1200x80mm Mineral fibre suspended celling Type : Union file Eff. I.NCS Celling 1 1200x80mm Mineral fibre suspended celling Type : Suspended Manufacturer : ONA Colling Colling 1 1200x80mm Mineral fibre suspended celling Type : Suspended Manufacturer : ONA Colling Grid colour : White Size : Suspended Manufacturer : Down grey Extra over 1200x800mm Mineral fibre celling boards for fixing vertically Type Suspended plasterhoard fibre celling boards for fixing vertically Type Suspended plasterhoard celling with paint finish Material Material : "Fibriar' System plasterhoard Throbress : O.4mm Support structure : 38 x 8 films Suspended Final Codes : Tox Codes Versiery grant Suspender Final Codes : Tox Codes Versiery grant Suspender Final Codes : Tox Codes Versiery grant Suspender Final Codes : One coat primer Final Codes : Tox Codes Versiery grant Suspender Support : One coat primer Final Codes : Tox Codes Versiery grant Suspender Support : Dubos National Codes : Tox Codes Support Suspender Variation surples - Int' Undercoat : Plaster primer Final Codes : Tox Codes Support Suspender Final Codes : T		Skirting finish						
Undercract Final Coats : Two crosts high gloss varieth Cootar : Two crosts visit high gloss varieth Cootar : Two crosts visit high gloss varieth Cootar : Union the Cootar : Union the Cootar : Union the Cootar : Union the Cootar : Cootar : Cootar See : 1200 x 600mm Mineral fibre suspended celling Type : Suspended Manufacturer : CVAA See : 1200 x 600mm Cond colour : Dive grey Cootar : White See : 1200 x 600mm Mineral fibre celling beards for fixing vertically Type Manufacturer : CVAA Cootar : White See : 1200 x 600mm Monthal criticar : CVAA Monthal : Their gypourn plasterboard Their grey control of the coot grows Final Coota : Cootar Prepare and apply paint to cellings Final Coota : Two coots "Weatherguard" Suppler : Dutus Cootar : White Cootar : White External windows Externa	1			m	56			
Final Coats : Two coats help gloss varnish Colour C								
Coour Cities Ci		Undercoat	: One coat sanding sealer					
Edge trim to tited skirting		Final Coats	: Two coats high gloss varnish					
Supply and fix aluminium trim		Colour	: Clear					
Supply and fix aluminium trim								
Size		Edge trim to tiled skirting						
Size	1							
Type			· 10mm	m	170			
Manufacturer : Union sile CHILNGS								
Ceiling 1 7206x600mm Mineral fibre suspended cailing 1 7206x600mm Mineral fibre suspended Manufacturer : OWA Colour : White Size : 1200 x 600mm Grid colour : Owe grey 2 Extra over 1200x600mm Mineral fibre ceiling boards for fixing vertically 1								
Ceiling 1 1200x500mm Mineral fibre suspended ceiling Type Suspended Manufacturer OWA Colour White Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour OWA Colour White Size 17200 x 600mm Height Suze 17200 x 600mm Height Heig		Manufacturer	. Officiale					
Ceiling 1 1200x500mm Mineral fibre suspended ceiling Type Suspended Manufacturer OWA Colour White Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour OWA Colour White Size 17200 x 600mm Height Suze 17200 x 600mm Height Heig								
Ceiling 1 1200x500mm Mineral fibre suspended ceiling Type Suspended Manufacturer OWA Colour White Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour Suspended Suze 17200 x 600mm Gird colour OWA Colour White Size 17200 x 600mm Height Suze 17200 x 600mm Height Heig		CEIL INCS						
1 1300x500mm Mineral fibre suspended celling Type Manufacturer : OWA Colour : White Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Mineral fibre celling boards for fixing vertically Type Manufacturer : OWA Colour : Whate Size : 1200 x 600mm Whight Size : 120		CEILINGS						
1 1300x500mm Mineral fibre suspended celling Type Manufacturer : OWA Colour : White Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Gid colour : Whate Size : 1200 x 600mm Mineral fibre celling boards for fixing vertically Type Manufacturer : OWA Colour : Whate Size : 1200 x 600mm Whight Size : 120								
Type								
Manufacturer : OWA Colour : White Size : 1200 x 600mm Grid colour : Dove grey 2 Extra over 120x600mm Minoral fibro coling boards for fixing vertically Type : Superieded Hamiltonia : Superieded Hamiltonia : Superieded Hamiltonia : White Size : 1200 x 600mm Height : 500mm 3 Suspended plasterboard celling with paint finish Material : "Rhiea" yepsum plasterboard Thickness : 6.4mm Support structure : 38 x 50mm SA pine Pinish 4 Prepare and apply paint to cellings First cost : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First cost : Two coats "Weatherguard" Supplier : Dulux Colour : White 6 Prepare and apply paint to concrete soffits First cost : Two coats "Weatherguard" Colour : Birch Bark Caage WKNOW COVERINGS External windows 1 Supply and install blinds to windows - Effect of the coats of	1	1200x600mm Mineral fibre susp	pended ceiling	m²	570			
Colour : White Size : 1200 x 600mm Grid colour : Dove grey Extra over 1200x600mm Mineral fibre ceiling boards for fixing vertically Type Colour : Suspended Manufacturer : OWA Colour : White Support structure : 500mm Height : 500mm Alterial : Support structure : 38 x 50mm Sh pine Finish : Gypsum skim plaster Finish : Gypsum skim plaster Finish : Gypsum skim plaster Firist coat : Tou coats Weatherguard' Colour : White Firist coat : Tou coats Weatherguard' Support structure : Support structure Final Coats : Tou coats Weatherguard' Support structure : White Firist coat : Tou coats Weatherguard' Support structure : Support structure Firish : Support structure Firish : Support structure Firish : Tou coats Weatherguard' Support structure Firish : Tou coats firish Firist coat : Tou coats firish Firish : Support structure Firish : S		Туре	: Suspended					
Colour : White Size : 1200 x 600mm Grid colour : Dove grey Extra over 1200x600mm Mineral fibre ceiling boards for fixing vertically Type Colour : Suspended Manufacturer : OWA Colour : White Support structure : 500mm Height : 500mm Alterial : Support structure : 38 x 50mm Sh pine Finish : Gypsum skim plaster Finish : Gypsum skim plaster Finish : Gypsum skim plaster Firist coat : Tou coats Weatherguard' Colour : White Firist coat : Tou coats Weatherguard' Support structure : Support structure Final Coats : Tou coats Weatherguard' Support structure : White Firist coat : Tou coats Weatherguard' Support structure : Support structure Firish : Support structure Firish : Support structure Firish : Tou coats Weatherguard' Support structure Firish : Tou coats firish Firist coat : Tou coats firish Firish : Support structure Firish : S		Manufacturer	: OWA					
Size : 1200 x 600mm Grid colour : Dove grey Extra over 1200x600mm Mineral fibre celling boards for fixing vertically Type : Suspended Manufacturer : OWA Colour : White Size : 1200 x 600mm Height : 500mm Material : Fibres grysum plasterboard Thickness : 6,4mm Support shructure : 38 x 50mm SA pine Finish : Gypsum skim plaster Finish Cost : Two costs "Weatherguard" Suppler : Dulux Colour : White Prepare and apply paint to cellings First cost : Two costs "Weatherguard" Suppler : Dulux Colour : White Prepare and apply paint to cellings First cost : Two costs "Weatherguard" Suppler : Dulux Colour : White Syppler : Dulux Colour : Birch Bark Casee WENDOW COVERINGS Extranal windows : Suppler : Dulux Manufacturer : Ald Bigus Thickness : Zomm Thick Colour : Washing Manufacturer : Material Signs Thickness : Zomm Thick Colour : Washing Paint samples - Im² Undercoat : Plaster primer Final Costs : Two costs acyplic PVA Suppler : Dulux Range : 1160 x 2300mm WALL FINNIES Painting Paintin		Colour	: White					
Grid colour : Dove grey Extra over 120x0600mm Mineral fibre ceiling boards for fixing vertically Type : Suspended Manufacturer : OWA Colour : White Size : 1200 x 000mm Height : Suspended plasterboard ceiling with paint finish Material : 'Rhiea' gypsum plasterboard Thickness : 0, 4mm Support structure : 38 x 50mm SA pine Finish : Coysum skim plaster 4 Propare and apply paint to ceilings First cost : Two costs "Weatherguard" Supplier : Dulux Colour : White 5 Propare and apply paint to concrete soffts First cost : Two costs "Weatherguard" Supplier : Dulux Supplier : Dulux Colour : Birch Bark Coage WINDOW COVERINGS External windows 5 Weather Same Same Same Same Same Same Same Same								
Extra over 1200x800mm Mineral fibre ceiling boards for fixing vertically Type Suspended Menufacturer OWA Colour White Size 1 1200 x 60mm Height Suspended plasterboard ceiling with paint finish Naterial Naterial Propare and apply paint to ceilings First cost Finish Colour White Propare and apply paint to cellings First cost Finish Colour White Propare and apply paint to concrete soffits First cost First c						4		
Type : Suspended Manufacturer : OWA Colour : White Size : 1200 x 600mm		J. 2 001041	. 20.0 gioj					
Type : Suspended Manufacturer : OWA Colour : White Size : 1200 x 600mm	2	Extra over 1200v600mm Minors	I fibre ceiling hoards for fiving vertically	m	27			
Manufacturer COWA COLOUR Size 1200 x 600mm Height 1500mm 18 18 18 18 18 18 18	-			- ""	01			
Codour : White Size : 1200 x 600mm Height : 500mm 3 Suspended plasterboard ceiling with paint finish Material : "Rhiea" gypsum plasterboard Thickness : 6,4mm Suspont structure : 38 x 50mm SA pine Finish : Gypsum skim plaster Prepare and apply paint to ceilings First coat : One coat primer Final Coats : Two coats "Weatherguard" Suppler : Dulux Colour : White Prepare and apply paint to correte soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Suppler : Dulux Colour : Birch Bark Ceeae WINDOW COVERINGS External windows 1 Supply and install blinds to windows - 5/ Size : The Coats : Two coats "Colour Size Size : The Colour Size Size : The Coats Size Size Size Size Size Size : The Coats Size Size Size Size Size Size Size Size								
Size : 1200 x 600mm Height : 500mm 3 Suspended plasterboard ceiling with paint finish Material : "Frihiea" gypsum plasterboard Thickness : 6.4mm Support structure : 33 x 50mm SA pine Finish : Gypsum skim plaster 4 Prepare and apply paint to ceilings First coat : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Casae WINDOW COVERINGS External windows 1 Supply and install blinds to windows - For Type Manufacture : All Bligds Thickness : Zomm Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISIES Painting Painting Paint samples - Im* Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : Two coats "Weatherguard" Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : Two coats "Weatherguard" Supplier : Dulux Code : 611-4								
Height : 500mm 3 Susport structure : 'Rhiea' typsum plasterboard Thickness : G. 4mm Support structure : 38 x 50mm SA pine Finish : Ope coat primer Finish : Decoat primer Finish coats : No coats "Weatherguard" Supplier : Dulux Colour : White 5 Propare and apply paint to concrets soffits Filst coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : White 6 Propare and apply paint to concrets soffits Filst coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Caeae WINDOW COVERINGS External windows 1 Supply and install blinds to windows *F Type Manufacturer : All Blinds Thickness : Zesman Thick Colour : Aluminium Size : 1160 x 2508mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Code : 6.31-4								
3 Suspended plasterboard ceiling with paint finish Material : 'Rhiea' 'gypsum plasterboard' Thickness : 6.4mm Support structure : 38 x 50mm SA pine Finist coat : Gypsum skim plaster Finist coat : One coat primer Finist coat : Two coats 'Weatherquard' Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Finial Coats : Two coats 'Weatherquard' Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Firsi Coats : Two coats 'Weatherquard' Supplier : Dulux Colour : Birch Bark Caage WINDOW COVERINGS External windows 1 Supply and install blinds to windows ≥ € Type Manufacturer : All Bingds Thickness : Zemm Thick Colour : Aluminium Size : Tile Ox 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer First coat : One coat primer First coat : One coat primer First coat : Tone coats Weatherquard' Supplier : Dulux Code : € 31.44								
Material : "Rhiea" gypsum plasterboard Thickness : 6.4mm Support structure : 38 x 50mm SA pine Finish : Gypsum skim plaster 4 Prepare and apply paint to ceilings First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Caege WINDOW COVERINGS External windows 1 Supply and install bilinds to windows - 54 Type : Valeetbay Manufacturer : All Blads Thickness : Zomm Thick Colour : Hillon x 2309mm WALL FINISHES Painting Painting Paint coats : Two coats acrylic PVA Supplyer : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : Two coats "Weatherguard" Supplier : Dulux		Height	: 500mm					
Material : "Rhiea" gypsum plasterboard Thickness : 6.4mm Support structure : 38 x 50mm SA pine Finish : Gypsum skim plaster 4 Prepare and apply paint to ceilings First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Caege WINDOW COVERINGS External windows 1 Supply and install bilinds to windows - 54 Type : Valeetbay Manufacturer : All Blads Thickness : Zomm Thick Colour : Hillon x 2309mm WALL FINISHES Painting Painting Paint coats : Two coats acrylic PVA Supplyer : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : Two coats "Weatherguard" Supplier : Dulux						1		
Thickness : 6.4mm Somm SA pine Finish : 38 x 50mm SA pine Finish : Gypsum skim plaster Prepare and apply paint to cellings First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : White Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Caage WINDOW COVERINGS External windows Supply and install blinds to windows -5/ Type : Wheeltan Manufacturer : PAI Bhads Thickness : - Zomm Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINSHES Painting Paint samples - 1m² Undercoat : Plaster primer Undercoat : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : Dulux Range : TBA Colour : TBA Colour : TBA Colour : Dulux Range : TBA Colour : TBA Colour : Dulux Colour : Dulux Colour : Dulux Colour : TBA Colour : TBA Colour : TBA Colour : TBA Colour : Dulux Colour : TBA Colo	3			m²	118			
Support structure : 3 8 x 50mm SA pine Finish : Gypsum skim plaster 4 Prepare and apply paint to ceilings First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Caege WINDOW COVERINGS External windows 1 Supply and install blinds to windows - 54 Type : Valentian Manufacturer : All Billigos Thickness : 25mm Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats arrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : Two coats "Weatherguard" Supplier : Dulux			: "Rhiea" gypsum plasterboard					
Finish		Thickness	: 6,4mm					
4 Prepare and apply paint to ceilings First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier Supplier : Dulux Colour : Birch Bark Caeae WINDOW COVERINGS External windows 1 Supply and install blinds to windows > F1 Type : Vegetta Manufacturer : All Billingds Thickness : Zomm Thick Colour : Birch Bark Caeae WALL FINSHES Painting Painting Painting Paint coats : Two coats scrylic PVA Supplier : Dulux Supplier : Dulux Supplier : Dulux Colour : TipA Colour : T		Support structure	: 38 x 50mm SA pine					
4 Prepare and apply paint to ceilings First coat Final Coats Supplier Dulux Colour Supplier First coat First c		Finish	: Gypsum skim plaster		•			
First coat								
First coat	4	Prepare and apply paint to ceili	ngs	m²	118			
Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier :: Dulux Colour : Birch Bark Caeae WINDOW COVERINGS External windows 1 Supply and install blinds to windows = 17 Type								
Supplier : Dulux Colour : White 5 Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Caege WINDOW COVERINGS External windows Supply and install blinds to windows **E Type : Venetian Manufacturer : All Bingds Thickness : 25mm Thick Colour : Size : 1160 x 2309mm WALL FINISHES Paint samples - 1m² Under coat : Two coats arrylic PVA Supplier : Dulux Range : TBA Colour : TBA Colour : TBA Colour : TBA Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Two coats arrylic PVA Supplier : Dulux Range : TBA Colour : TBA Colou								
Colour : White Prepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard Supplier : Dulux Colour : Birch Bark Caege WINDOW COVERINGS External windows 1 Supply and install blinds to windows - Ff Type								
Frepare and apply paint to concrete soffits First coat : One coat primer Final Coats : Two coats "Weatherguard Supplier : Dulux Colour : Birch Bark Caeae WINDOW COVERINGS External windows Supply and install blinds to windows - Ff Type : Veaelitae Manufacturer : All Blinds Thickness : Zomm Thick Colour : All winninum Size : 1160 x 2309mm WALL FINISHES Paint samples - 1m² Under coat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6.11-4								
First coats : One coat primer Final Coats : Two coats "Weatherguard Supplier : Dulux Colour : Birch Bark Caeee WINDOW COVERINGS External windows Supply and install blinds to windows ** 11 Type : Venetian Manufacturer : All Binds Thickness : Zariam Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting Pai		Colour	. Willie					
First coats : One coat primer Final Coats : Two coats "Weatherguard Supplier : Dulux Colour : Birch Bark Caeee WINDOW COVERINGS External windows Supply and install blinds to windows ** 11 Type : Venetian Manufacturer : All Binds Thickness : Zariam Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting Pai	5	Prenare and apply paint to con	croto soffits	m²	52			
Final Coats : Two coats "Weatherguard" Supplier : Dulux Colour : Birch Bark Caage WINDOW COVERINGS External windows Supply and install blinds to windows -Ff Type : Veaetian Manufacturer All Blinds Thickness : 25mm Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA Colour : One coat primer First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 611-4	,				32			
Supplier : Dulux Colour : Birch Bark Caeae WINDOW COVERINGS External windows Supply and install blinds to windows > EV Type : Venetian Manufacturer : All Binuds Thickness : ZSum Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting Pai								
Colour : Birch Bark Caeae WINDOW COVERINGS External windows Supply and install blinds to windows *Ff Type : Venetian Manufacturer : All Binds Thickness : 25mm Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
WINDOW COVERINGS External windows 1 Supply and install blinds to windows - F1 Type : Vagettar Manufacturer : All Blinds Thickness : 25mm Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dultux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dultux Code : 6J1-4								
External windows Supply and install blinds to windows - 56 Type : Venetian Manufacturer : All Blinds Thickness : Zoumn Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4		Colour	: Birch Bark Caeae					
External windows Supply and install blinds to windows - 56 Type : Venetian Manufacturer : All Blinds Thickness : Zoumn Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
1 Supply and install blinds to windows - 5 Type : Venetran Manufacturer : All Binds Thickness : 25 mm Thick Colour : All minium Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4		WINDOW COVERINGS						
1 Supply and install blinds to windows - 5 Type : Venetran Manufacturer : All Binds Thickness : 25 mm Thick Colour : All minium Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
1 Supply and install blinds to windows - 5 Type : Venetran Manufacturer : All Binds Thickness : 25 mm Thick Colour : All minium Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4		External windows						
Type : Venetlan Manufacturer : All Bligds Thickness : 25mm Thick Colour : Aluminium Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Final Coats : Dulux Supplier : Dulux Supplier : Dulux Supplier : Dulux Supplier : Dulux	1		idows -F1	ea	41			
Manufacturer Thickness Thickness Colour Size Size Thich x 2309mm WALL FINISHES Painting Industrian Undercoat Final Coats Supplier Colour TBA Prepare and apply paint to existing painted plastered wall including preparation First coat Final Coats Two coats "Weatherguard" Supplier Code Supplier Supp								
Thickness Colour Size : 25mm Thick Aluminium Size : 1160 x 2309mm WALL FINISHES Painting Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
Colour Size : 1160 x 2309mm WALL FINISHES Painting Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
Size : 1160 x 2309mm WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Code : 6J1-4								
WALL FINISHES Painting 1 Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
Painting Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Code : 6J1-4		OIZ C	. 1100 X 200311111					
Painting Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Supplier : Dulux Code : 6J1-4		WALL FINISHES						
Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4		WALL FINISHES						
Paint samples - 1m² Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range Colour : TBA Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
Undercoat : Plaster primer Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
Final Coats : Two coats acrylic PVA Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4	1	Paint samples - 1m ²		ea	5			
Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4		Undercoat	: Plaster primer					
Supplier : Dulux Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4		Final Coats						
Range : TBA Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
Colour : TBA 2 Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
Prepare and apply paint to existing painted plastered wall including preparation First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4								
First coat : One coat primer Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4	2	Prepare and apply paint to evis	ting painted plastered wall including preparation	m²	381			
Final Coats : Two coats "Weatherguard" Supplier : Dulux Code : 6J1-4	-				50.			
Supplier : Dulux Code : 6J1-4								
Code : 6J1-4								
Culoui : Birch Bark Caeae								
		Colour	: birch Bark Caeae					

Part C2 Pricing Data: Civil

	TI 001H						
3		d including Gamma Zenith stratio plastered wall	m²	86		1	I
3		: White PVA	""	00			
	Final Coats	: Two coats "Weatherguard"					
		: Dulux					
		: 6J1-7					
	Colour	: River Rock					
4		ting painted plastered wall including preparation	m²	88			
		: One coat primer					
	Final Coats	: Two coats "Weatherguard"					
	Supplier	: Dulux					
		: 5K3-5					
	Colour	: Wood Moss					
5	Prenare and apply paint to exis	sting painted plastered wall including preparation	m²	135			
·		: One coat primer					
		: Two coats "Weatherguard"					
	Supplier	: Dulux					
		: 5K2-6					
	Colour	: Field Gear					
6		sting painted plastered wall including preparation	m²	26			
	First coat Final Coats	: One coat primer			1		
		: Two coats Acrylic PVA : Dulux			_		
		: Dulux : Timeless					
	Coloui	. Timeless					
7	Supply and lay porcelain tiles		m²	55			
		: 300 x 600mm					
	Manufacturer	: Ceragran					
	Range	: Solfen					
	Colour	: Pearl - SO3)		
	- · · · · · · · · · · · · · · · · · · ·	: 2mm	1				
	Grout colour	: White					
8	Supply and lay porcelain tiles		m²	64			
·		: 600 x 600mm	— —	• .			
		: Ceragran					
	Colour	: CJ1536SB					
	Grouting	: 3mm					
	Grout colour	: Dove grey					
9	Supply and lay wallpaper		m²	15			
9	Supplier	: Design syndicate	""	13			
	The state of the s	: 9242					
10	Supply and lay sandstone clad		m²	14			
		: Stratastone					
		: 25mm					
	code	: C141					
11	Supply and lay glazed tiles		m²	1			
	Size	: 100 x 100mm					
	Manufacturer	: Johnson					
	Range	Tozzeto					
		: Pietra Salvia/Raku/Gun metal/Evergreen					
	Grouting	3mm					
	Grout colour	: White					
12	Prepare and apply paint to exis	ting varnished handrail	m	33			
		: Run down with fine sandpaper					
	l ·	: Two coats varnish					
		: Dulux					
	Colour	: Clear					
12	Prepare and apply paint to exis	eting motal halustrading	m²	12			
13		: Run down with fine sandpaper	III-	12			
	·	: Two coats enamel					
		: Dulux					
		: Black					
14	Prepare and apply paint to exis		m	48			
		: Run down with fine sandpaper					
		: Two coats "Weatherguard" : Dulux					
		: River rock					
	Colour	. Tayor rook					
			-			Ш	

Part C2 Pricing Data: Civil

	TI 001H					
	Edge trim to tiled walls					
1	Supply and fix aluminium trim					
	Size :	10mm	m	31		
	Type :	Genesis				
	Manufacturer :	Union tile				
	Mirrors					
1	Supply and fix mirrors over vani-					
	Type :	Silvered float glass copper backed	ea	2		
	Thickness :	6mm				
	Edges :	Bevelled and polishes				
	Size :	2000 x 750mm high Dome capped mirror screws				
	Fixing :	Dome capped mirror screws				
	PLUMBING					
	Lending					
	Plumbing fittings					
1	WC Pan		ea	5		
	Manufacturer :	Vaal				
	Range :	Orchid				
	Code :	439016				
	Seat :	Wooden				
	Code :	8520Z0			4	
	Floor bracket code :	8082Z0				
	Cistern :	Geberit Kombifix				
	Code :	110.765.00.1				
	Twist dual flush actuator :	115.780.21.1				
	Stopcock :	15mm 128CP "Star" underwall pattern				
,	Wash hand basin					
_	Manufacturer :	Vaal	ea	5		
	Range :	Cameo	ou			
	Code :	439016	4			
	Size :	595 x 455mm				
	Trap :	Anti syphon				
	Tapholes :	3 semi punched				
	Colour :	White				
	Faucet :	Geberit				
	Code :	115.721.21.1				
	Stopcock :	15mm 128CP "Star" underwall pattern				
3	Urinal		ea	2		
ŭ	Manufacturer :	Vaal	ou	_		
	Range :	Sweetpea top inlet				
	Code :	705126				
	Size :	565 x 275 x 310mm				
	Grating :	38mm cp domical				
	Flushmaster :	Exposed top inlet FJ6000				
	Stopcock :	15mm 128CP "Star" underwall pattern				
	Discribing as a second of					
	Plumbing connections	and the second s		40		
1	Allow for all works in connection drainage etc to new fittings	with not and cold water supply	ea	12		
	uramage etc to new rittings					
	ELECTRICAL					
	Plugs					
1		red, one white) fed from power skirting	ea	17		
	Application :	Desks				
	•					
2	earmal single plug		ea	27		
	Application :	Power skirting				
3	earmal double plug			5		
3	Application :	Power skirting	ea	э		
	Application .	Fower skilling				
4	Dedicated single plug connected	I to Standby Generator	ea	19		
_		Power skirting	Ju	.0		
5	Dedicated single plug connected		ea	17		
	Application :	Desks				
	Plugs - Supplies					
1	Supply from DB	Single phase	ea	17		
	Type :	Single phase				

Part C2 Pricing Data: Civil

TI 001H		1	1		1
Circuit breaker in DB		ea	17		
Type	: Single phase	Ga	"		
.,,,,,	. Single phase				
Miscellaneous					
Power skirting		m	96		
Size	: 2 Tier				
Material	: Steel				
Colour	: Grey				
Power skirting covers		ea	51		
Size	: 2 Tier	- Ca	٥.		
Material	: Steel				
Colour	: Grey				
	<u>_</u>				
New lighting					
New light fittings ceiling mou		ea	59		
Туре	: 600 x 600mm 2 x 55watt flourescent				
Application	: Flush ceiling mounted				
Supplier	: Phillips				
New light fittings ceiling mou	unted				
Type	: Low voltage on dimmer	ea	12	4	
Code	: QBS105/12V				
Application	: Flush ceiling mounted				
Supplier	: Phillips				
New light fittings ceiling mou					
Type Code	: Low voltage eyeball downlighter 30W : N/A	ea	3		
Code Application	: N/A : Flush ceiling mounted				
Supplier	: Phillips				
F F (1.2)	.	4			
New light fittings ceiling mor					
Туре	: Low voltage downlighter	ea	1		
Code	: QBS105/12V				
Application	: Flush ceiling mounted				
Supplier	: Phillips				
New light fittings ceiling mou	inted				
Type	: Pendant light fitting	ea	3		
Code	: N/A		•		
Application	: Flush ceiling mounted				
Supplier	: Spazio				
New light fittings ceiling mou					
Type	: PL wide fitting	ea	40		
Code	: 2XPL-70 : Flush ceiling mounted				
Application Supplier	: Phillips				
Сарріїсі					
Motion detector					
Motion detector		ea	17		
Code	: CMR PDT 10				
Application	: Flush ceiling mounted				
Supplier	: Electro Sense				
Cable trav	H				
Cable tray Cable tray	<u> </u>		67		
Cable tray		m	6/		
Lighting - Supplies					
Supply from DB		ea	24		
Туре	: Single phase				
	ů ,				
Circuit breaker in DB		ea	24		
Туре	: Single phase				
Ole and an					
Cleaning		2	660		
Final deep cleaning to all areas		m²	669		

Part C2 Pricing Data: Civil

TI 001H

TI 001H

Scope of works - Construction

12-Mar-10

Dwg ea: TI 001B 4TFL - 400

	DESCRIPTION	Unit	Qty	Rate	Total
	DEMOLISHING				
1	Brickwork and partitions Breakdown and remove partitions including doors and frames	m²	449		
2	Take out and remove existing single doors	ea	1		
3	Take out and remove existing double doors	ea	3		
1	Floor Finishes Take out existing carpet tiles Type : Belgotex	m²	510		
2	Take out existing tiles Type : Ceramic	m²	116	1	
3	Take out existing tiles Type : Vinyl asbestos	m²	68	1	
1	Ceilings Take out existing ceilings	m²	160		
1	Walls Remove wall tiles Type : Ceramic	m²	119		
1	Plumbing fittings Take out existing wc and terminate connections	ea	5		
2	Take out existing wash hand basin and terminate connections	ea	5		
3	Take out existing urinal and terminate connections	ea	2		
4	Take out existing kitchen sink unit and terminate connections	ea	1		
1	Electrical Strip and terminate existing points Type : power	ea	7		
2	Strip and terminate existing power skirting Type : 2 Tier Colour : grey	m	119		
3	Strip and terminate existing points Type : light switches	ea	17		
4	Strip and terminate light fittings Type : Suspended ceiling mounted	ea	-		
5	Strip and terminate light fittings Type : Ceiling mounted	ea	75		
6	Strip and terminate light fittings Type : Downlighter	ea	14		
	Window finishes Strip and remove existing blinds Type : Vertical Size : 50mm	m²	110		
	STRUCTURE				
	Coring through existing reinforced concrete slab	I			
1	Size : 100mm	ea	6		



	TI 001H	tered brickwork and making good	T				
		nerea brickwork and making good					
1	Allowance generally		item				
	Sliding Folding Door						
1	Sliding folding door	Windows 4 004	ea	1			
	Type :	Windovert 801					
	Size :	4650 x 2600mm (contractor to check on site)					
	Finish :	-					
	Locks :	Standard lock and handles					
	Partitioning						
1	Drywall partition		m²	82			
	Thickness :	90mm					
2	Extra over partition for single d	oor - D1	ea	1			
_	Frame Material	Natural aeadised aluminium		•			
	Door material	Semi solid masonite					
	Door size	813 x 2032mm					
	Door louvre material						
	Louvre size	500 x 500mm					
		Dulux matt finish					
3	Extra over partition for single d		ea	2	4		
	Frame Material	Natural aeadised aluminium					
	Door material	Semi solid masonite					
	Door size Door louvre material	900 x 2032mm Natural aeadised aluminium					
	Door louvie material	ivatural acadiscu aluminidiii					
4	Extra over partition for two hou	r fire rate single door - D2	ea	1			
	Frame Material	Natural aeadised aluminium					
	Door material :	Semi solid masonite					
	Door size	900 x 2032mm					
	Paint finish	Dulux matt finish	4				
5	Extra over partition for double of	toor - D7	e	1			
٠		Natural aeadised aluminium		•			
	Door material						
	Door size						
		Dulux matt finish	4				
			•				
	Aluminium glazed doors Door - D3			3			
1	Frame Material	Natural aeadised aluminium	ea	3			
	Door material						
	Glazing Material						
	Door size						
	Seal						
	Timber doors						
1	Door - D6		ea	1			
	Frame Material	Natural aeadised aluminium					
	Door material	Semi solid masonite					
	Door size	813 x 2032mm					
	Paint finish	Dulux matt finish					
	Glass	XX/					
1	Glass view panel - G1		ea	1			
	Frame Material	Natural aeadised aluminium					
	Glazing Material	6.5mm Clear Safety glass					
	Total size	6530 x 2600mm					
	Panel size						
	Fin size						
	Panel joint	Frame					
•	Glass view panel - G2		60	1			
2	•	Natural aeadised aluminium	ea	1			
	DIGGINU MARCHAI						
		5515 v 2600mm					1
	Total size	5515 x 2600mm					
	Total size :	1095 x 2600mm					
	Total size Panel size Fin size	1095 x 2600mm					

Part C2 Pricing Data: Civil

	TI 001H					
3	Glass view panel - G3		ea	1	Í	
ŭ	•	atural aeadised aluminium	ou	•		
		5mm Clear Safety glass				
		57 x 2600mm				
		39 x 2600mm				
		< 150mm				
		0 x 2032mm (D4)				
		ame				
	,					
4	Glass view panel - G4		ea	1		
	Frame Material : Na	atural aeadised aluminium				
	Glazing Material : 6.5	5mm Clear Safety glass				
		19 x 2600mm				
		73 x 2600mm				
		x 150mm				
	Panel joint : Fra	ame				
5	Glass view panel - G5		ea	1		
		atural aeadised aluminium				
		5mm Clear Safety glass				
		42 x 2600mm 1 x 2600mm				
		1 x 2600Hilli x 150mm				
		0 x 2032mm (D4)				
		ame				
	ranerjoint . Tra	airie				
6	Facetted glass view panel - Type 1		ea	1		
·		atural aeadised aluminium	00	•		
		5mm Clear Safety glass				
		28 x 2600mm				
		76 x 2600mm				
	Panel joint : Fra	ame				
	,		4			
7	Facetted glass view panel - Type 2		ea	1		
		atural aeadised aluminium	4			
		5mm Clear Safety glass				
		62 x 2600mm				
		87 x 2600mm				
	Panel joint : Fra	ame				
	Decals					
1	Decals type F4 to G1 glass panels		item			
•	Decele time E4 to C2 place penals		item			
2	Decals type F4 to G2 glass panels		item			
3	Decals type F4 to G3 glass panels		item			
3	Decais type 1 4 to 05 glass panels		item			
4	Decals type F4 to G4 glass panels		item			
•	Decare type : : to o : grace pariote					
5	Decals type F3 to facetted panels type	es 1and 2	item			
	Ironmongery					
1	Supply and fix back to back pull hand	les	pr	7		
	Supplier : Iron	nmongery Warehouse (Pty) Ltd				
	Code	PH206				
2	Supply and fix back to back pull hand		pr	1		
		nmongery Warehouse (Pty) Ltd				
	Code : DP	PH209				
3	Supply and fix lever handle on rose		pr	2		
3		nmongery Warehouse (Pty) Ltd	ы	2		
	Code : SH					
	. 611	1011				
4	Supply and fix cylinder escutcheon		pr	2		
7		nmongery Warehouse (Pty) Ltd	ρ.	-		
	Code : DC					
	. 20					
5	Supply and fix roller catch lock		ea	4		
	Supplier : Iron	nmongery Warehouse (Pty) Ltd				
		046R				
6	Supply and fix cylinder sashlock		ea	2		
		nmongery Warehouse (Pty) Ltd				
	Code : DC	D36S				

Part C2 Pricing Data: Civil

TI 001H Supply and fix cylinder deadloo	b.		1		
		ea	'		
	Ironmongery Warehouse (Pty) Ltd DO37D				
Code	DO37D				
Cumply and fix simple sylinder			2		
Supply and fix single cylinder	Income and March area (Dt.) Ltd	ea	2		
	Ironmongery Warehouse (Pty) Ltd				
Code	771.10.30.9				
0					
Supply and fix keab cylinder	Income and March area (Dt.) Ltd	ea	4		
	Ironmongery Warehouse (Pty) Ltd				
Code	740.30.30.9				
Supply and fix keab cylinder	Income and March area (Dt.) Ltd	ea	1		
	Ironmongery Warehouse (Pty) Ltd				
Code	740.33.33.9				
4 0	dana binana		4.5		
1 Supply and fix 42 x 100mm sink		pr	1,5		
	Ironmongery Warehouse (Pty) Ltd W4441/1				
Code	VV ·1·1·1 1/ 1				
2 Supply and fix decretons			13		
2 Supply and fix doorstops	Ironmongen/ Warehouse (Dtv) Ltd	ea	13		
	Ironmongery Warehouse (Pty) Ltd				
Code	DDS-018				
2 Supply and fix regular arms de-	, along r		4		
3 Supply and fix regular arm doo		ea	1		
	Ironmongery Warehouse (Pty) Ltd TS73				
Code	TS73				
4 Supply and fix slide channel do	or closer	ea	3		
	Ironmongery Warehouse (Pty) Ltd	ea	3		
	TS90				
Code	1030			1	
5 Supply and fix signage "Tea cu	o"	eá	1		
	Ironmongery Warehouse (Pty) Ltd	4			
	150 x 150mm				
Size	130 X 13011111				
6 Supply and fix signage "Male"	and "Female"	ea	2		
	Ironmongery Warehouse (Pty) Ltd	ea	2		
	150 x 150mm				
O.Z.C	100 X 100mm				
Kitchen units					
Kitchen units					
	Wall unit type "A"	93	1		
Туре	Wall unit type "A"	ea	1		
Type Size	1410 x 300 x 680mm	ea	1		
Type Size Adjustable shelves	1410 x 300 x 680mm One	ea	1		
Type Size Adjustable shelves Finish	1410 x 300 x 680mm One Formica Windsor Cherry 784	ea	1		
Type Size Adjustable shelves Finish Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652	ea	1		
Type Size Adjustable shelves Finish Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm				
Type Size Adjustable shelves Finish Door handles Door handle size	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H"	ea ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm				
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm				
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784				
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652				
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm				
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652				
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Cor handles Door handles Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96h m 100mm	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Coor handles Type Tipe Tipe Tipe Tipe Tipe Tipe Tipe Ti	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 660 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96nm 100mm				
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Door handles Type Size Type Size Type Size Type Size Type Size Type Size	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Door handles Type Size Kickplate Type Size Adjustable shelves	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Door handles Finish Type Size Type Size Drawers Finish Type Size Kickplate Type Size Adjustable shelves Finish	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Loor handles Type Size Adjustable shelves Finish Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 660 x 850mm Four Formics Windsor Cherry 784 Design Hardware satin chrome B 2652 96n m 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware Satin chrome B 2652	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Door handle size Kickplate Type Size Adjustable shelves Finish Door handles Door handles Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Fornica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Loor handles Type Size Adjustable shelves Finish Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Size Kickplate Type Size Adjustable shelves Finish Door handles Door handles Size Kickplate	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Fornica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm	ea	1		
Type Size Adjustable shelves Finish Door handles Type Size Drawers Finish Door handles Door handles Door handles Finish Door handles Door handle size Kickplate Type Size Adjustable shelves Finish Door handles Door handles Door handles Coor handles Door handles Coor handles Door handles	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 400mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm	ea	1		
Type Size Adjustable shelves Finish Door handles Type Size Drawers Finish Door handles Door handles Door handles Door handles Finish Door handle size Kickplate Type Size Adjustable shelves Finish Door handles Door handles Coor handles Door handles Door handles Door handles Door handles Door handles Door handles Size Kickplate Vanity units Size	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96nm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Door handle size Kickplate Type Size Adjustable shelves Finish Door handles Door handles Door handles Size Kickplate Vanity units Size Finish	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Foinica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles Door handles Door handles Endougher Type Size Adjustable shelves Finish Door handles Door handles Endougher Size Adjustable shelves Finish Door handles Size Kickplate Vanity units Size Finish Type	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm 600 x 2000mm 30mm Caeser stone Sahara	ea	1		
Type Size Adjustable shelves Finish Door handles Door handle size Type Size Drawers Finish Door handles size Kickplate Type Size Adjustable shelves Finish Door handles Door handles Size Adjustable shelves Finish Door handles Door handles Door handles Size Finish Type Size Finish	1410 x 300 x 680mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm Floor drawer unit unit type "H" 383 x 600 x 850 mm Four Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm Floor unit unit type "E" 1027 x 600 x 850mm One Formica Windsor Cherry 784 Design Hardware satin chrome B 2652 96mm 100mm 600 x 2000mm 30mm Caeser stone Sahara	ea	1		

Part C2 Pricing Data: Civil

Carpet til						
	nd lay carpet tiles		m²	(17)		
Size		: 500 x 500mm				
Manufactu	ırer	: Berberpoint				
Range		: Nexbac				
Colour		: Charcoal				
Supply ar	nd lay carpet tiles		m²	(61)		
Size		: 500 x 500mm		(-,		
Manufactu	ırer	: Berberpoint				
Range		: Nexbac				
Colour		: Senegal				
Supply at	nd lay carpet tile		m²	_		
Size	ia iay carpet tile	: 300 x 300mm				
Manufactu	ırer	: Polyflor				
Range		: Polyflex Plus				
Colour		: Cream Caramel				
Cupply of	nd lay carpet tile		2	64		
Size	ia iay caipet tile	: Broadloom	m²	61	4	
Manufactu	ırer	: Berberpoint				
Range		: Westminster				
Colour		: Coal City				
	nd lay carpet tile	D #	m²	17		
Size		: Broadloom				
Manufactu	ırer	: Berberpoint				
Range Colour		: Westminster : Black City				
Coloui		. Black City	4			
Supply ar	nd lay carpet tiles		ea	2		
Size		: 400 x 400mm				
Manufactu	ırer	: Berberpoint				
Range		: Nexbac				
Colour		: Lava				
Supply ar	nd lay carpet tiles		ea	1		
Size	ia iay carpet tiles	: 400 x 500mm	ou ou	•		
Manufactu	ırer	: 400 x 500mm : Berberpoint)			
Range		: Nexbac				
Colour		: Lava				
Supply ar	nd lay carpet tiles		ea	5		
Size	id lay carpet tiles	: 400 x 600mm	- Ca	J		
Manufactu	ırer	: Berberpoint				
Range		: Nexbac				
Colour		: Lava				
Supply ar	nd lay carpet tiles		0.5	2		
Size	ia iay caipet tiles	: 400 x 604mm	ea	2		
Manufactu	ırer	: Berberpoint				
Range		. Nextac				
Colour	<	: Lave				
Supply an Size	nd lay carpet tiles	: 400 x 971mm	ea	2		
Manufactu	irer	: Berberpoint				
Range	, ioi	: Nexbac				
Colour		: Lava				
	nd lay carpet tiles	004 4000	ea	1		
Size		: 604 x 1200mm				
Manufactu	iref	: Berberpoint				
Range Colour		: Nexbac : Lava				
Coloui		. 2070				
	nd lay carpet tiles		ea	2		
Size		: 400 x 1403mm				
Manufactu	irer	: Berberpoint				
Range		: Nexbac				
Colour		: Lava				

Part C2 Pricing Data: Civil

13 Supply and lay carpet tiles Size		TI 001H					
Size : 400 x 160mm Manufacturer : Betragerial Range : Notable Color : Charcoll Parcatals itse. Size : 600 x 600mm Manufacturer : Ceragran Color : Charcoll Description : Notable Color : Charcoll Parcatals itse. Size : 600 x 600mm Manufacturer : Ceragran Color : Charcoll Color : Charcoll Color : Charcoll Supply and lay porcelain tiles Size : 600 x 600mm Grout color : Dowe grey Supply and lay porcelain tile of the state and fater of statrose Size : 600 x 600mm Manufacturer : Ceragran Color : Charcoll Supply and install abuninium abriting to Drywall partitions Size : Notable Color : Charcoll Color : Charcol	13			ea	6		1
Renge : Nextbac Colour Colour : Semegal 1 Supply and lay carpet tiles Sue : 400 x 1800mm Manufacturer : Berbergoint Reage : Nextbac Colour : Charcoal Porcelain tiles Supply and lay porcelain tiles Supply and lay porcelain tiles Colour : Colour : Colour Ground Colour : Colour : Colour Ground Colour : Colour Ground Colour : Colour Ground Colour : Colour Manufacturer : Cerisgins Ground Colour : Cerisgins Ground Colour : Colour Manufacturer : Cerisgins Colour : Colour Manufacturer : Cerisgins Colour : Colour Manufacturer : Cerisgins Colour : Colour Colour : Colour Manufacturer : Cerisgins Colour : Colour Ground Colour : Colour Ground Colour : Diversely Size Supply and install aluminium skirting to Drick walls Size Supply and install merantial skirting to brick walls Size Supply and install granite tile skirting to brick walls Size Supply and install granite tile skirting to brick walls Size Supply and install granite tile skirting to brick walls Size Supply and install granite tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Supply and install procelain tile skirting to brick walls Size Sup			400 x 1800mm				
Color : Serrogal 18 Supply and lay carpet titles Supply and lay carpet titles Supply and lay porcelain titles Sope : Setherpoint Range : Setherpoint Range : Nextbac Colour : Charcoal Parcalate titles Supply and lay porcelain titles Sope : Good Colore : Charcoal Colour : Charcoal Supply and lay porcelain titles Size : Good Colour Colour : Colory Satirings Satirings Satirings Supply and install aluminium skirting to Drywall partitions Size : Tysm Colour : Colory Supply and install aluminium skirting to brick walls Size : Colory Paint : Black wamish Supply and install granite title skirting to brick walls Size : Color		Manufacturer :					
1. Supply and lay carpet tiles See		Range :	Nexbac				
Size : 400 x 1900mm Manufacturer : Betherpoint Range : Nexhoc Colour Conscious Supply and install merants skring to brick walls Size : 100mm Supply and install granted the skring to brick walls Size : 100mm Supply and install porcelain tile Size : 100mm Supply and install porcelain tile Size : 100mm Supply and install porcelain tile Size : 100mm Size :		Colour :	Senegal				
Size : 400 x 1500mm Manufacturer : Betherpoint Range : Nexthuc Colour C		Summly and law sounds tiles			•		
Manufacturer : Berberpoint Range : Nababa Color : Charcoal Porcelain titles : Supply and lay porcelain titles : 600 x 600mm	14		400 v 1800mm	ea	3		
Range							
Colour : Charcoal Porcelain titles 1 : 000 x 500mm Manufacturer : 000 x 500mm Manufacturer : Ceragran Code : C.153858 Colour : Grey Grouding : 3mm Grout colour : 600 x 500mm Manufacturer : 600 x 500mm Code : C.153858 Colour : Grey Grouding : 3mm Grout colour : Grey Grouding : 3mm Grout colour : Grey Grouding : 3mm Supply and install aluminium skriting to Drive walls Size : 100mm Pair : Black vamish Supply and install granite tile skriting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Code Grouding : 3mm Grout colour : Dowe grey 4 Supply and install porcelain tile skriting to brick walls Size : 100mm Manufacturer : Ceragran Code Code Grouding : 3mm Grout colour : Dowe grey 5 Supply and install porcelain tile skriting to brick walls Size : 100mm Manufacturer : Ceragran Code Code Code Grouding : 3mm Grout colour : Dowe grey 5 Supply and install porcelain tile skriting to brick walls Size : 100mm Manufacturer : Ceragran Code Code Code Code Code Grouding : 3mm Grout colour : Dowe grey Skriting finish Manufacturer : Ceragran Code Code Code Code Code Code Code Code							
Porcelain tiles 1 Supply and lary porcelain tiles Size							
1. Supply and tay porcelain titles Size Manufacturer Code Code Code Code Code Code Code Code							
Size							
Manufacturer : Ceragran Code : CJ15368B Colour : Grey Grouding : 3mm Grout colour : Grey Grouding : 3mm Grout colour : Dove grey : 800 x 800mm Grout colour : Ceragran : 800 x 800mm Grout colour : Core Grey Grouding : 3mm Grout colour : Core Grey Grouding : 3mm Grout colour : Core Grey Grouding : 3mm Grout colour : Dove grey Grouding : 3mm Grout colour : Dove grey Grouding : 75mm Grout colour : National acadized : 75mm Grout colour : Dove grey : Manufacturer : Ceragran : Manufacturer : Ceragran : Colour :	1			m²	112		
Code : CJ1598SB Colour : Grey Grouting : Jamm Grout colour : Dove grey 2 Supply and lay porcelain tiles on treads and risers of staircase Size : SUB							
Colour Grouting : 3rm Grout colour : Dove grey Supply and lay porcelain tiles on treads and risers of staircase Size : 600 x 600mm Mondicularer : Col1536SB Colour Colour : Grey Grouting : 3mm Grout colour : Dove grey Skirtings Supply and install aluminium skirting to Drywall partitions Size : 75mm Colour : Matural asadized Supply and install imminium skirting to brick walls Size : 100mm Paint : Black variabh Supply and install granite tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Ceragran Grout colour : Dove grey 4 Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Grout colour : Dove grey 4 Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Grout colour : Dove grey 5 Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Colol Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Colol Grouting : 3mp grey Grout colour : Dove grey Skirting finish Manufacturer : Ceragran Colour : Colour Colour : Colour Colour : Colour Colour : Dove grey Skirting finish Prepare and apply varnish to skirting Timber : Merani Undercoat : Merani Fried Coats : Tho coats high gloss varnish Colour : Coler Supply and fix aluminium trin Size : 10mm Size : 10mm Supply and fix aluminium trin Size : 10mm Supply and fix aluminium trin Size : 10mm Supple string finish : 10mm Type : Genesis							
Corouting : 3mm Grout colour : Dowe grey Supply and lay porcelain tiles on treads and risers of staircase Size : 600 x 600mm Manufacturer : Ceregram Colour : Dowe grey Skirtings : 3mm Grout colour : Dowe grey Skirtings : 75mm Colour : Natural acadized Supply and install aluminimum skirting to Drywall partitions size : 75mm Colour : Natural acadized Supply and install granite tile skirting to brick walls Size : 100mm Manufacturer : Description Colour : Down Grout Colour : Down Grout Colour : Colour Colour : Colour Colour : C							
Grout colour : Dove grey 2 Supply and lay porcelain tiles on treads and risers of staircase Size : 600 x 600mm Manufacturer : Ceragran Code : CATISSSS Calcur : Grey Grouting : Jam Grout colour : Dove grey Skirtings 1 Supply and install aluminium skirting to Drywall partitions Size : 75mm Colour : Natural aeadized 2 Supply and install meranti skirting to brick walls Size : 100mm Paint : Black varnish Supply and install granite tile skirting to brick walls Code : Code Grouting : Jam Grout colour : Dove grey 4 Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Cogrey 4 Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Dove grey 5 Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Cool Code : Cool							
2 Supply and lay porcelain tiles on treads and risers of staircase Size : 600 x 600mm Manufacturer : Ceragram Code : C11536SB Ciclour : Grey Coder : C1536SB Ciclour : Grey Coder : Dove grey Skirtings Size : 75mm Colour : 75mm Colour : 75mm Colour : 75mm Colour : 100mm Faint : 100mm Manufacturer : 100mm Manufacturer : Ceragram Code : 100mm Manufacturer : Coder Code : 506 Grouting : 3mm Grout colour : Dove grey Size : 100mm Manufacturer : Ceargram Colour : Coder Code : S06 Grouting : 3mm Grout colour : Dove grey Supply and instail porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceargram Colour : Coder Code : S06 Grouting : 3mm Grout colour : Dove grey Supply and instail porcelain tile skirting to brick walls Size : 100mm Grout colour : Dove grey Size : 100mm Grout colour : Dove grey Size : 100mm Grout colour : Dove grey Size : 100mm Grout colour : Coder Code : S06 Grouting : 3mm Grout colour : Coder Code : C11538SB Grouting : 3mm Grout colour : Dove grey Size : 3mm Grout colour : Dove grey Skirting finish Timber : Merand Timber : Genesis Size : Two costs high gloss varnish Colour : Coler Supply and fist aluminium trim Size : Genesis							
Size : 600 x 600mm Manufacturer : Ceragran Code : C.11536SB Colour : Grey Grouting : 3mm Grout colour : Dove grey Skirtings Tommon Manufacturer : Ceragran Code : C.11536SB Colour : Service Colour : Tommon Manufacturer Colour : Natural acadized Manufacturer Colour : Natural acadized Manufacturer Colour : Returnal skirting to brick walls Manufacturer Eliack varnish Size : 100mm Manufacturer : Eliack varnish Manufacturer : Ceragran Colour : Colour : Coal Code S.O5 Grouting Size : 100mm Manufacturer : Ceragran Colour : Coal Code S.O5 Grouting Size : 100mm Manufacturer Dove grey Manufacturer : Ceragran Colour : Coal Code S.O5 Grouting Size : 100mm Manufacturer Dove grey Manufacturer : Ceragran Colour : Code S.O5 Grouting Size : 100mm Manufacturer Ceragran Colour : Code		3.5					
Manufacturer : Ceragran Code : CJ15985B Colour : Grey Grouting : 3mm Grout colour : Dove grey Skirrings	2			m²	38		
Code : CJ153SSB Colour : Grey Grouting : 3mm Grout colour : Dove grey Skirtings 1 Supply and install aluminium skirting to Drywall partitions Size : 75mm Colour : Natural aeadized 2 Supply and install meranti skirting to brick walls Size : 100mm Paint : Block varnish Size : 100mm Paint : Block varnish Size : 100mm Manufacturer : Ceargian Colour : Coal Code : SOS Grouting : 3mm Grout colour : Dove grey Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Ceargian Colour : Coal Code : SOS Grouting : 3mm Grout colour : Dove grey Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Ceargian Colour : Colour : Dove grey Size : 100mm Manufacturer : Ceargian Colour : Colour : Coal Code : SOS Grouting : 3mm Grout colour : Dove grey Size : 400pm Manufacturer : Ceargian Colour : Colour Colour : Colour Size : 400pm Manufacturer : Ceargian Colour : Coal Code : Colour Colour : Coal Code : Coal Coal Code : Coal Coal Coal Coal Coal Coal Coal Coal						4	
Colour : Grey Grouting : 3 mm Grout colour : Dove grey Skirings Supply and install aluminium skirting to Drywall partitions Size : 75mm Colour : Natural seedized Supply and install aluminium skirting to brick walls Size : 100mm Paint : Black varish Supply and install granite tile skirting to brick walls Size : 100mm Paint : Black varish Supply and install granite tile skirting to brick walls Size : 100mm Grout colour : Coagran Code : Coagran Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceagran Colour : Coagran Colour : Coagran Colour : Coagran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceagran Colour : Coagran Colour : Coal Code : Coagran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceagran Colour : Coagran Colour : Coagran Colour : Coagran Colour : Coagran Colour : Dove grey Skirting finish 1 Prepare and apply varnish to skirting Timber : Merani Undercoat : Two coals high gloss varnish Colour : Clear Edge trin to tiled skirting Size : 100mm Size : 100mm Mn 157 Supply and fix aluminium trim Size : Clears							
Grout colour : Dove grey Skirtings 1 Supply and install aluminium skirting to Drywall partitions Size : 75mm Colour : Natural aeadized 2 Supply and install meranti skirting to brick walls Size : 100mm Paint : Black varnish 3 Supply and install granite tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : SO5 Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Color Color : Color Color : Color Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile spiring to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Color Color : Color Size : Two coats high gloss varnish Colour : Clear Edge trint to lited skirting Size : 100mm Mm						1	
Skirtings Skirtings Skirting to Drywall partitions Size 75mm Colour Natural aeadized							
Skirrings 1 Supply and install aluminium skirring to Drywall partitions Size 7.5mm Colour : Natural aeadized							
1 Supply and install aluminium skirting to Drywall partitions Size 75mm			20.0 910)				
1 Supply and install aluminium skirting to Drywall partitions Size 75mm		Skirtings					
Size : 75mm Colour : Natural aeadized	1		cirting to Drywall partitions	m	49		
2 Supply and install meranti skirting to brick walls Size : 100mm Paint : 100mm Paint : 100mm Manufacturer : Ceragran Colour : Coal Code : SOS Grouting : 3mm Grout colour : Coal Code : 100mm Manufacturer : Ceragran Colour : Dove grey 4 Supply and install procelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : Coal Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain title skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain title skirting Manufacturer : Ceragran Colour : Coal Code : Coal Coal Code : Coal Coal Code : Coal Coal Coal Coal Coal Coal Coal Coal		Size :					
Size : 100mm Paint : Black vamish 3 Supply and install granite tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : 100mm Manufacturer : Ceragran Colour : Coal Code : 1 53r8a Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile Skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile Skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 153r8a Grout colour : Coal Code : CJ 153r8a Size : 100mm Grout colour : Dove grey Skirting finish		Colour :	Natural aeadized	1			
Size : 100mm Paint : Black vamish 3 Supply and install granite tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : SO5 Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 15368B Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 1536 SB Grouting : 3mm Grout colour : Coal Code : CJ 1536 SB Size : 100mm Grout colour : Dove grey Skirting finish		0	los o As Budshaus III				
Paint : Black varnish Supply and install granite tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : SO5 Grouting : 3mm Grout colour : Ceragran Colour : Ceragran Colour : Dove grey Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 1536-B Grouting : 3mm Grout colour : Dove grey Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Dove grey Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 1536-B Grouting : 3mm Grout colour : Dove grey Skirting finish	2			m	65		
3 Supply and install granite tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : SO5 Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : Co1536'sB Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code : Coal Code : Coal Code : Coal Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and an uniformation in the skirting to brick walls on treads and risers Skiring finish) 1			
Size : 100mm Manufacturer : Ceragran Colour : Coal Code SO5 Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey Skirting finish 1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Type : Genesis			Diack variish				
Size : 100mm Manufacturer : Ceragran Colour : Coal Code SO5 Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey Skirting finish 1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Type : Genesis	3	Supply and install granite tile sl	kirting to brick walls	m	10		
Colour : Coal Code SO5 Grouting : Som Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code CJ 1536 BB Grouting : Smm Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code CJ 1536 SB Grouting : Smm Grout colour : Dove grey Skirting finish I Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Supply and fix aluminium trim Size : 10mm Type : Genesis							
Code SO5 Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 1536 SB Grout colour : Dove grey 5 Supply and install porcelain tile Skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey 5 Supply and install porcelain tile Skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 1536 SB Grouting : 3mm Grout colour : Dove grey 5 Skirting finish Therepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Type : Genesis							
Grouting : 3mm Grout colour : Dove grey 4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code							
Grout colour : Dove grey Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 1536*BB Grout colour : Dove grey Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Dove grey Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer : Ceragran Colour : Coal Code : CJ 1536 SB Grouting : 3mm Grout colour : Dove grey Skirting finish 1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Type : Genesis							
4 Supply and install porcelain tile skirting to brick walls Size : 100mm Manufacturer : Ceragran Colour : Coal Code							
Size : 100mm Manufacturer : Ceragran Colour Code		Grout colour	Dove grey				
Size : 100mm Manufacturer : Ceragran Colour Code	4	Supply and install porcelain tile	skirting to brick walls	m	123		
Colour : Coal Code							
Code Grouting : 3 mm Grout colour : Dove grey 5 Supply and install porcelain tile shirting to brick walls on treads and risers Size : 100mm Manufacturer Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3 mm Grout colour : Dove grey Skirting finish 1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Size : 10mm Type : Genesis		Manufacturer :	Ceragran				
Grouting : 3mm Grout colour : Dove grey 5 Supply and install porcelain tile skirting to brick walls on treads and risers Size : 100mm Manufacturer							
Grout colour : Dove gley 5 Supply and install porcelain tile Stirting to brick walls on treads and risers Size : 100mm Manufacturer Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey Skirting finish 1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Size : 10mm Type : Genesis							
Supply and install porcelain tile skirting to brick walls on treads and risers Size Manufacturer Colour Code Code Code Grouting Grout colour Skirting finish 1 Prepare and apply varnish to skirting Timber Undercoat Final Coats Colour Colour Clear Meranti Undercoat Colour Colour Code Skirting finish 1 Prepare and apply varnish to skirting Timber Colour Code Code Code Code Code Code Code Code							
Size : 100mm Manufacturer Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey Skirting finish Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Tiype : Genesis		STOUL COIOUI	Down gley				
Size : 100mm Manufacturer Ceragran Colour : Coal Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey Skirting finish Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Tiype : Genesis	5	Supply and install porcelain tile	skirting to brick walls on treads and risers	m	24		
Manufacturer Colour Code Colour Code CJ 1536 SB Grouting Grout colour Skirting finish Prepare and apply varnish to skirting Timber Undercoat Undercoat Final Coats Colour Clear Edge trim to tiled skirting Size Type Genesis Manufacturer Ceragran Colour Manufacturer Colour Manufacturer Ceragran Manufacturer Col 1536 SB Manufacturer Manufact		Size :					
Code CJ 1536 SB Grouting : 3mm Grout colour : Dove grey Skirting finish 1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Type : Genesis			Ceragran				
Grouting : 3mm Grout colour : Dove grey Skirting finish Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Supply and fix aluminium trim Size : 10mm Type : Genesis							
Grout colour : Dove grey Skirting finish Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Supply and fix aluminium trim Size : 10mm Type : Genesis							
Skirting finish Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm m 157 Type : Genesis							
1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Type : Genesis		Grout colour	Dove grey				
1 Prepare and apply varnish to skirting Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm Size : 10mm Type : Genesis		Skirting finish					
Timber : Meranti Undercoat : One coat sanding sealer Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting Size : 10mm m 157 Type : Genesis	1		irting	m	65		
Final Coats : Two coats high gloss varnish Colour : Clear Edge trim to tiled skirting 1 Supply and fix aluminium trim Size : 10mm m 157 Type : Genesis							
Colour : Clear Edge trim to tiled skirting 1 Supply and fix aluminium trim Size : 10mm m 157 Type : Genesis							
Edge trim to tiled skirting 1 Supply and fix aluminium trim Size : 10mm Type : Genesis							
1 Supply and fix aluminium trim Size : 10mm m 157 Type : Genesis		Colour :	Clear				
1 Supply and fix aluminium trim Size : 10mm m 157 Type : Genesis		Edge trim to tiled skirting					
Size : 10mm m 157 Type : Genesis	4						
Type : Genesis			10mm	m	157		

Part C2 Pricing Data: Civil

	TI AAIII					
	TI 001H CEILINGS		1 1	- 1		
	CEIEITOS					
	Ceiling					
1	1200x600mm Mineral fibre suspe Type :	ended ceiling Suspended	m²	570		
	Manufacturer :	OWA				
	Colour :					
	Size :	1200 x 600mm				
	Grid colour :	Dove grey				
2	Extra over 1200x600mm Mineral	fibre ceiling boards for fixing vertically	m	87		
	Type :	Suspended				
	Manufacturer :	OWA				
	Colour : Size :					
	Height :					
3	Suspended plasterboard ceiling Material :	with paint finish "Rhiea" gypsum plasterboard	m²	118		
		6,4mm				
	Support structure :					
	Finish :	Gypsum skim plaster			1	
4	Prepare and apply paint to ceiling	ne	m²	118		
4		One coat primer	111	110		
	Final Coats :	•				
	Supplier :					
	Colour :	White				
5	Prepare and apply paint to conc	rete soffits	m²	52		
		One coat primer			,	
	Final Coats : Supplier :	•				
	Colour :		7			
				•		
	WINDOW COVERINGS					
	External windows					
1	Supply and install blinds to wind	lows - F1	ea	41		
	Type :	Venetian				
	Manufacturer :					
	Thickness : Colour :	25mm Thick Aluminium				
	Size :					
		_ / /				
	WALL FINISHES					
	Painting					
1	Paint samples - 1m²		ea	5		
	Undercoat :	Plaster primer				
	Final Coats : Supplier :	Two coats acrylic PVA Dulux				
	Range	TBA				
	Colour :	ТВА				
2	Prepare and apply paint to ories	ng painted plastered wall including preparation	m²	377		
_	First coat :		"'	311		
	Final Coats :	Two coats "Weatherguard"				
	Supplier : Code :	Dulux 6J1-4				
	Colour :					
3		including Gamma Zenith stratio plastered wall	m²	60		
		White PVA Two coats "Weatherguard"				
		Dulux				
	Code :	6J1-7				
	Colour :	River Rock				
4	Prepare and apply paint to exist	ng painted plastered wall including preparation	m²	131		
	First coat :	One coat primer				
	Final Coats :	· · · · · · · · · · · · · · · · · · ·				
	Supplier : Code :					
		Wood Moss				

Part C2 Pricing Data: Civil

	TI 001H					
_	Dranava and annly naint to aviet	ing printed plantaged well including properties	2	450		
5		ing painted plastered wall including preparation	m²	150		
	First coat : Final Coats :	One coat primer Two coats "Weatherguard"				
	Supplier :	Dulux				
	Code :	5K2-6				
	Colour :	Field Gear				
6	Prenare and apply paint to exist	ing painted plastered wall including preparation	m²	26		
٠		One coat primer		20		
	Final Coats :	Two coats Acrylic PVA				
	Supplier :	Dulux				
	Colour :	Timeless				
7	Supply and lay porcelain tiles		m²	55		
•	Size :	300 x 600mm		55		
	Manufacturer :	Ceragran				
	Range :	Solfen				
	Colour :	Pearl - SO3				
	Grouting :	2mm White				
	Grout colour :	write				
8	Supply and lay porcelain tiles		m²	64	4	
	Size :					
		Ceragran			1	
	Colour :	CJ1536SB				
	Grouting : Grout colour :	3mm Dove grey				
	S. Sat Goldan	20.0 9.0)				
9	Supply and lay wallpaper		m²	12		
	Supplier :	Design syndicate				
	Décor ref. :	9242	_			
10	Supply and lay sandstone cladd	ina	m²	14		
		Stratastone				
	Thickness :	25mm				
	code :	C141				
11	Supply and lay glazed tiles		m²	1		
	Size :	100 x 100mm		•		
		Johnson				
	Range :	Tozzeto				
	Tile colour mix (refer ID Elevatior : Grouting :	Pietra Salvia/Raku/Gun metal/Evergreen 3mm				
		White				
12	Prepare and apply paint to exist	ing varnished handrall Run down with fine sandpaper	m	33		
	Preparation : Final Coats :	Two coats varnish				
	Supplier :	Dulux				
	Colour :					
13	Prepare and apply paint to exist Preparation :	ing metal balustrading Run down with fine sandpaper	m²	12		
	Final Coats	Two coats enamel				
	Supplier :	Dulux				
	Colour	Black				
	Drawers and surface of	ing aille				
14	Prepare and apply paint to exist Preparation :		m	48		
	Final Coats :	Two coats "Weatherguard"				
	Supplier :	Dulux				
	Colour :	River rock				
	Edge trim to tiled walls					
1	Edge trim to tiled walls Supply and fix aluminium trim					
•	Size :	10mm	m	31		
	Type :	Genesis				
	Manufacturer :	Union tile				
	Mirrors					
1	Supply and fix mirrors over vani	ties				
		Silvered float glass copper backed	ea	2		
	Thickness :	3				
	Edges :					
		2000 x 750mm high				
	Fixing :	Dome capped mirror screws				

Part C2 Pricing Data: Civil

	PLUMBING						
	Plumbing fittings						
	WC Pan Manufacturer	, Vaal	ea	5			
		: Vaal : Orchid					
	Range Code	: 439016					
	Seat	: Wooden					
	Code	: 8520Z0					
	Floor bracket code	: 8082Z0					
	Cistern	: Geberit Kombifix					
	Code	: 110.765.00.1					
	Twist dual flush actuator	: 115.780.21.1					
	Stop cock	: 15mm 128CP "Star" underwall pattern					
	Wash hand basin						
	Manufacturer	: Vaal	ea	5			
	Range	: Cameo					
	Code	: 439016					
	Size	: 595 x 455mm					
	Trap	: Anti syphon					
	Tapholes	: 3 semi punched			4		
	Colour	: White					
	Faucet	: Geberit					
	Code	: 115.721.21.1				•	
	Stop cock	: 15mm 128CP "Star" underwall pattern					
3	Urinal		ea	2			
	Manufacturer	: Vaal					
	Range	: Sweetpea top inlet					
	Code	: 705126					
	Size	: 565 x 275 x 310mm	1				
	Grating	: 38mm cp domical					
	Flushmaster	: Exposed top inlet FJ6000					
	Stop cock	: 15mm 128CP "Star" underwall pattern					
	Plumbing connections						
1		on with hot and cold water supply	ea	12			
	Allow for all works in connecti drainage etc to new fittings ELECTRICAL Plugs			12			
	Allow for all works in connecti drainage etc to new fittings ELECTRICAL Plugs	on with hot and cold water supply ne red, one white) fed from power skirting Desks	ea				
ı	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (composition)	ne red, one white) fed from power exirting	ea	9			
ı	Allow for all works in connecti drainage etc to new fittings ELECTRICAL Plugs corporate desk connections (c	ne red, one white) fed from power exirting					
1	Allow for all works in connectidation of the connection of the con	ne red, one white) fed from power skirting : Desks	ea ea	9			
1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (capplication earmal single plug Application earmal double plug	ne red, one white) fed from power skirting : Desks : Power skirting	ea	9			
1 2	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (capplication) earmal single plug Application earmal double plug Application	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting	ea ea	9			
1 2 3	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (composition of the connection o	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator	ea ea	9			
1 2 3	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (capplication) earmal single plug Application earmal double plug Application	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting	ea ea ea	9 36 5			
· •	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (completed in the connection of	ne red, one white) fed from power skirting Desks Power skirting Power skirting ed to Standby Generator Power skirting	ea ea ea	9 36 5			
· •	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (composition of the connection o	ne red, one white) fed from power skirting Desks Power skirting Power skirting ed to Standby Generator Power skirting	ea ea ea	9 36 5			
1 2 3	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (capplication) earmal single plug Application earmal double plug Application Dedicated single plug connect Application Dedicated single plug connect Application	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting	ea ea ea	9 36 5			
1 2 3	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting	ea ea ea ea	9 36 5 19			
1 2 3	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the connection of t	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks	ea ea ea	9 36 5			
1 2 3	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting	ea ea ea ea	9 36 5 19			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the connection of	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks	ea ea ea ea	9 36 5 19 9			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the property of the pr	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks : Single phase	ea ea ea ea	9 36 5 19			
1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the connection of	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks	ea ea ea ea	9 36 5 19 9			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (composition of the composition of the c	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks : Single phase	ea ea ea ea	9 36 5 19 9			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the property of the pro	ne red, one white) fed from power skirting Desks Power skirting do to Standby Generator Power skirting let to Standby Generator Desks Single phase Single phase	ea ea ea ea	9 36 5 19 9			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks : Single phase : Single phase	ea ea ea ea	9 36 5 19 9			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (composition of the composition of the c	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel	ea ea ea ea	9 36 5 19 9			
33 44 55	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks : Single phase : Single phase	ea ea ea ea	9 36 5 19 9			
3	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (composition of the composition of the c	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel	ea ea ea ea	9 36 5 19 9			
33 34 4 55	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting : Desks : Power skirting : Power skirting ed to Standby Generator : Power skirting ed to Standby Generator : Desks : Single phase : Single phase : 2 Tier : Steel	ea ea ea ea m	9 36 5 19 9 16 16			
33 34 4 55	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the property of the pr	ne red, one white) fed from power skirting Desks Power skirting ed to Standby Generator Power skirting ed to Standby Generator Single phase Single phase 2 Tier Steel Grey	ea ea ea ea m	9 36 5 19 9 16 16			
33 34 4 55	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting Desks Power skirting ed to Standby Generator Power skirting ed to Standby Generator Single phase Single phase 2 Tier Steel Grey	ea ea ea ea m	9 36 5 19 9 16 16			
1 2 2 3 3 4 4 5 5	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the property of the pro	ne red, one white) fed from power skirting Desks Power skirting ed to Standby Generator Power skirting ed to Standby Generator Single phase Single phase 2 Tier Steel Grey	ea ea ea ea m	9 36 5 19 9 16 16			
1 2 2 3 3 4 4 4 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting Desks Power skirting to Standby Generator Power skirting to Standby Generator Desks Single phase Zirier Steel Grey Zirier Steel Grey	ea ea ea ea m	9 36 5 19 9 16 16 80			
1	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (composition of the property of the	ne red, one white) fed from power skirting Desks Power skirting ed to Standby Generator Power skirting ed to Standby Generator Single phase Single phase 2 Tier Steel Grey 2 Tier Steel Grey	ea ea ea ea m	9 36 5 19 9 16 16			
:	Allow for all works in connectidrainage etc to new fittings ELECTRICAL Plugs corporate desk connections (complete in the content of the con	ne red, one white) fed from power skirting Desks Power skirting to Standby Generator Power skirting to Standby Generator Desks Single phase Zirier Steel Grey Zirier Steel Grey	ea ea ea ea m	9 36 5 19 9 16 16 80			

Part C2 Pricing Data: Civil

New light fittings ceiling mounted Code	New light fittings calling mounted Property Prope		TI 001H					
Type : Lew voltage or demoner each process of the Control of Supplier control supplier in the Control of Supplier in the Control	Type Low voltage or dimmer ea 20							
Code Application : Phan caling mounted Displet fittings ceiling mounted Trype : Load College eyebal downlighter 30VV ea Application : Phan colling mounted Trype : Load Colling eyebal downlighter 30VV ea Application : Phan colling mounted Supplet : Low Voltage downlighter : Phan colling mounted Supplet : Low Voltage downlighter : Phan colling mounted Twe light fittings ceiling mounted Supplet : Low Voltage downlighter : ea 1 Code : Code : Code Code Code Code Code Code Code Code	Code Application Explain tituings ceiling mounted Type Explain tituings ceiling mounted Type Explain tituings ceiling mounted Type Explain tituings ceiling mounted Explain tituings ceilings mounted Explain tituin	2			00	20		
Application : Blush colling mounted Supplied : Low voltage eyebal downlighter 200V es a 3 colling mounted Supplied : Low voltage eyebal downlighter 200V es a 3 colling mounted Supplied : No. A colling mounted Supplied : Phillips Supplied :	Application : Flush rolling mounted Type : Low light fittings calling mounted Type : Low solings eyebal downlighter 30W ea 3 Application : Flush rolling mounted Type : Low solings eyebal downlighter 30W Application : Flush rolling mounted Type : Low solings downlighter Type : Pendar soling mounted Suppler : Pendar soling mounted Suppler : Pendar soling mounted Type : Syperia Solino delector Indiction delector Indiction type soling mounted Suppler : Electro Serece Catal tryp : Single phase Type : Single phase A catalogy (LEWO system according to Selection soling and the try building Additional representation soling and the so				ea	20		
Supplier : Philips Mere light fittings calling mounted Type Code : NA Apploation : Fush calling mounted Dype : Low votage downlighter Dype : Philips Serpician : Fush calling mounted Dype : Philips Serpician : Fush calling mounted Supplier : Philips NA Apploation : Fush calling mounted Supplier : Philips Serpician : Philips Serpician : Philips Serpician : Philips Serpician : Physical in the philips Medican detector Code : 2041-75 Code : 2041-75 Code : Physical in the philips Medican detector Code : Physical in the philips Single phase Central Flores genued by General volume of the installation. A category (L) EVID system according to Service and anthric defres volume. A category (L) EVID system according to Service and anthric defres volume. A hard according to instruction of any philips of the installation. A A 2014 service to interioral of a category can be acted to board not to for future services. A hard according to interioral of according to Service and anthric defres volume. A hard according to interioral of according to Service and according to the philips A complete to interioral of according to the philips A complete to interioral of according to the philips A hard according the service of a category of the installation. A hard according the service of a category of the installation. A hard accordi	Supplier : Philips New light fittings ceiling mounted Supplier : Low violage eyeal downlighter 30W Application : Flush ceiling mounted Supplier : Philips We wight fittings ceiling mounted Type							
Type : Low voltage eyebal cornighter 30W oa 3 Cocto : N. Rich desiing mounted	Type : Low voltage eyeball downlighter 30W code : NAA Application : Phate celling mounted Dupplier : Phate celling moun							
Type : Low voltage eyebal cornighter 30W oa 3 Cocto : N. Rich desiing mounted	Type : Low voltage systal covenighter 30W code : NAA Asplication : NAA Asplication : NAA Asplication : Phath colling mounted Type : Low voltage downlighter ea Type Code : Low voltage downlighter Type Code : Phath colling mounted Type Phath Phath Type Phath Type Phath Phath Type Type Phath Type Type Phath Type Type Phath Type							
Code : NAA Application : Flush ceiling mounted Supplier : Code : National Code : Code	Code : NA Application : Floah coling mounted Supplier : Plains Supplier : Plains Supplier : Plains Code : C	3			0.3	3		
Application : Flush colling mounted Type : Low voltage downlighter Code : GSS 1551 EV Application : Flush colling mounted Type : Low voltage downlighter Code : GSS 1551 EV Application : Philips 3 Now light fittings colling mounted Type : Philips Code : Restart ight fitting colling mounted Type : Philips Code : Restart ight fitting colling mounted Type : Philips Code : Restart ight fitting colling mounted Type : Philips Code : Restart ight fitting colling mounted Type : Philips Code : Restart ight fittings colling mounted Type : Spanoa Supplier : Philips Motion detector: Code : Restart ight fittings colling mounted Supplier : Philips Motion detector Code : Code : Code Philips Motion detector Code :	Application : Flush coiling mounted Supplier : Phillips : Phillips : Phillips : Phillips : Code : Co				ea	3		
Supplier : Philips A New Fight Ritings colling mounted	Supplier : Prilips A New light fittings ceiling mounted to voltage downsighter Code							
Type : Low voltage downlighter Code : Code : Code : Peach celling mounted Supplier : Peach celling mounted Supplier : Peach celling mounted Type : Spazio Supplier : Phillips Mation detector Mation detector Mation detector Mation detector Supplier : Flush celling mounted Supplier : Single phase Code Cod	Type : Low voltage downlighter CAS 100 CAS 100 TAY 27 CAS 100 TAY 28 CAS 100 TAY							
Type : Low voltage downlighter Code : Code : Code : Peach celling mounted Supplier : Peach celling mounted Supplier : Peach celling mounted Type : Spazio Supplier : Phillips Mation detector Mation detector Mation detector Mation detector Supplier : Flush celling mounted Supplier : Single phase Code Cod	Type : Low voltage downlighter Code : CBS 10612V2 Application : Plant celling mounted Supplier New light fittings celling mounted Type Code : NA Application : Flush celling mounted Supplier New light fittings celling mounted Type Code : NA Application : Flush celling mounted Type Code : NA Application : Plant celling mounted Type Code : NA Application : Plant celling mounted Type Code : Plant celling mounted Supplier Motion detector Code : CMR PDT to Application : Flush celling mounted Supplier : Electro Service Supplier : Electro Service Code tray 1 Cabb tray 1 Cabb tray 1 Cabb tray 2 Circuit breaker in DB Type : Single phase Code Code Code : Single phase Code Code Code Code Code Code Code Code							
Code : QBS 105/12/ Application : Flush ceiling mounted Supplier : Philips See in light fittings ceiling mounted Type : Pendant light fitting Code : NA Application : Flush ceiling mounted Supplier : Spazzo S New light fittings ceiling mounted Type : Spazzo S New light fittings ceiling mounted Type Code : Spazzo S New light fittings ceiling mounted Type Code : Pendant fight fitting Code : Pendant fitting Code : Pendant fight fitting Code : Pendant fitting Code : Pendant fitting	Code : OBS 150/12/V Application : Plush celling mounted Supplier : Plush celling mounted Type : Pendant light fitting celling mounted Type : Pendant light fitting celling mounted Supplier : Spazio Spazio : Plush celling mounted Supplier : Spazio Spazio : Plush celling mounted Supplier : Spazio : Spazio Spazio : Plush celling mounted Supplier : Electro Sense Cable tray Laphing - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 3 Circuit breaker in DB Type : Single phase CENERAL Flores ground to Sense of warks - Fire detection and public address society A category (1) EVID system according to SeNs or refured in this building Additional requirements: 1. Training to TFR staff on companio of the installation. 2. At operational instruction, mur for editing prior of or journainee. 4. A five testisteriors every 6 months for the period of quanninee. 5. A service record beliem such edisplayed and main panel board or future services. 6. Al arcone to be identified and displayed on a estice board next to the main panel. 7. Homing device on all littl. 8. All ar-conditioning fars to be disconnected during emergency. 9. Main Frame to be fitted in security onton on the ground floor. 10. A new public address system institled on all floors with control board and microphone at reception desk. 11. Installation must be comply with youn on all floors with control board and microphone at reception desk. 11. Installation must be comply with youn on the ground floor. 12. All exposed piping and conduding to be chased into walls. 13. Early warning fire detection 14. Complete installation 2 Complete installation 2 Complete installation	4						
Application : Flush ceiling mounted Supplier : Philips :	Application : Flush ceiling mounted Supplier : Philips New light fittings ceiling mounted				ea	1		
Supplier : Phillips New light fittings ceiling mounted Order : Pendern light fitting Order : Pendern light fitting NAA Application : Flush ceiling mounted Upon : Spazio New light fittings ceiling mounted Upon : Spazio New light fittings ceiling mounted Upon : Spazio New light fittings ceiling mounted Upon : Plush ceiling mounted Upon : Plush ceiling mounted Supplier : Philips Motion detector Motion detector Motion detector Application : Flush ceiling mounted Supplier : Electro Sense Cable tray Cable tray Cable tray Cable tray Cable tray Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze Circuit breaker in DB Sype : Single phase Ze Ze	Supplier : Phillips Swow light fittings colling mounted provided sight fitting provided sight fitting provided supplier : Phillips							
Type : Pendant light filting Code : N/A Application : N/A Application : N/A Application : Plata healing mounted Supplier : Spazio	Type : Pendant light filling code : NAA Application : NAA Application : Plash ceiling mounted Supplier : Spazio							
Type : Pendant light filting Code : N/A Application : N/A Application : N/A Application : Plata healing mounted Supplier : Spazio	Type : Pendant light filling code : NAA Application : NAA Application : Plash ceiling mounted Supplier : Spazio			·				
Code : NA Application : Flush coiling mounted Supplier : Spacio :	Code : N/A Application : Flash celling mounted Supplier : Spazoo 5 New light fittings celling mounted Type Code : 2XPL-70 Application : Flash celling mounted Supplier : Philips Motion detector Incomment : Flash celling mounted Supplier : Philips Motion detector Incomment : Flash celling mounted Supplier : Flash celling mounted	5						
Application : Flash ceiling mounted Suppirer : Spazio : S	Application : Flush ceiling mounted Supplier : Spazio : S				ea	3		
Supplier : Space or Space or Space or Supplier : Space or	Supplier : Spazio New light fittings celling mounted Type : PL wide fitting Code : 2 SYR-70 Application : Flush celling mounted Supplier : Philips Motion detector Motion detector Motion detector Supplier : Electro Sense Cobie tray Cobie tr							
S New light fittings coiling mounted Type : Pt. wide fitting Code : 2MPL-70 Application : Phash coiling mounted Supplier Motion detector I Motion detector Code : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense Cable tray Could be supplies Single phase Crout breaker in DB Type : Single phase GENERAL Floors ground for 4 SPECIALIST INSTALLATIONS Supplier on the supplier on a supplier on the supplier on	S New light fittings ceiling mounted Type : Pt. wide fitting Code : 2XPL-70 Application : Plush ceiling mounted Supplier : Philips Motion detector Code Application : Flush ceiling mounted Supplier : Electro Sense Cable tray Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase GENERAL Floors ground to-4 SPECIALIST INSTALLATIONS Source of works - Free detection and nubble offices spine Additional requirements: 1. Training to TFR staff on capting box, of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emissing panel all found profits of the period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed at the main panel board for future services. 7. Homing device on all lifts. 8. All air-conditioning fance to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new politic address system missilled on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and condulting to be chased into walls. Early warming fire detection 1 Complete installation Public address system 2 Complete installation SUBTOTAL (EXCL VAT)							
Type : Pl. wide fitting Code : 2XPL-7O Application : Plusia celling mounted Supplier : Philips Motion detector Philips Motion detector Code Code	Type : PL wide fitting ea 40 Code : 2XPL-770 Application : Flush ceiling mounted Supplier : Phillips Motion detector : Phillips Motion detector : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense Cable tray : Cable							
Type : Pl. wide fitting Code : 2XPL-7O Application : Plusia celling mounted Supplier : Philips Motion detector Philips Motion detector Code Code	Type : PL wide fitting ea 40 Code : 2XPL-770 Application :: Flush ceiling mounted Supplier :: Philips Motion detector : Philips Motion detector : CMR PDT10 Code	5	New light fittings ceiling moun					
Application : Flush celling mounted Supplier : Phillips Motion detector 1 Motion detector : CMR PDT10 CAD Application : Flush celling mounted Supplier : Electro Sense Cable tray : Electro Sense Cable tray : Electro Sense Cable tray : Lighting - Supplies : Electro Sense Cable tray : Lighting - Supplies : Single phase : Single pha	Application : Flush ceiling mounted Supplier : Phillips Motion detector 1 Motion detector Code : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense Cable tray Cable tray Cable tray 1 Cable tray 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase GENERAL Floors ground for 4 SPECIALIST INSTALLATIONS Suppler Hows. Fire detection and public edires state. A catagory (L) EWD system according to SANsia required in this building Additional requirements: 1. Training to FFR staff on copyrights of the installation. 2. All operational instructions must be displayed that me main panel board of guarantee. 4. A free test/service every 6 months for the period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record table must be displayed and me actice board next to the main panel board. 7. Homing device on all lifts. 8. All air-conditioning fans to be disponented during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANs 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 4 SUBTOTAL (EXCL VAT)		Туре	: PL wide fitting	ea	40		
Motion detector Motion detector Code : CMR PDT10 Application : Flush celling mounted Supplied : Electro Sense Cable tray Cable tray Lighting - Supplies Supply from DB Type : Single phase Circuit breaker in DB Type : Single phase Circuit breaker in DB Type : Single phase Circuit breaker in DB Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Vage of works - Fire detection and public offices strike A category (I.) EWD system according to SANNis refuired in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 4. A free test/service very 6 months for the period of guarantee. 4. A tree test/service very 6 months for the period of guarantee. 5. A service record label must be displayed and main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency; 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all filtons with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduling to be chased into walls. Early warning fire detection 1. Complete installation 2. Complete installation 3. Complete installation 4. Complete installation 4. Complete installation	Notion detector Motion detector Code							
Motion detector Code	Motion detector Code : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense Cable tray Cable tray Cable tray Lighting Supplies Supply from DB Type : Single phase Circuit breaker in DB Type : Single phase CENERAL Floors ground to 4 NPECIALIST INSTALLATIONS Suppl works - Fire detection and public ediffers system A category (L) EWD system according to SANAss refured in this building Additional requirements: 1. Training to TFR staff on cospeptite of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 review for emergency leals during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 4. A free test/service very 6 months for the period of guarantee. 4. A free test/service very 6 months for the period of guarantee. 6. All zones to be identified and displayed on a eatice board next to the main panel board. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency, 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation						13.	
1 Motion detector Code : CMR PDT10 Application : Flish ceiling mounted Supplier : Electro Sense Cable tray 1 Cable tray 1 Cable tray 1 Cable tray 1 Cable tray 2 Circuit breaker in DB Type : Single phase Type : Single phase CENERAL Floors ground to 4 NPECIALIST INSTALLATIONS Super of works - Pire detection and public defres size. A category (L. EVID system according to BANsis refured in this building Additional requirements: 1. Training to TFR staff on complete of the installation. 2. All operational instruction and public defres size. A A rea test/service every 6 morths for the period of guarantee. 4. A tree test/service every 6 morths for the period of guarantee. 4. A tree test/service every 6 morths for the period of guarantee. 5. A service record table must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all titls. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security rom on the ground floor. 10. A new public address system installation on the ground floor. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed pining and conduling to be chased into walls. Early warning firs detection Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY COMPLETED A CROSS ALTER OF THE PORT OF	1 Motion detector Code : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense Cable tray 1 Cable tray 1 Cable tray 1 Cable tray 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 4 Cablegory (L) EWD system according to NANS is refuired in this building Additional requirements: 1. Training to TFR staff on cognises of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency calls during period of guarantee. 4. A free test/service every for months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All all-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SAMS 101 303 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 SUBTOTAL (EXCL VAT)		ouppliel	. r milips				
1 Motion detector Code : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense Cable tray 1 Cable tray 1 Cable tray 1 Cable tray 2 Lighting - Supplies 3 Supply from DB Type : Single phase 1 Type : Single phase 2 Circuit breaker in DB Type : Single phase 3 CENERAL Floors ground to 4 NPECIALIST INSTALLATIONS Supple of Modes of the Installation Additional requirements: 1. Training to TFR staff on competition of the Installation. 2. All operational instructions must be displayed at the main panel board. 3. A 247 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record table must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency, 9. Main Panel bo fettical recurrity own on the ground floor. 10. A new public address system installation on the ground floor. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduling to be chased into walls. Early warning firs detection 2 Complete Installation 4 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY 5 EDIMESTAN ACCULATY 10% CONTINGENCY 5 EDIMESTAN ACCULATY 10% CONTINGENCY 5 EDIMESTAN ACCULATY 10% CONTINGENCY	1 Motion detector Code : CMR PDT10 Application : Flush ceiling mounted Supplier : Electro Sense Cable tray 1 Cable tray 1 Cable tray 1 Cable tray 1 Capter training the supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 4 Category (L) EWD system according to NANSis refured in this building Additional requirements: 1. Training to TFR staff on combetis of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SAMS 1013 and 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 SUBTOTAL (EXCL VAT)		Motion detector)	
Code :: CMR PDT10 Application :: Flush ceiling mounted Supplier :: Electro Sense Cable tray 1	Code :: CMR PDT10 Application :: Flush eiling mounted Supplier :: Electro Sense Cable tray 1				e	19		
Cable tray 1 Cable tray Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 4 Category (L) EWD system according to SANS is reported in this building Additional requirements: 1. Training to TFR staff on commendation of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency agails during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record tabel must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and condulting to be chased into walls. Early warning fire detection Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Supplier : Electro Sense Cable tray 1 Cable tray Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase CENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public offices system A category (L) EWD system according to SANS is repdired in this building Additional requirements: 1. Training to TFR staff on competitor of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergens, calls during period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be Identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Penel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 2 SUBTOTAL (EXCL VAT)							
Cable tray 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 3 Supply from STALLAHIONS Scope of works - Fire detection and public affers system 4 Category (1, EWD system according to SaNNs's reguired in this building Additional requirements: 1. Training to TFR staff on cour petition of the installation. 2. All operational instructions much be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergench calls during period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 1013s of 2007. 12. All exposed piping and condulting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 2 Complete installation	Cable tray 1 Cable tray 1 Cable tray 1 Cable tray 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public colores states A category (L) EWD system according to SAMs is required in this building Additional requirements: 1. Training to TFR staff on conjugito, of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergeno, galls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SAMS 10139 of 2007. 12. All exposed piping and conduting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 3 SUBTOTAL (EXCL VAT)							
Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 3 CENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of privis - Fize detection and public offers system A category (L) EWD system according to tensilation. A category (L) EWD system according to tensilation. 2 All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergend, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 9 a 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 4 CENERAL Floors ground to 4 SPECIALIST INSTAILATIONS Scape of works - Fire detection and public offices system A category (L) EWD system according to Sensite required in this building Additional requirements: 1. Training to TFR staff on confrection of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduling to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 3 Complete installation 4 Complete installation 5 SUBTOTAL (EXCL VAT)		Supplier	: Electro Sense				
Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 3 CENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of privs - Fire detection and public offers system A category (L) EWD system according to tensities of the installation. A category (L) EWD system according to tensities regulated in this building Additional requirements: 1. Training to TFR staff on competion of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergend, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 4 Complete installation 5 ContringEncy 5 ContringEncy 5 ContringEncy	Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 4 CENERAL Floors ground to 4 SPECIALIST INSTAILATIONS Scape of works - Fire detection and public offices system A category (L) EWD system according to Sensite required in this building Additional requirements: 1. Training to TFR staff on confrection of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduling to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 3 Complete installation 4 Complete installation 5 SUBTOTAL (EXCL VAT)		Cable tray					
Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase GENERAL Floors ground to 4 SPECIALINT INSTALLATIONS Scope of works - Fire detection and public offices sister A category (L) EWD system according to PANS is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergeno, gails during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 3 LONE CONTINGENCY SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Lighting - Supplies 1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public a diress sisted. A category (L) EWD system according to NANS is required in this building Additional requirements: 1. Training to TFR staff on cognitive to of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergens, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed and a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and condulting to be chased into walls. Early warning fire detection 1 Complete installation Public address system 2 Complete installation Public address system 2 Complete installation				m	54		
1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public offices sister A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on conjunation of sister in the period of quarantee. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 247 service for emergeno, gails during period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Horning device on all tilds. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 3 Legical Sandard	Type : Single phase 2 Circuit breaker in DB Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public galaries system. A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on conspetito of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 247 service for emergence, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zines to be identified and displayed at a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduting to be chased into walls. Early warning fire detection Complete installation Public address system 2 Complete installation Public address system 2 Complete installation		Cable tray			54		
1 Supply from DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 Circuit breaker in DB Type : Single phase 2 GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public offices sister A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on conjunation of sister in the period of quarantee. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 247 service for emergeno, gails during period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Horning device on all tilds. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 3 Legical Sandard	Type : Single phase 2 Circuit breaker in DB Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public address system. A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on conspetito of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 247 service for emergence, galls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation Public address system Complete installation Public address system Complete installation		Lighting - Supplies					
2 Circuit breaker in DB Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Some of works - Fire detection and public ordines system A category (L) EWD system according to SANN-is rendered in this building Additional requirements: 1. Training to TFR staff on conflection of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation Public address system 2 Complete installation SUBTOTAL (EXCL VAT) 10% CONTINGENCY	2 Circuit breaker in DB Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public address system A category (L) EWD system according to SANNs is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed at the main panel board for future services. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation Public address system 2 Complete installation	1	Supply from DB		ea	26		
Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public orders sisted. A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR slaff on competon, of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All ali-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 4 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public orderss system A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT)		Туре	: Single phase				
Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public orders sisted. A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR slaff on competon, of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 247 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All ali-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 4 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Type : Single phase GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public orderss system A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT)	_						
GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public orders system A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergeno, galls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduting to be chased into walls. Early warning fire detection Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	GENERAL Floors ground to 4 SPECIALIST INSTALLATIONS Scope of works - Fire detection and public orders system A category (L.) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on competite of the installation. 2. All operational instruction must be displayed on a eatice board next to main panel board. 3. A 24r7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All all-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation Early warning fire detection Complete installation Early warning fire detection Complete installation Early warning fire detection Complete installation	2		. Single phase	ea	26		
SPECIALIST INSTALLATIONS Scape of yorks - Fire detection and public address system: A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on competition of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Scope of works - Fire detection and public address system. A category (L) EWD system according to CANS is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installation all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 Complete installation ea 1 SUBTOTAL (EXCL VAT)		Type	. Citigio pridoc				
SPECIALIST INSTALLATIONS Scape of yorks - Fire detection and public address system: A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on competition of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Secope of works - Fire detection and public address system: A category (L) EWD system according to ANS/Is refutired in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation 2. Complete installation 4. Complete installation 5. Complete installation 6. All air conditions and into a decidence of the control board and microphone at reception desk. 5. Substotal (EXCL VAT)							
SPECIALIST INSTALLATIONS Scape of yorks - Fire detection and public address system: A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on competition of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Seape of works - Fire detection and public outliness system: A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation Public address system Complete installation 2. Complete installation 2. Complete installation 2. Complete installation 3. All air-conditions and provide a system and provided and microphone at reception desk. 5. Substotal (EXCL VAT)		GENERAL Floors ground to	4				
A category (L) EWD system according to SANs is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1. Complete installation 2. Complete installation 4. A graph of the complete installation 5. A service record label must be displayed on a eatice board next to main panel board. 5. A service record label must be displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1. Complete installation 2. Complete installation 8. All complete installation 9. A complete installation 1. Complete installation 1. Complete installation 9. A complete installation 1. Complete installation 1. Complete installation 1. Complete installation	Scope of works - Fire detection and public outress system A category (L) EWD system according to SANs is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1. Complete installation 2. Complete installation 4. All air-conditional early and conduiting to be chased into walls. SUBTOTAL (EXCL VAT)							
A category (L) EWD system according to SANS is required in this building Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergeno, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1. Complete installation 2. Complete installation 4. All exposed piping and conduiting to be chased into walls. Early warning fire detection 2. Complete installation 4. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1. Complete installation 2. Complete installation 3. All air-cyclic installation 4. All exposed piping and conduiting to be chased into walls.	A category (L) EWD system according to SANs is required in this building Additional requirements: 1. Training to TFR staff on competito of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT)							
Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation Public address system 2 Complete installation Public address system 2 CONTINGENCY	Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT)		Scope of works - Fire detection and	a public douress system				
Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instruction, must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation Public address system 2 Complete installation Public address system 2 CONTINGENCY	Additional requirements: 1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT)	A ca	ategory (L) EWD system accordin	g to SANS is required in this building				
1. Training to TFR staff on completion of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	1. Training to TFR staff on competitor of the installation. 2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation 2 Complete installation 3 ea 1 SUBTOTAL (EXCL VAT)							
2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	2. All operational instructions must be displayed on a eatice board next to main panel board. 3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT)	Add	litional requirements:					
3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	3. A 24/7 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT)	1.	Training to TFR staff on completion	on of the installation.				
3. A 24/7 service for emergency calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	3. A 24/7 service for emergency, calls during period of guarantee. 4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT)	2. /	All operational instructions must be	pe displayed on a eatice board next to main panel board.				
4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	4. A free test/service every 6 months for the period of guarantee. 5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT)							
5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection	5. A service record label must be displayed at the main panel board for future services. 6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection							
6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection	6. All zones to be identified and displayed on a eatice board next to the main panel. 7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection ea							
7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection ea	7. Homing device on all lifts. 8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection ea							
8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection	8. All air-conditioning fans to be disconnected during emergency. 9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection ea			and the main parion.				
9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection	9. Main Panel to be fitted in security room on the ground floor. 10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection ea			connected during emergency				
10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection	10. A new public address system installed on all floors with control board and microphone at reception desk. 11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection ea							
11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection ea	11. Installation must be comply with SANS 10139 of 2007. 12. All exposed piping and conduiting to be chased into walls. Early warning fire detection 1 Complete installation Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT)				ont'-	ool:		
12. All exposed piping and conduiting to be chased into walls. Early warning fire detection	12. All exposed piping and conduiting to be chased into walls. Early warning fire detection Complete installation ea				eption d	esk.		
Early warning fire detection 1 Complete installation Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Early warning fire detection 1 Complete installation Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT)							
1 Complete installation Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	1 Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT)	12.	. All exposed piping and conduitin	ng to be chased into walls.				
1 Complete installation Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	1 Complete installation ea 1 Public address system Complete installation ea 1 SUBTOTAL (EXCL VAT)		Farly warning fire detection					
Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	Public address system 2 Complete installation ea 1 SUBTOTAL (EXCL VAT)				02	1		
2 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	2 Complete installation ea 1 SUBTOTAL (EXCL VAT)		Complete materiation		Ja			
2 Complete installation ea 1 SUBTOTAL (EXCL VAT) 10% CONTINGENCY	2 Complete installation ea 1 SUBTOTAL (EXCL VAT)		Public address system					
SUBTOTAL (EXCL VAT) 10% CONTINGENCY	SUBTOTAL (EXCL VAT)				ea	1		
10% CONTINGENCY								
10% CONTINGENCY								
10% CONTINGENCY			SUBTOTAL (EVOL MAT)					
CRAND TOTAL (FYCL VAT)	10% CONTINGENCY		SUBTUTAL (EXCL VAT)					
CRAND TOTAL (FYCL VAT)			10% CONTINGENCY					
GRAND TOTAL (EXCL VAT)								
	GRAND TOTAL (EXCL VAT)		GRAND TOTAL (EXCL VAT)					

