

TRANSNET FREIGHT RAIL, a division of

TRANSNET SOC LTD

Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ] No BFX 53061

FOR THE PROVISION OF: MAINTENANCE AND PAINTWORK TO KITCHEN (ASSET NO. 02AX344B) SCRAP YARD, BLOEMFONTEIN

ISSUE DATE

18 JULE 2014

CLOSING DATE

12 AUGUST 2014

CLOSING TIME

10:00

FORMAL BRIEFING

29 JULY 2014 AT 11:00 - A COMPULSORY PRE-QUOTATION SITE MEETING AND/OR BRIEFING

SESSION WILL BE CONDUCTED AT TRANSNET FREIGHT RAIL, REAL ESTATE MANAGEMENT, NATHAN

STREET, BLOEMFONTEIN

NOTE:

RFQ DOCUMENTS MAY BE OBTAINED ON AND AFTER FRIDAY, 18 JULY 2014 AT TRANSNET FREIGHT RAIL, SUPPLY CHAIN SERVICES, ROOM 102, 1ST FLOOR, TRANSNET ENGINEERING ADMIN BUILDING, TRANSNET ROAD, BLOEMFONTEIN

LAST DATE OF ISSUE - RFQ BFX/53061 WILL ONLY BE ISSUED UNTIL 15:00 ON FRIDAY 25 JULY 2014

FOR ENQUIRIES REGARDING COLLECTION OF DOCUMENTS, CONTACT GIDEON JOUBERT, TEL. NO. 051 – 408 2167 OR E-MAIL Gideon. Joubert@Transnet.net

Section 1 NOTICE TO BIDDERS

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD: Courier or By hand

CLOSING VENUE: The Secretariat

Acquisition Council

Admin Support Office

Tender Box Office No. 2

Real Estate Management Building

Austen Street, Beaconsfield

Kimberley (Contact person: Maggie Pain Tel. 053-838 3341)

1 RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

2 BROAD-BASED BLACK ECONOMIC EMPOWERMENT [B-BBEE]

Transnet fully endorses and supports the covernment's Broad-Based Black Economic Empowerment Programme and it would therefore piefer to do business with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies who provide a valid B-BBEE Verification Certificate. All programment transactions will be evaluated accordingly.

2.1 B-BBEE Scorecard and Rating

As prescribed in terms of the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulations, Respondents are to note the following:

- In this RPQ, Transnet will apply 80/20 preference point system prescribed in the PPPFA.
- Proposals will be evaluated on price which will be allocated 80 points and preference which will be allocated 20 points.
- The 80/20 preference point system applies where the acquisition of the Services will be less than R1 000 000.00. However, if the 80/20 preference point system is stipulated in this RFQ and all Bids received exceed R1 000 000.00, the RFQ will be cancelled.

In compliance with the Government Gazette No 34612, Notice No. 754 dated 23 September 2011, as from 1 October 2011 valid B-BBEE Verification Certificates must be issued by:

- (i) Verification Agencies accredited by the South African National Accreditation System [SANAS]; or
- (ii) Registered Auditors approved by the Independent Regulatory Board of Auditors [**IRBA**], in accordance with the approval granted by the Department of Trade and Industry.

Enterprises will be rated by such agencies based on the following:

- (a) Large Enterprises [i.e. annual turnover greater than R35 million]:
 - Rating level based on all seven elements of the B-BBEE scorecard

- (b) Qualifying Small Enterprises QSE [i.e. annual turnover between R5 million and R35 million]:
 - · Rating based on any four of the elements of the B-BBEE scorecard
- (c) **Exempted Micro Enterprises EME** [i.e. annual turnover less than R5 million]:

In accordance with B-BBEE Codes of Good Practice [Statement 000, Section 4], any enterprise with an annual total revenue of R 5 million or less qualifies as an EME.

- Automatic rating of 8-BBEE Level 4 irrespective of race or ownership
- Black ownership greater than 50% or Black Women ownership greater than 50% automatically qualify as 8-BBEE Level 3

Sufficient evidence to qualify as an EME would be a certificate (which may be in the form of a letter) from an auditor or accounting officer or a certificate from a Verification Agency accredited by SANAS. The certificate must confirm the company's turnover, black ownership / black female ownership, B-BBEE status level and validity date.

Respondents are required to furnish proof of the above to Transnet. [i.e. a valid detailed scorecard as stipulated above in respect of Large Enterprises and QSEs, or a valid certificate in respect of EMEs].

Transnet will accordingly allocate a maximum of **20** [twenty] points to the Respondent's final score based on an entity's B-BBEE scorecard rating.

N.B. Failure to submit a 8-88EE certificate, which evalid as at the Closing Date of this RFP, will result in a score of zero being allocated for B-BREP.

[Refer clause 18 below for Returnable Desuments required]

3 COMMUNICATION

- a) Respondents are warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the business.
- b) A Respondent may, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name: Odeon Joubert

Email: Gideon_Joubert@Transnet.net

 Respondents may also, at any time after the closing date of the RFQ, communicate with Supply Chain Services, Admin Support on any matter relating to its RFQ response:

Telephone 053 838 3341

Email Maggie.Pain@Transnet.net

4 TAX CLEARANCE

The Respondent's original valid Tax Clearance Certificate must accompany the Quotation. Failure to provide this document with the RFQ submission may! result in disqualification.

5 VAT REGISTRATION

The valid VAT registration number must be stated here: ______ [if applicable]

6 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

7 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time.

8 PRICING

All prices must be quoted in South African Rand on a fixed price basis, excluding VAT.

9 PRICES SUBJECT TO CONFIRMATION

Prices quoted which are subject to confirmation will not be considered.

10 NEGOTIATIONS

Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents.

11 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

12 DISCLAIMERS

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that Transnet reserves the right to:

- modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- disqualify Quotations submitted after the stated submission deadline;
- not necessarily accept the lowest priced Quotation
- reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;
- award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all.

In addition, Transnet reserves the right to exclude any Respondent from the bidding process who has been
convicted of a serious preach of law during the preceding 5 [five] years, including but not limited to
breaches of the Convetition Act 89 of 1998. Respondents are required to indicate below whether or not
they have been found guilty of a serious breach of law during the past 5 [five] years:
I/We do hereby certify that I/we
have/have not been found guilty during the preceding 5 [five] years of a serious breach of law,
including but not limited to a breach of the Competition Act, 89 of 1998, by a court of law, tribunal or other
administrative body. The type of breach that the Respondent is required to disclose excludes relatively
minor offences or misdemeanours, e.g. traffic offences.
Where found guilty of such a serious breach, please disclose:
NATURE OF BREACH:
DATE OF BREACH:
Furthermore, I/we acknowledge that Transnet SOC Ltd reserves the right to exclude any Respondent from
the bidding process, should that person or entity have been found guilty of a serious breach of law,
tribunal or regulatory obligation.

Respondent's Signature

Date & Company Stamp

13 EVALUATION CRITERIA

Respondent's Signature

Transnet will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

- Administrative responsiveness Completeness of response and returnable documents
- Substantive responsiveness Prequalification criteria, if any, must be met and whether the Bid materially complies with the scope and/or specification given
- Weighted evaluation based on 80/20 preference point system as indicated in paragraph 2 above :
 - Pricing and price basis [firm] whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts¹ will be critical
 - B-BBEE status of company

Preference points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)		
1	20		
2	18		
3	16		
4	12		
5	8		
6	6		
7	4		
8	2		
Non-compliant contributor	0		

14	VALIDITY PERIOD
	Transnet desires a validity region of 90 [ninety] days from the closing date of this RFQ.
	This RFQ is valid until
15	BANKING DETAILS
	BANK:
	BRANCH NAME / CODE:
	ACCOUNT HOLDER:
	ACCOUNT NUMBER:
16	COMPANY REGISTRATION
	Registration number of company / C.C.
	Registered name of company / C.C.
17	DISCLOSURE OF PRICES QUOTED
	Respondents must indicate here whether Transnet may disclose their quoted prices and conditions to other
	Respondents:
	YES NO NO

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below.

a) Respondents are required to submit with their Quotations the <u>Returnable Documents</u>, as detailed below.

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ may result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Documents are returned with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these mandatory Returnable Documents by so indicating [Yes or No] in the table below:

	Returnable Documents	Submitted [Yes or No]
SE	CTION 1 : Notice to Bidders	
-	Valid B-BBEE Verification Certificate [RSA Large Enterprises and QSEs] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated 6 B-BBEE scorecard	
-	Valid B-BBEE certificate from auditor, accounting officer or SANAS accredited Verification Agency [RSA EMEs]	
	Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard	
_	In the case of Joint Ventures, a copy of the Joint Venture Agreement or written confirmation of the intention to enter into a Joint Venture Agreement	
SEC	CTION 2 : Quotation Form	
SEC	CTION 3 : Vendor Application Form	
•	Original cancelled cheque or brok-verification of banking details	
-	Certified copies of IDs of chareholder/directors/members [as applicable]	
-	Certified copy of Certificate of Incorporation [CM29/CM9 name change]	
-	Certified copy of soare certificates [CK1/CK2 if C.C.]	
-	Entity's letterhead	
-	Certified copy of VAT Registration Certificate [RSA entities only]	
_	Certified copy of valid Company Registration Certificate [if applicable]	***************************************
-	Original valid Tax Clearance Certificate [Consortia / Joint Ventures must submit a separate Tax Clearance Certificate for each party]	
-	Special Conditions Civil Work	
-	Specifications per item Annexure A	vincor
-	Contractor Tender price list Annexure B	
	Form E.4E Transnet (Jan 2004) Safety arrangements and Procedural compliance with the Occupational Health and Safety act (Act 85 of 1993 and applicable	

b) In addition to the requirements of section (a) above, Respondents are further required to submit with their Quotations the following **additional documents** as detailed below.

	ADDITIONAL DOCUMENTS	SUBMITTED [Yes or No]			
<u>.</u>	Letter of Good Standing				

T /5 6 / -

Section 2 QUOTATION FORM

1/we
hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance
with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

- the Standard Terms and Conditions for the Supply of Goods or Services to Transnet [Section 3 hereof];
 and
- any other standard or special conditions mentioned and/or embodied in this Request for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform me/us, this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence], together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery lead-time quoted, Transnet may, without prejudice to any other legal remedy which it may have, cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations afresh and/or having to accept any less favourable offer.

Pice Schedule

I/We quote as follows for the service required, on a "delivered nominated destination" basis, excluding VAT:

See Contractor Tender price list Minexure E

Notes to Pricing:

- a) All Prices must be quoted in South African Rand, exclusive of VAT
- b) To facilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.
- Please note that should you have offered a discounted price(s), Transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

Respondent's Signature

Section 3 VENDOR APPLICATION FORM

S. PREVIEW CORY ONLY

TRANSN



Transnet Supplier Declaration/Application

The Financial Director or Company Secretary

Transnet Vendor Management has received a request to load your company on to the Transnet vendor database. Please furnish us with the following to enable us to process this request:

- 1. Complete the "Supplier Declaration Form" (SDF) on page 2 of this letter
- 2. Original cancelled cheque OR letter from the bank verifying banking details (with bank stamp)
- 3. Certified copy of Identity document of Shareholders/Directors/Members (where applicable)
- 4. Certified copy of certificate of incorporation, CM29 / CM9 (name change)
- Certified copy of share Certificates of Shareholders, CK1 / CK2 (if CC)
- 6. A letter with the company's letterhead confirming physical and postal addresses
- 7. Original or certified copy of SARS Tax Clearance certificate and Vat registration certificate
- 8. A signed letter from the Auditor / Accountant confirming most recent annual turnover and percentage black ownership in the company AND/OR BBBEE certificate and detailed scorecard from an accredited rating agency (SANAS member).
- NB: Failure to submit the above documentation will delay the vendor creation process.
 - Where applicable, the respective Transnet business unit processing your application may request further information from you. E.g. proof of an existence of a Service/Business contract between your business and the respective Transnet business unit etc.

IMPORTANT NOTES:

- a) If your annual turnover is less than R5 million, then in terms of the DTI codes, you are classified as an Exempted Micro Enterprise (EME). If your company's classified as an EME, please include in your submission, a signed letter from your Auditor / Accountant confirming your company's most recent annual turnover is less than R5 million and percentage of black ownership and black female ownership in the company AND/OR BBBEE certificate and detailed scorecard from an accredited rating agency (e.g. permanent SANAS Member), should you feel you will be able to attain a better BBBEE score.
- b) If your annual turnover is between R5 million and R35million, then in terms of the DTI codes, you are classified as a Qualifying Smell Enterprise (QSE) and you claim a specific BBBEE level based on any 4 of the 7 elements of the BBEE score-card, please include your BEE certificate in your submission as confirmation of your status.

 NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (e.g. permanent SANAS in mber).
- c) If your annual turnover is in excess of R35million, then in terms of the DTI codes, you are classified as a Large Extensise and you claim a specific BEE level based on all seven elements of the BBBEE generic score-card. Please include your BEE certificate in your submission as confirmation of your status.
 - NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (permanent SANAS Member).
- d) To avoid PAYE tax being automatically deducted from any invoices received from you, you must also contact the Transnet person who lodged this request on your behalf, so as to be correctly classified in terms of Tax legislation.
- e) Unfortunately, No payments can be made to a vendor until the vendor has been registered, and no vendor can be registered until the vendor application form, together with its supporting documentation, has been received and processed.
- f) Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products in order that he/she should complete and Internal Transnet Departmental Questionnaire before referring the matter to the appropriate Transnet Vendor Master Office.

Regards,

Transnet Vendor/Supplier Management .Contact person Carol tell: 021 940-3846 fax 021 940-3883.

TRANSN



Supplier Declaration Form

Company Trading Name												
Company Registered Name												
Company Registration Number Or ID Number If A Sole Proprietor												
Form of entity	CC	Trust	Pty L	.td	L	imite	d	Partnership	>	Sole F	roprietor	
VAT number (if registered)												
Company Telephone Numb	er						-12,-1	***************************************				
Company Fax Number												
Company E-Mail Address												
Company Website Address												
Bank Name				Bank	(Acco	unt N	umber					
Postal Address									Coc	ie	<u> </u>	
Physical Address	***************************************		~	······································		•••••			Coc	le	Ī	
Contact Person		· · · · · · · · · · · · · · · · · · ·				1	7				<u> </u>	/ ····································
Designation						1						
Telephone					1	V						
Email						•						
Annual Turnover Range (La	st Financial Year)		< R5 MII	lion	7	F	R5-35 mill	ion		>R35	million	
Does Your Company Provid	le		Products	-		5	Services			Both		
Area Of Delivery			National			Provincial			Local			
Is Your Company A Public Or Private Entity						F	Public			Private		
Does Your Company Have A Tax Directive Or IRP30 Cortifi			rtificate Yes			/es						
Main Product Or Service Supplied (E.G.; Stationery Computing)												
BEE Ownership Details												
%Black Ownership		ack women	ownership)			% Disabled person/s ownership					
Does your company have a	BEE certificate				Yes				No			
What is your broad based B	EE status (Level 1 to	9 / Unknow	n)									
How many personnel does the firm employ			Permanent				Part ti	Part time				
Transnet Contact Person												
Contact number												
Transnet operating division												
Duly Authorised To Sign For And On Behalf Of Firm / Organisation												
Name						Des	ignation		wwwwarrara			
Signature Date												
Stamp And Signature Of Commissioner Of Oath												
Name Date												
Signature						Tele	phone N	٥.				

NB: Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products.

Transnet Vendor/Supplier Management .Contact person Carol tell: 021 940-3846 fax 021 940-3883

Section 4

BREACH OF LAW FORM

NAME OF ENTITY:		
I/We		
do hereby certify that <i>I/we have/have no</i> serious breach of law, including but not limi of law, tribunal or other administrative bo disclose excludes relatively minor offences of	ted to a breach of the Condy. The type of breach	npetition Act, 89 of 1998, by a court that the Respondent is required to
Where found guilty of such a serious breach	ı, please disclose:	
NATURE OF BREACH:	114	
DATE OF BREACH:	<i>&</i> ,	
Furthermore, I/we acknowledge that Trans		
from the bidding process, should that perso tribunal or regulatory obligation.	n or entity have been fou	nd guilty of a serious breach of law,
SIGNED at on	this day of	20
SIGNATURE OF WITNESS	SIGNATUR	OF RESPONDENT
DIGITAL OF WILINESS	SIGNATURE	OF NESPONDER!

Respondent's Signature Date & Company Stamp

Section 5

SUPPLIER CODE OF CONDUCT

Transnet aims to achieve the best value for money when buying or selling goods and obtaining services. This however must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any supplier dealing with Transnet must understand and support. These are:

- The Transnet Supply Chain Policy
- Section 217 of the Constitution the five pillars of Public PSCM [Procurement and Supply Chain Management]: fairness, equity, transparency, competitiveness and cost effectiveness;
- The Public Finance Management Act [PFMA];
- The Broad-Based Black Economic Empowerment Act (B-BBEE); and
- The Prevention and Combating of Corrupt Activities Act.

This Code of Conduct has been included in this rfq to formally apprise prospective Transnet Suppliers of Transnet's expectations regarding the behaviour and conduct of its Suppliers.

Prohibition of bribes, kickbacks, unlawfor ayments, and other corrupt practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Company [SOC], actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. As such, our transformation is focused on adopting a performance culture and to adopt behaviours that will enable this transformation.

- a) Transnet will not participate in corrupt practices and therefore expects its Suppliers to act in a similar manner.
 - Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions and payments to our Suppliers.
 - Employees must not accept or request money or anything of value, directly or indirectly,
 to:
 - Illegally influence their judgement or conduct or to ensure the desired outcome of a sourcing activity;
 - win or retain business or to influence any act or decision of any decision stakeholders involved in sourcing decisions; or
 - gain an improper advantage.
 - There may be an occasion when a Supplier is confronted with fraudulent or corrupt behaviour by a Transnet employee. We expect our Suppliers to use our "Tip-offs Anonymous" Hot line to report these acts [0800 003 056].

- b) Transnet is firmly committed to the ideas of free and competitive enterprise.
 - Suppliers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust.
 - Transnet does not engage with non-value adding agents or representatives solely for the purpose of increasing B-BBEE spend [fronting].
- c) Transnet's relationship with Suppliers requires us to clearly define requirements, exchange information and share mutual benefits.
 - Generally, Suppliers have their own business standards and regulations. Although
 Transnet cannot control the actions of our Suppliers, we will not tolerate any illegal
 activities. These include, but are not limited to:
 - misrepresentation of their product [e.g. origin of manufacture, specifications, intellectual property rights];
 - collusion;
 - failure to disclose accurate information required during the sourcing activity [e.g. ownership, financial situation, B-RBE Matus];
 - corrupt activities listed above; and
 - harassment, intimidation of other aggressive actions towards Transnet employees.
 - Suppliers must be evaluated and approved before any materials, components, products
 or services are purchased near them. Rigorous due diligence is conducted and the
 Supplier is expected to participate in an honest and straight forward manner.
 - Suppliers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

Conflicts of interest

A conflict of interest arises when personal interests or activities influence [or appear to influence] the ability to act in the best interests of Transnet. Examples include, but are not limited to:

- Transnet employees awarding business to entities in which their family members or business associates have an interest
- Transnet employees having a financial interest in a bidding entity

Bidding entities are required to disclose any interest/s which exist between themselves and any employee and/or Transnet Board member.



Transnet Freight Rail a Division of Transnet SOC Ltd. (Reg. No. 1990/000900/30), invites all interested parties to respond to a request for quotation (RFQ) as indicated below:

All tenders should be submitted on the appropriate tender forms in a sealed envelope. The envelope must indicate the RFQ number and closing date and should be deposited in the tender box before 10h00 on the closing date of the tender/s.

If delivered by hand, the Tender submissions must be addressed to The Secretariat, Transnet Freight Rail, Acquisition Council, Admin Support, Tender Box, Office No. 2, Property Management Building, Austen Street, Beaconsfield, Kimberley.

ISSUE OF DOCUMENTS - RFQ documents may be obtained on and after **Friday**, **18 July 2014** at Transnet Freight Rail, Supply Chain Services, Room 102, 1st Floor, Transnet Engineering Admin Building, Transnet Road, Bloemfontein.

LAST DATE OF ISSUE - RFQ BFX/53061 will only be issued until 15:00 on Friday, 25 July 2014.

For enquiries regarding collection of documents, contact Gideon Joubert , telephone No. 051 408-2167 or e-mail Gideon Joubert@Transnet.net

RFQ NUMBER	BFX/53061
SCOPE OF WORK	FOR THE PROVISION OF : MAINTENANCE AND PAINTWORK TO KITCHEN AT
	SCRAP YARD
REQUIRED AT	BLOEMFONTEIN
	· OX
BRIEFING DATE	A <u>COMPULSORY</u> INFORMATION MEETING WILL BE HELD AT: REAL ESTATE MANAGEMENT, NATHAN STREET, BLOEMFONTEIN
	DATE: 29/07/2014 VME: 10:00 (Companies not attending the compulsory
	tender briefing the meeting will be overlooked during the award process.)
TENDER FEE	NO CHARGE
CLOSING DATE	12 AUGUST 2014 at Kimberley
CLOSING TIME	1990
For enquiries contact:	Gideon Joubert Tel. 051 408 2167 - SCS for Tender queries Joseph Dauth Mobile 083 272 0837 — Project Manager for technical information

Transnet Freight Rail urges Clients & Suppliers to report fraud/corruption at Transnet to TIPOFFS ANONYMOUS: 0800 003 056

TRANSNET LIMITED

(REGISTRATION NO 1990/000900/06)

trading as Transnet freight rail (Hereinafter referred to as TRANSNET)

GENERAL BUILDING MAINTENANCE WORK TO TRANSNET FREIGHT RAIL ASSET 02AX344B BLOEMFONTEIN

SPECIAL CONDITIONS CIVIL WORK

Scope of work

This contract comprises the performance of general building maintenance and alteration work as specified and according to attached specifications and plans as per annexure A, and B for the Civil building trades.

All work in the specification must be carried out strictly according to local and National Civil building regulations

1. Site Location:

The sites are situated at the Transnet freight rail SCS INFRA Store

2. Contract documents:

This contract will consist of a contract document and letter of acceptance

DEFINITIONS: Project Manager means any person appointed by Fransnet Freight Rail from time to time to supervise and take charge of the Contract.

Transnet Freight Rail is a business unit of Transnet Limited, Resistration No 90/00900/06, a Company registered under the Company Laws of the Republic of South Africa.

Works means the works to be executed in terms of this contract.

3. Discrepancies in Tender:

Where there is a discrepancy between the amounts in figures and in words, the amount in words shall govern. If in the Bill of Quantities there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the termal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.

Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderers will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices

4. Acquaintance with Contract Documents

O

The tenderers are required to acquaint themselves with the contents of the aforesaid documents and complete the following forms:

The tenderers are required to check the number of pages and should any be found to be missing or in duplicate or the figures or writing to be indistinct or should there be any doubt or obscurity as to the meaning of any particular word or phrase or descriptions or should tenderers consider that any item is incorrectly or inadequately described they must inform, the Senior Buyer (SCS) of the project, at once in writing, under reference and have the matter rectified or explained as the case may be, as no liability whatsoever will be admitted by Transnet freight rail in respect of errors in a tender due to the foregoing.

No alterations, erasures or additions of any kind shall be made by the tenderers, in from or to any part of this specification unless expressly required to be made by written notice and should any unauthorized alterations, erasures or additions be made, they will not be recognized by Transnet freight rail.

5. Communication and Availability:

The Contractor shall provide sufficient communication facilities including e-mail address and fax machine in order that he may be reached at any time and place during the duration of the contract.

6. Certificates of Compliance

Where required as per the by laws of any Local Authority or Municipality the Contractor will provide the necessary Compliance certificates of completed work. All Electrical work MUST have a Certificate of Compliance issued once the work is completed.

7. Competency and Qualifications

The Contractor shall also provide:

a. Satisfactory proof of his or his staff's qualifications for the task required before Transnet will permit him/her to commence this task duty.

Acceptable proof of qualifications shall be:

- A trade test diploma from the Department of Manpower issued at a test centre;
- ii. A completed contract of apprenticeship;
- iii. Proof of qualification acceptable to the Department of Manpower in the case of qualified artisans from a foreign country
- iv. A license for water connections, if applicable;
- v. Plumbing work shall be done by a trained/registered plumber or under the supervision of a register plumber as require by law in the national building regulations, regulation A18 CONTROL OF PLUMBERS AND PLUMBING WORK. A certificate of Compliance must be issued as per IOPSA and the Government Notice R 1875, 31st August 1979
- vi. Any competency as needed and recognized by the Department of Labour.
- vii. Proof that he is able to perform all kinds of general repair work:
- b. If the workmanship is not of standard, albeit that the incumbent who undertakes the work is qualified as per clause 13 above, Transnet will reserves the right to ask that this incumbent be removed for doing work for Transnet.
- The successful tenderer shall give a name list of his employees who shall perform the various tasks to Transnet.

In addition to above the site contractor foreman / person in charge at the site shall have the necessary experience to do the necessary supervisits and quality control of all the necessary tasks to complete the project to the satisfaction of transnet freight rail

8. Environment

The Contractor shall, at all times, comply with the statutes that prohibit pollution of any kind. These statutes are enacted in the following legislation

- i. The National Environmental Management Act, 107/1998;
- ii. The Environmental Conservation Act, 73/1989; and
- iii. The National Water A1/36/1998.
- iv. The Construction (Cegulations GN 1010 (Act 85)

The Contractor shall appoint (responsible person to ensure that no incident shall occur on site that could cause pollution. Where the Contractor was negligent and caused any form of pollution the damage shall be rectified at the Contractor's cost.

9. Transnet Specifications (Enclosed)

a. Occupational Health & Safety Act 85 (of 1993)
 The contractor shall comply with the Occupational Health & Safety Act, 1993 (Act 85 of 1993).

10. Handing over of Site

No work will commence on any individual project before the site has been officially handed over by the project manager by means of a written site hand over document and instruction in the Site Instruction Book.

11. Sub-contractor

The Contractor shall not assign his obligations under the contract, nor sublet the contract work. Where specialized work or part there of is required the contractor can use a sub-contractor with the consent of the Transnet freight rail Project Manager. Specialized work will include Vertical blinds, carpets, tinting of window panes. Breach of this condition will entitle Transnet to cancel the contract forthwith.

- a. Payments shall be made (within 30 days of receiving of invoice by finance in Johannesburg) when work is completed, (minus retention money), and in accordance with the Schedule of Rates and Prices.
 - Payments will be paid for each particular project once completed. If the working period in the project is longer than one month a progress payment may be made. This will be a part payment for the work completed on the date of measurement. No payment will be made for material on site.
- b. The invoiced amount payable to the Contractor shall be the sum of the charges as agreed and set out in the Schedule of Rates and Prices of each individual project and as approved on the acceptance letter for the project.

13. Retention:-

Transnet will retain 10% of the value of the civil work for a period of SIX months (the maintenance period) or such further period beyond the maintenance period if defects have not yet been made good to the satisfaction of the Project Manager.

14. Advertising rights & Trading

- a. The Contractor acknowledge that he is acquainted with the provisions of section 14(2) of the Merchandise Marks Act of 1941, in terms of which he is prohibited from advertising the fact that he is a Contractor to Transnet unless the written authority of Transnet thereto has first been obtained. Transnet reserves all advertising rights on Transnet's property.
- b. The Contractor shall not trade on Transnet's property

15. Supervision

Transnet Real Estate technical manager will delegate a responsible person (Project manager) to take control of the supervision and management of the contract. The contractor shall only respond to these incumbents that have been appointed in writing my instruction that is not given via the delegated managers will be null and void.

16. Inspection of work

- a. During the progress of the contract, all materials used and all work being undertaken by the Contractor shall be subjected to periodic inspections.
- b. Should at any stage of the progress of the said works, an inspection visit or test reveal any defects due to improper materials or workmanship or any other fault or neglect on the part of the Contractor, such defective materials or workmanship shall immediately be replaced or remedied by the Contractor at his own expense and to the entire satisfaction of the authorized representative.
- c. No work shall be covered up or put out of view without the approval of the Project Manager. The Contractor shall afford full opportunity for the Project Manager to examine and measure any work, which is about to be covered up or put out of view before permanent work is place thereon.
- d. The Contractor shall give due notice to the Project Manager whenever such work is ready or about to be ready for examination. The Project Manager shall without unreasonable delay, examine and or measure such work as required.
- e. The Contractor shall uncover any parts or parts of the work or make openings in or through the same as the Project Manager may from time to time direct and shall reinstate and make good such parts to the satisfaction of the Project Manager. The Contractor's costs for the reinstating shall be borne by the Contractor.

17. Instructions to the contractor and Site records

Instructions to the Contractor shall be confirmed in writing and only requests that are received in writing,

(By Fax) or written in the recognized Site Instruction book will be accepted for payment.

a. Site Diary

The Contractor shall provide a diary (A5 or bigger), in triplicate to record ALL day-to-day work done, weather conditions, staff on site and incidents that could occur during the contract period. This includes weather, number of workers on the site, incidences that have occurred and what work is to be done on that day. These records shall be used to enable the parties to determine exactly how many hours per day (including overtime) the Contractor and his staff have been working on a particular project

b. Site Instruction Book

The Contractor shall provide a site instruction book (A5 or bigger), in triplicate for the project manager to place all instructions that are needed to compliment the specifications and drawings and any other instruction that may affect the cost of the work. For each project.

18. Program & Planning of the work:

The contractor shall provide to the Project Manager with a detailed plan of how he intends to do the work. This plan must be to the requirements of the operation of Transnet freight rail with minor disruptions as no delays must be allowed for in this regard. The program must be agreed to (in the site instruction book) before any work will be allowed to commence. The program can be in a form of a pert (bar) chart and will be used as a guide to measure progress of the work.

19. Additional work

No work will be recognized for additional payment unless it has been asked for and a variation order approved and the VO recorded and signed by the Project Manager in the aforesaid book.

20. Electricity supply and water supply

Electricity may be made available to the Contractor The contractor must adhere to the safety standards as per the General Safety Regulations, Electrical Machine Regulations, Electrical Installation Regulations of the Health and Safety Act, (Act 55 M 993) and SABS 0142.

Water may be made available for the purpose of construction of the works only. The water shall be used conservatively and if not, this privilege shall be removed and the water shall be metered, and the cost of the metered water shall be borne by the contractor as well as all charges as entertained by Transnet. The Contractor must supply all confections, hoses, etc., as necessary.

21. Access to site, store for contractor material equipment and Transnet staff occupying buildings. The areas are restricted and the contractor must ensure he complies with the regulations of Transnet in every way.

Contractor and/or any sub-contractors shall be required to apply for permission to enter the restricted area in writing.

The contractor will provide his own portable store facilities, the store appearance shall be subject to the approval of the Transnet project manager. The location where the store may be placed shall be showed to the contractor by the Transnet freight rail Project manager and the store may only be place at this approved location.

All debris and materials removed from the building shall be safely and neatly stacked at an approved location and the area shall be cordoned off with barrier tape.

The contractor is responsible for the safe keeping of all his material and equipment on site, the contractor can have two staff members on site 24 hours 7 day a week to protect his material and equipment, these staff members will act as security and will not be allowed to sleep, wash or cook food on the Transnet premises.

The <u>Building will not</u> be occupied during the renovations. The labour required to move any furniture, in the same room, if necessary is to be included in all items.

22. Security

A list of names of workmen shall be given to the manager to arrange for the necessary permits. A 48 Hours minimum notice is necessary for processing these permits. This includes changes to staff

during the contract period. The contractor shall also provide each of his workers with a laminated identification card. On the front of the card must be the contract business name and a photo of the employee. On the back of the card the following local emergency numbers shall be printed. Ambulance service, Fire department and Police.

The employee shall not be allowed on site if he does not have his identification card with him.

23. Materials found on site:

The Contractor shall not use on the works any materials found on the site without the prior written consent of the manager. No material that is lying on the site or on Transnet's property may be removed (even if deemed as scrap) by the contractor.

24. Measure of work

Contractor to check all measurements provided on work and price list before submitting quote per project. The list provided by Transnet is only a guide, contractor to inform project manger of any discrepancies in measurements and quantities before submitting quote for Project. Contractor is also responsible to do all measuring work for material needed.

25. Site meetings

Site meetings to discuss the project will be held, on a regular basis as agreed upon, between Transnet Freight Rail Project manager and the Contractor, (Relevant Sub contractors / Specialists may be requested to attend).

Progress and site inspection meetings will take place on a regular basis, once a week or as per arrangement.

26. Hire equipment

If necessary to hire abnormal equipment to do any work the payment for the hire equipment shall be market related priced, actual invoice plus a 10% mark-up. These costs shall be included in the quote for the project. The approval of the Transnet Project manager is required before such equipment is hired.

27. Working outside normal working hours:

Normal working hours are between 07:30 and 16:00 Mondays to Fridays.

The Project manager, the contractor and Wanager of the Transnet staff using the building will meet to discuss and agree if contractor requests work outside the normal hours as indicated above and on Weekends and Public Holidays. Due to security reasons this may be disallowed...

28. Safety

The Contractor shall submit a realth and safety plan before any site will be handed over for approval. The health and safety plan will cover all the projects under the contract, the health and safety plan shall include a risk assessment to cover the standard risk and safety plan to general maintenance and alteration work to buildings. As per this list

- a. Erection & dismantling and working on Scaffold
- b. Using ladders
- c. Working on sloping roof
- d. Working within a public area
- e. Hazardous chemical substances
- f. Noise
- g. Hire plant and machinery
- h. Fire fighting equipment
- i. Gas cylinders
- j. Portable electrical tools
- k. Transport staff
- l. Transport material
- m. Occupational health
- n. Welfare facilities
- o. Speed restriction
- p. Permits
- q. Occupational health and safety sigпage
- r. Personal protective clothing, equipment (PPE)
- s. Potential hazard situations
- t. Working at Heights of more than 3metre

- u. Working Near to Electricity overhead lines
- v. Installing and replacing electrical equipment

Precautions to be taken: See Transnet attached E7-1 document

The contractor will how ever also be responsible to do a risk assessment of each individual project and if there is any risk at an individual project that is not covered under the general risk assessment that is included in the health and safety plan the risk assessment will be included in the health and safety plan.

Contractor will have first aid box on site at every project, except if where buildings are not further than 100m form building where the first aid kit is kept.

The first aid box shall be stocked with the equipment as per general safety regulation and the location of the first aid box will be indicated with appropriate signage

The contractor and all his employees shall attend a Safety Induction session on safety before any work start on Transnet property. The contractor and his employees shall sign a register that they attended the Safety Induction session and only workers who have attended the session will be allowed to work on the site.

29. Insurance

The contractor shall provide the insurance for the following: Public Liability and safety of contractor's employees.

30. Substance abuse testing

The OHSA (Act 85 of 1993) clearly states in the Safety Regulations no. 2A "INTOXICATION" An employer or user, as the case may be, shall not permit any person who appears to be under the influence of intoxicating liquor or drugs, to enter or remain at a workplace". Transnet Freight Rail enforces this legislation by means of its Substance () buse Policy, and therefore reserves the right to do substance abuse testing on anyone who enters (humpremises.

ANNEXURE A

BUILDING DESCRIPTION: KITCHEN AT SCS INFRA STORE

CITY / TOWN:	BLOEMFONTEIN	

TENDER NO:	ASSET NO:	02AX344B

ITEM NO. SPECIFICATIONS PER ITEM.

CEILINGS

31 Work description: Install suspending ceiling complete as per type specified in fault list Supply and install suspended ceiling. Use Donn Products ceiling grid & accessories or Mac steel interior systems grids and accessories. Use the LSM 25 cornice wall moulding from Donn and T37 main tee with T32 cross tee and or similar system from Mac steel Interior systems. Use 2.5mm pre stress galvanized wire, 4mm rod suspension system or 19mm wide galvanized strap as hangers. The installation shall be done according to the specification of the relevant manufacture. Supply and install 595mm x 1195mm x 12,7mm thick faminated white vinyl Rhinodek tiles. The tile should be installed according to the manufacture's specification. Hold down clips must be used to hold the boards firmly in position. After installation the ceiling shall be level and all grid strips shall be straight.

WALLS INTERIOR

- 70 Work description: Chip 80% of wall and provide key coat on wall or ceramic tiles Apply Tylon Key it or Tal primer and keying agent to smooth surfaces. Surface must be firm, free of dust, wax polish and organic growth. Painted and gypsum plastered surfaces need to be chipped to remove 80% of paint or gypsum Apply Tylon Key it or Tal keying agent as specified by the manufacturer.

 BEFORE ANY TILING MAY COMMENCE, THE REPRESENTATIVE MUST FIRST APPROVE THE SURFACE.
- 71 Work description: Apply key coat on wall for ceramic tiles
 Apply Tylon Key it or Tal primer and keying agent to smooth surfaces. Surface must be
 firm, free of dust, wax polish and organic growth. Painted and gypsum plastered surfaces
 need to be chipped to remove 80% of paint or gypsum. Apply Tylon Key it or Tal keying
 agent as specified by the manufacturer.
 BEFORE ANY TILING MAY COMMENCE, THE REPRESENTATIVE MUST FIRST
 APPROVE THE SURFACE.
- 75 Work description: Lay coramic wall tiles See previous item on wall tiling for specifications

WINDOWS INTERIOR AND ADMINISTRATION OF THE PROPERTY OF THE PRO

169 Work description: Fit or replace aluminium Venetian blinds (1)

The Venetian blind is a versatile solution to any room where light control and privacy are needed. Blinds comprise of high tensile, vinyl coated aluminium stats. The standard stat widths are 25mm, 35mm and 50mm with cords and tadders and where the head and bottom rails are colour coordinated to match the colour of the stats. The head rail comes complete with end caps, plated steel universal installation brackets (50mm) and plated steel fixing clip brackets.

Slat Width 15mm 25mm 50mm
Maximum Blind Width 2,6m 3,0m 3,0m
Maximum Blind Drop 2.4m 3,0m 3,0m
Maximum Blind Area 5,0 sq m 9,0 sq m 12,0 sq m
Maximum Ladder Spacing 400mm 600mm 900mm

Tilt Mechanism Worm & Gear

VINDOWS INT AND EXT	· 查特· · · · · · · · · · · · · · · · · ·
Tenderer signature:	Date:/

TENDER NO: ASSET NO: 02AX344B

ITEM NO. SPECIFICATIONS PER ITEM.

Work description: Paint window frame complete.
Clean window frame from rust and dirt by scraping or by means of steel wire brush. Sand frame complete and wipe off all sanding dust to obtain a perfectly clean surface. Prime all exposed metal surfaces with an approved metal primer. Apply one coat universal undercoat and two coats water-base Dulux Pearlglo. After painting, window-opening sections shall

open and close easily. All Window handles, peg stays and sliding stays shall be remove to paint window. The Window handles, peg stays and sliding stays shall be removed cleaned.

and re-fitted. Contractor shall be responsible for any lost window fittings

DOORS/SECURITY GATES

272 Work description: Varnish door complete, 2 coats.

Previously varnished doors: Wash thoroughly with a suitable detergent to remove all dirt and rinse with clean water. Remove defective paint/varnish and repair all holes and defective places with a suitable wood filler. Sand complete door and wipe off all sanding dust with a damp cloth. Allow to dry and apply two coats of varnish on varnished doors. New doors to be varnished: Sand smooth and wipe sanding dust off with damp cloth. Allow to dry and apply one coat wood primer, one coat universal undercoat and one coat gloss enamel. Apply three coats varnish on doors to be varnished.

Allow paint to dry between coats as per specification.

DOORFRAMES

Work description: Paint frame with fan light, complete 2 costs.

Previously painted wooden door frame: Wash thoroughly with a suitable detergent to remove all dirt, rinse with clean water. Remove defective paint and repair all holes and defective places with a suitable wood filler. Sand complete frame and wipe off all sanding dust with a camp cloth. Allow too dry and apply one coat universal and one coat gloss enamel on painted frames. Previously painted seel doorframes: Clean doorframe from all rust and dirt by means of scraping, steel wire brush or sanding. Sand frame complete and wipe off all sanding dust with damp cloth. Allow too dry. Spot prime all exposed metal surfaces with an approved metal prime. Apply one coat universal undercoat and one coat gloss-enamel. New wooden door frames to be painted: Sand smooth, wipe sanding dust off with damp cloth, allow to dry. Apply one coat wood primer, one coat universal undercoat and 2 coats Dulux pearglo on doors frames. Allow paint to dry between coats as per manufacturer specifications.

CUPBOARDS

430 Work description: Supply/replace Formica post form top

PLUMBING INTERIOR

Work description: Fit / replace sink taps 15mm.

Replace sink tap with Cobra heavy duty chrome plated star bib tap and chrome plated brass extension pipe. Taps for hot water shall be marked with red coloured plastic inserts and fixed on the left hand side of all basins, sinks, showers, etc. Fit taps for cold water with green/blue plastic inserts on the right hand side.

489 Work description: Fit / replace sink trap

Tenderer signature:	 Date:	J	J

	TEN	DER NO:		ASSET NO:	02AX344B
	ITEN	I NO.	SPECIFICATIONS PER ITEM.		
	490	Work de Stainles requirer steel with back an having a having a ""Overlaallowed." Top is and sea	escription: Install / replace sink singlescription: Install / replace sink singles steel sinks with draining boards for ments of SABS Specification 242, arth exposed surfaces having satin fined at ends where against walls. The san overall length not exceeding 1,52 an overall length exceeding 1,52 and overall length exceeding 1,52 and sink shall be with brackets on both an sinks fitted to post form tops shall ler shall be applied between sink and sink after sink had been fitted in post	e bowl. If domestic use If domestic use If shall be consistainless steel If shall be 0, 9 If hall be 1, 25 m If tom, no fixing of If be sealed with If doost form top	structed of Type 304 stainless d with splash backs, tiling keys at for bowls and draining boards mm thick, but for draining boards m thick. In front or exposed sides shall be mould resistant silicone sealer
	495		escription: Install Hydro boil or as sp		pasin type gevser complete
	500		escription: Replace pressure control		** * *
	509	All neces	escription: Vertical or Horizontal chass ssary holes shall be cut in walls, floo damage shall be made good in all tr faction of the Representative/Agent	rs, roofs, ceilin ades, after pip	igs, etc. for pipes, brackets, etc. es, etc. have been built in, all to
	511	Copper p SABS Sp shall be of couplings surfaces the Mana lodged in and SAB proper ar	scription: Install / replace water pipe pipes for domestic water services in pecification 460 Class 2 and 3. For used. Pipe work shall be of Class 2 is in strategic places. No exposed su except where it is avoidable and pro- ager. A proper inclination shall be many them. All pipe work to be installed in S 0252 code of practice. Provision in inchoring there of. All pipe runs shound	all cases shall applications be or the rovision of the control of the control of the control of the compliance of the co	I comply with the requirements of slow ground only Class 2 or 3 must be made for union I piping will be permitted on wall unsightly, all to the approval of ing pipes so that no air can be with manufacturers specification for thermal expansion and the
		Provision capillary soutting the core wire cloth afte	scription: Supply a water point. must be materior union couplings solder type fittings or and brass con e pipe-ends square with a pipe cutto solder and approved self cleaning or jointing. All necessary couplings, a may be required, shall be provided	apression fitting er. For capillary paste. Joint sha connectors, be	gs, each joint being formed by y fittings use only 2 mm solid all be wiped clean with a damp ands, elbows, tees and other
_)OE				

550 Work description: Seal roof / flashing against wall / seal ridging joint. Special precaution and care shall be taken when walking on roof not to break roof tiles, any tiles that are broken by contractor shall be replaced by contractor at his cost. Apply Ever bond or approved membrane and sealer as specified by the manufactures. The membrane shall be at lease 250 mm wide. This gives a 125mm membrane on the vertical wall and 125mm on the sloping horizontal roof. Pre-saturated type can be used for large jobs.

TENDER NO:	ASSET NO:	02AX344B

ITEM NO. SPECIFICATIONS PER ITEM.

Work description: Clean roof, pealing paint.

Remove all loose paint from roof to galvanized coating. Galvanized coating must not be removed or damaged. Rinse thoroughly with fresh water. Use new, clean broom, sweep roof covering and allow roof to dry before applying the spot primer to rusted areas. N.B. Any damage to roofing covering, shall be repaired or replaced by the contractor at his own expense.

589 Work description: Paint roof ASSBESTOS

ALL WORK ON ASBESTOS ROOF TO BE DONE IN ACCORDANCE WITH ASBESTOS REGULATIONS

Special precaution and care shall be taken when walking on roof not to break roof sheets, any sheets that is broken by contractor shall be replace by contractor on his cost. Do small repairs as necessary. Such repairs could consist of jobs like bandaging cracks in broken tiles, replacing tiles. Contact project manager to inspect any defect before doing repairs Paint roof as per paint manufacture specifications.

Don't paint when it's too hot! Don't paint when it's too cold! Don't paint if rain tooks imminent! Don't paint when it's windy or misty! Don't paint if there's likely be dew after sunset! Rather paint in overcast weather, but don't paint if rain is likely to fall within 4 hours! Obviously, you must choose the day and then decide if the conditions are favourable!

Using a good quality wide long-bristled paint brush, apply at least TWO even coats of APROVED ACRYLIC ROOF Paint finishing evenly in a uniform direction to give the job an attractive appearance from down below. Overcoat time shall be 4 hours or as per paint manufactures specification

EVEN IF THE PROJECT MANAGER DID APPROVED THE ROOF TO BE PAINTED AFTER THE ROOF HAD BEEN CLEANED, THE CONTRACTOR WILL STILL BE RESPONSIBLE IF THE PAINT PEEL IN THE RETENTION OR GUARANTEE PERIOD. AS THE CONTRACTOR SHALL WORK PREPARE AND APPLY THE PAINT ACCORDING TO THE MANUFACTURE SPECIFICATIONS

- 598 Work description: Paint expose roof timber purlin. Item include cleaning by washing off a wirt. Remove all loose, chalky, flaking, peeling paint from wood, sand and wipe off sanding dust with damp cloth and leave to dry before applying paint.
- Work description: Paint expose roof timber sprockets.
 Item include cleaning by washing off all dirt. Remove all loose, chalky, flaking, peeling paint from wood, sand and we off sanding dust with damp cloth and leave to dry before applying paint.

GUTTERS/DOWNPIPES

- 629 Work description: Paint gutters outside complete Previously painted gutters: Remove all defective paint, sand gutter complete and clean surface from all dust and dirt. Apply one coat universal undercoat and one coat of closs enamel.
- d

WALLS EXTERIOR	 .5	100000	1.	er er erhalige er kan her er		 A 10 A A A A A A A A A A A A A A A A A A	7.7
WALLSTEXIERIOR	 			一次就的现在时间 有表现的现在分词	A 4 1 10 10 10	 医无足管性 经基础保险 经税值	٠.
					A	 a management of the first transfer	٠.

636	Previously pa	otion: Paint down pipe ainted down pipes: R ust and dirt. Apply on	e complete emove all defective paint, le coat universal undercoa	sand down pipe o t and one coat of	ompletely and gloss enamel
/ALLS	EXTERIOR	tog to selve be to selve the			
Tend	erer signature	e:	Date:	l1	
					Page 4 of 5

TENDER NO: ASSET NO: 02AX344B

ITEM NO. SPECIFICATIONS PER ITEM.

684 Work description: Paint wall, brick finish.

All paint work shall be done to the specification of the manufacturer. Over coating time shall be allowed as specified by the manufacturer. All surfaces not being painted, such as brick work, sills, floors and the like must be covered up and protected against spotting before any painting commences. No sweeping or dusting shall be allowed while painting is in progress or while paint is still wet. All items that are more cost effective to be removed from wall and to be re-fixed, must be removed to avoid cutting in against items such as notice boards and other items.. Dry film thickness to be 90µm per coat.

A PREVIEW COPY ONLY

Tenderer signature: Da	ate:/_	1
------------------------	--------	---

EXTERIOR WORK LIST

ASSET NO 02AX344B

KITCHEN AT SCS INFRA STORE

BLOEMFONTEIN

-				O L.		•		
No	EXTERIOR WORK ITEM	UNI	r FRONT	LEFT	BACK	RIG	IT TOTAL	
RO	OD							
تنتشنينا	Seal roof flashing 300mm to 400mm wide with ever bond and membrane or with Abe super acryl liquid water proofing and membrane. Item includes corr iron, IBR or tile roof finish	M	6	0	0	0	6	
579	Prepare roof for painting where existing paint is pealing, remove all loose paint, sand roof to provide bond for new paint, clean and rinse roof with clean water and broom, roof area is length x width (area do not include roof sheet profile)	M^2	74	0	0	0	74	
2/4/2/2	Paint asbestos roof sheets 2 coats white Dulux roof guard or Plascon nu roof paint, overcoat time 4 hours, area is length x width (area do not include roof sheet profile) (see attached paint specification)	M^2	75	0	0	0	75	
	Paint exposed roof timber purlin, paint 1 pink wood primer, 1 coat universal undercoat and 2 coats white Dulux roof guard paint, apply paint only after preparation as per attached specification	M	24	791	0	0	24	
	Paint exposed roof timber sprockets, 1 coat universal undercoat and 2 coats white 2 coats white Dulux wall guard or Dulux roof guard, bare wood areas shall be spot primed with wood primer, apply paint only after preparation as per attached specification.	Se de la companya de		0	10. 0 ., y	0	12	
GUT	TERS/DOWNPIPES							
629 S ()	Supply paint and paint gutters outside corplete size mm x mm) 2 coats paint, 20m = 0.30m2, after all preparations as specified was lone, (see attached specification)	M	24	0	(10 0	0	24	
	o preparations as specified, paint down pipe omplete 2 coats paint, after all preparations as pecified was done, (see attached specification)	EA	4	0	(0)	0	4	
WAL	LS EXTERIOR							
684 P D pi a:	raint exterior brick wall, not plastered, with 2 coats to the coats to	M^2	70	0	0	0	70	

ANNEXURE B

CONTRACTOR TENDER PRICE LIST PER ITEM

BUILDING DESCRIPTION KITCHEN AT SCS INFRA STORE

CITY / TOWN: BLOEMFONTEIN

TENDER NO:

ASSET NO: 02AX344B

CONTRACTOR TENDER PRICE LIST FOR INTERIOR AND EXTERIOR WORK TO BUILDINGS

Measurements and or quantities do not include off cuts or waste all measurements of material is measure as nett fixed. Contractor to add his own % for off cuts and waste.

The contractor is responsible to check all the measurements and quantities before odering any material. The measurement and quantities are only a guide for tender purposes.

Value Added Tax (VAT) shall be excluded in the schedule of rates and prices.

To be supplied by the Contractor: The Contractor shall provide all labour, material, transport, consumable stores, plant, equipment, tools, services, materials and ingredients of every description required for the carrying out and completion of the WORK as per the attached worklist and specification and as may be ordered by the Project Manager.

GENERAL: The Building will be occupied during renovations, The Project manager, contractor and manager of the TFR staff using the building will discuss and agree on site the maintanance plan for the building. The necessary move of furfiture in the same room if necessary is included in all the items. All normal cleaning, prepartion include sanding, stopping and wash of items to be painteded as specified by the paint manufacturer is included in all the paint items, Were abnormal cleaning is required it will be specified as an additional item. All scaffolding and use of ladders up to 4.50m high interior and exterior if and as necessary is part of all the items. All work shall be done according to the attatched specifications and shall comply with the National building regulations. Unless otherwise specified all materials must comply with SANS specifications. Where no applicableSANS Specification exists the materials must be approved by the Transnet freight rail project manager.

All material shall be fitted, install or applied as specified by the manufacture.

The contractor shall be liable for any damages cause by him or his staff to any Transnet freight rail properly and or equipment.

SAFTEY: The contractor shall comply with the Occupational Health Safety Act, 1993 (Act 85 of 1993).

	Page 1 of 4	TOT BUS	AL PAGE	1					
END	ENDER NO: ASSET NO: 02AX344B								
ITEM NO	FAULT DISCRIPTION	ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT				
	CEILINGS		Notes Vales	······································	,				
31	Install donn or Mac steel type suspending ceiling with 12,7mm thick laminated white vinyl rhinodek tiles complete	23	M^2						
	WALLSINTERIOR		eriorialità Partitorialità Partitorialità						
70	Chip 80% of wall area to be tiled and apply key coat to wall be laying ceramic tiles, key coat shall be apply according the manufacturer specification on container	fore 58	M^2 [
•	Tenderer signature:	Date:		. /					

Page 2 of 4	SUB TOTAL	PAGE 2	

		Page 2 of 4	SU	в тот	AL PA	GE 2		
TEN	DER NO:	ASSET NO	: 0	2AX34	4B		L	
ITE NO	M FAULT DISCRIPTION		. E	ITEM TOTAL	MEASU UNIT	•	NIT ATE	ITEM AMOUNT
7'	Apply key coat to wall before laying ce be applied according the manufacturer (use Item when tiling direct on to straig)	specification on conta	alner)	58	M^2			
75	Lay 1st grade ceramic glazed wall tiles spacers, item include walls, reveals, so shower walls, use white grout, use only approved by project manager adhesive	iffits, sills and top of Tylon wb11 adhesive		58	M^2			
	WINDOWSJNTERIOR				Shirt Shirt			
169	Install/replace approved Venetian blinds x mm drop, colour = slats was available 15mm, 25mm, 35mm and 50m	idth = mm. (slats wi		3	EA			
	WINDOWS INT AND EXT				MANY MANY MANY			
198	Paint residential small pane type windo coat universal undercoat and 2 coats. D lockness code-3l1-5, item includes remoglass area and cleaning of glass, see do	ulux water-base peart oving all old paint from	olo	3	EA			
	DOORS/SECURITY GATES		(1837) (1837)					
272	Varnish door complete both sides, side coats varnish, use exterior varnish on ex 2.03m door = 3.66m2, door 750mm x 2.000 preparations as per attached detailed sp	kterior side, door 810m 03m door = 3,42m2, a	ım x	1	EΔ			
	DOORERAMES							
312	Paint door frame with fan light, undercoa pearlglo lockness code-311-5, item includ window, single frame.115mm=1,85m2, 2 frame 1511mmx115mm =2,1 m2, 230mr included	des the paint of fan lio 230mm=2.50m2, do it	le	1	EA		I	
	CURBOARDS				900-14 5680:			
430	Fit 600mm wide natural oak Formica pos nose, length as specified (specify length) work top	at own top one side but for specify different ty	ull /pe	4	М			
	PLUMBING INTERIOR				YANA Wasan			
488	Fit / replace sink taps 15 mm vill cobra l with star handle and chrome wated brass	heavy pattern bib taps s extension pipe.	6	2	EA			
489	Fit or replace sink trap single sink			1	EA		T	
490	Replace sink only, item exclude cablnet, 530mm wide single bowl **overlay**drop (read attached detail specifications)	fit 1200mm long x in** stainless steel sin	ık.	1	EA		Ī	
495	Install/ replace under basin geyser compl and filtings, see item for piping and to sur exclude electrical work	ete, item exclude pipia oply water point. Item	ng	1	EA			
500	Replace geyser pressure control valve co	mplete, type ??		1	EΑ		Т	
	Vertical or horizontal chasing for pipes up deep, make good after pipes, installation repair to match wall finish.	o to 25mm wide x 50m has been completed,	nm (4 1	M			
	Install water pipes 15mm class 2 copper p in wall and or in roof, item exclude fittings, point cover the fittings. (pipes in wall, all th inspected before closing of pipes with plas	, item to supply water to pipe work shall be	or i	6 1	M			

i enderer signature:	Date:	1 1	!

Page 3 of 4 **SUB TOTAL PAGE 3 TENDER NO:** ASSET NO: 02AX344B FAULT DISCRIPTION ITEM ITEM MEASURE UNIT AMOUNT NO TOTAL UNIT RATE 516 Fit a water point class 2 copper pipe, item include as necessary £Α 15mm and or 22mm capillary or compression fittings, this is to supply all materials and labour to bring the necessary water to the basin, shower, cistern or sink, but excludes the pipe work 550 Seal roof flashing 300mm to 400mm wide with ever bond and 6 М membrane or with Abe super acryl liquid water proofing and membrane, item includes corr iron, IBR or tile roof finish Prepare roof for painting where existing paint is pealing, remove 74 M^2 all loose paint, sand roof to provide bond for new paint, clean and rinse roof with clean water and broom, roof area is length x width (area do not include roof sheet profile) 589 Paint asbestos roof sheets 2 coats white Dulux roof guard or 75 M^2 Plascon nu roof paint, overcoat time 4 hours, area is length x width (area do not include roof sheet profile) (see attached paint specification) Paint exposed roof timber purlin, paint 1 pink wood primer, 1 coat 24 598 universal undercoat and 2 coats white Dulux roof guard paint. apply paint only after preparation as per attached specification 599 Paint exposed roof timber sprockets, 1 coat universal undercoat and 2 coats white 2 coats white Dulux wall guard or Dulux roof guard, bare wood areas shall be spot primed with wood primer. apply paint only after preparation as per attached specification. GUTTERS/DOWNPIPES 629 Supply paint and paint gutters outside complete (size 24 М mm) 2 coats paint. 1.0m = 0.30m2, after all preparations as specified was done. (see attached specification) Do preparations as specified, paint down pipe complete 2 coals paint, after all preparations as specified was attached 636 EΑ specification) WALLS EXTERIOR Paint exterior brick wall, not plastered, with 2 coats Dulux wall guard paint or similar paint approved by project manager, apply paint only after preparation as perattached specification has been done, colour: Dulux barely being code 3hi-1. 684 70 M^2

Tenderer signature:	Da	ate: /	'	ľ

	Page 4 of 4	SUB TOT	AL PAGE	4	
TENDER NO:	ASSET NO	02AX34	4B		
ITEM FAULT DISCRIPTION NO		ITEM TOTAL	MEASURE UNIT	UNIT RATE	ITEM AMOUNT
PRELIMINARY AND GENERAL					
P and G shall include all cost not direct relate to a specific item on the schedule prices and rates. All items not specifical mentioned in the Schedule of Rates and prices and form part of contractor's requirements such as cost of stationery	e of P+G lly I RISK A	ND SAF	TEY [
well as establishment of workers on site removal of site establishment, it will als include the handing over of the site to the contractor and the handing back of the	o TOTAL 1e	. CIVIL			
after completion of work.	TOTAL	ELECT	RICAL		
RISK ASSESSMENTAND SAFTEY INDUCT Cost for the risk assessment must include a identification of the risks before the work stanecessary equipment, appropriate precaution of work must be provided and implemented.	full rts and the	SUB TO	OTAL [
Cost for the risk assessment and saftey include compliance with the current Occupational He	de complete alth Safety Act.	TOTA			
included in risk and saftey, The standardised freight rail induction shall be given to all staff confractors at the start of each project and the shall send all his staff that will work on the Trail site to the induction on the date as agreed TFR Project manager and the confractor	of all e contractors ansnet freight I on between	40			
The sub total price, excluding V	AT, must be ca	arried ove	er to the	Service	Fee and
Cost Form, Section 6 of the RFQ					
the Service Fee and Cost Form.					
Tenderer signature:		Date:		T	

TRANSNET SOC LIMITED

(Registration no. 1990/000900/30)

SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT (ACT 85 OF 1993) AND APPLICABLE REGULATIONS

1. General

- 1.1 The Contractor and Transnet Limited (hereinafter referred to as "Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as a employer of its own employees working on or associated with the site or place of work, and the Contractor and Technical Officer or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the Works.
- 1.5 In the event of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

2. Definitions

- 2.1 In this Specification any word or expression to which a meaning has been assigned in the Construction Regulations, shall have the meaning so assigned to it, unless the context otherwise indicates: -
- 2.2 The work included in this Contract shall for the purposes of compliance with the Act be deemed to be "Construction Work", which, in terms of the Construction Regulations, 2003 means any work in connection with: -
 - (a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;
 - (b) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
 - (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
 - (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;
- 2.3 "competent person" in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;
- 2.4 "contractor" means principal contractor and "subcontractor" means contractor as defined by the Construction Regulations, 2003.
- 2.5 "fall protection plan" means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;

- 2.6 **"health and safety file"** means a file, or other record in permanent form, containing the information required to be kept on site in accordance with the Act and applicable Regulations;
- 2.7 **"Health and Safety Plan"** means a documented plan which addresses the hazards identified and include safe work procedures to mitigate, reduce or control the hazards identified;
- 2.8 "Risk Assessment" means a programme to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;
- 2.9"the Act" means the Occupational Health and Safety Act No. 85 of 1993.

3. Procedural Compliance

- 3.1 The Contractor who intends to carry out any construction work shall, before carrying out such work, notify the Provincial Director in writing if the construction work:-
 - (a) includes the demolition of a structure exceeding a height of 3 metres; or
 - (b) includes the use of explosives to perform construction work; or
 - (c) includes the dismantling of fixed plant at a height greater than 3m,

and shall also notify the Provincial Director in writing when the construction work exceeds 30 days or will involve more than 300 person days of construction work and if the construction work:-

- (a) includes excavation work deeper than involved
- (b) includes working at a height greater than 3 metres above ground or a landing.
- 3.2 The notification to the Provincial Director shall be on a form similar to Annexure A of the Construction Regulations, 2003, also shown in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, Technical Officer or employee.
- 3.3 The Contractor shall, in accordance with the Act and applicable Regulations, make all the necessary appointments of competent persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Technical Officer. Copies should also be retained on the health and safety file.
- 3.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the Technical Officer.
- 3.5 In the case of a self-employed Contractor or any subcontractor who has the appropriate competencies and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.
- 3.6 The Contractor shall, before commencing any work, obtain from the Technical Officer an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Transnet's safety requirements and procedures.

4. Special Permits

Where special permits are required before work may be carried out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Technical Officer or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of: ~
 - (i) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health of his employees and subcontractors in terms of section 8 of the Act;
 - (ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
 - (iii) ensuring, as far as is reasonably practical, in terms of section 37 of the Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- 5.2 The Contractor's Health and Safety Programme shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.
- 5.3 The Contractor shall cause a risk assessment contemplated it clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall form part of the Health and Safety programme to be applied on the site and shall include at least the following:
 - (a) The identification of the risks and hazards that persons may be exposed to;
 - (b) the analysis and evaluation of the hazards identified;
 - (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified;
 - (d) a monitoring and review plan.
- 5.4 The Health and Safety Planshall include full particulars in respect of: -
 - (a) The safety chanagement structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of safety committees where applicable;
 - (b) the safe working methods and procedures to be implemented to ensure the work is performed in compliance with the Act and Regulations;
 - (c) the safety equipment, devices and clothing to be made available by the Contractor to his employees;
 - (d) the site access control measures pertaining to health and safety to be implemented;
 - (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Technical Officer with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and
 - (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored for the duration of the Contract.
- 5.4 The Health and Safety programme shall be subject to the Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.

- 5.5 The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between the them, but at least once every month.
- 5.6 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.
- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.
- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.10 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the Risk Assessment before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.11 The Contractor shall ensure that all visitors to a construction site undergoes health and safety induction pertaining to the hazards prevalent on the site and shall be provided with the necessary personal protective equipment.

6. Fall Protection Plan

- 6.1.1 In the event of the risk and hazard identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working risks an elevated position the contractor shall cause the designation of a competent person, responsible for the preparation of a fall protection plan;
- a competent person, responsible for the preparation of a fall protection plan;
 6.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of Contract.

 The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.
- 6.3 The fall protection plan shall victude:-
 - (a) A Risk Assessment of all work carried out from an elevated position;
 - (b) the procedures and methods to address all the identified risks per location;
 - (c) the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
 - (d) the training of employees working from elevated positions; and
 - (e) the procedure addressing the inspection, testing and maintenance of all fall protection equipment.

7. Hazards and Potential Hazardous Situations

The Contractor and the Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

8. Health and Safety File

8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Technical Officer, or subcontractor upon request.

- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Technical Officer.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.

PREVIEW COPY ONLY

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Regulation 3(1) of the Construction Regulations

NOTIFICATION OF CONSTRUCTION WORK

1(a)	Name and postal address of principal contractor:
(b)	Name and tel. no of principal contractor's contact person:
2.	Principal contractor's compensation registration number:
3.(a)	Name and postal address of client:
(b)	Name and tel no of client's contact person or agent;
4.(a)	Name and postal address of designer(s) for the project:
(b)	Name and tel. no of designer(s) contact person:
5.	Name and telephone number of principal contractor's construction supervisor on site appointed in terms of regulation 6(1).
6.	Name/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of regulation 6(2).
7.	Exact physical address of the construction site or site office:
8.	Nature of the construction work:
9.	Expected commencement date:
10	Expected completion date:

11. E	stimated maximum number of perso	ons on the construction site:	
12. P	anned number of contractors on th	e construction site accountable to the prin	ciple contractor:
13.	Name(s) of contractors already cl	hosen.	
		_	
Princi	pal Contractor	111	Date
Client		, 0	Date

THIS DOCUMENT IS TO BE FORWARDED TO THE DEPARTMENT OF LABOUR PRIOR TO COMMENCEMENT OF WORK ON SITE.

* ALL PRINCIPAL CONTRACTORS THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE SAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK.

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

SECTION/REGULATION:	
REQUIRED COMPETENCY:	
In terms of	I,
representing the Employer) do hereby appoir	nt
As the Competent Person on the premises at	
(physical address) to assist in compliance wit	th the Act and the applicable Regulations.
Your designated area/s is/are as follows :-	<i>'</i> \(\sqrt{''} \)
	70
Date :	COR T
Signature :-	
Designation :-	<u>/</u>
ACCE	PTANCE OF DESIGNATION
<i>I</i> ,	do hereby accept this Designation and acknowledge that I
understand the requirements of this ap	ppointment.
Date :	
Signature :-	
Designation :-	

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

DECLARATION

	Chief Executive Officer, defined in Section 1 of the Act and in terms of Section 16(1), I will, as ly practicable, ensure that the duties and obligations of the Employer as contemplated in the
Signature :- Date :	
	TEN

(LETTER HEAD OF BUSINESS DIVISION OR UNIT OF TRANSNET LIMITED)

SITE ACCESS CERTIFICATE

Access to :	(Area)
Name of Contractor/Builder : Contract/Order No.:	
Contracty of act No	
The contract works site/area described abo	ove are made available to you for the carrying out of associated works
In terms of your contract/order with (company)	
Kindly note that you are at all times respunder your control having access to the sit	consible for the control and safety of the Works Site, and for personse.
and Safety Act, 1993 (Act 85 of 1993) as a	nsible for compliance with the requirements of the Occupational Health amended, and all conditions of the Contract pertaining to the site of the ontract documents including the plans of the site or work areas forming
Signed :	Date :
TECHNICAL OFFICER	
ACKI	NOWLEDGEMENT OF RECEIPT
Name of Contractor/Builder	I,
	do hereby acknowledge and accept the duties
and obligations in respect of the Sa Health and Safety Act; Act 85 of 199.	afety of the site/area of Work in terms of the Occupationa 3.
Name :	
Signature :	