



TRANSNET FREIGHT RAIL
a Division of
TRANSNET SOC LIMITED
(Registration No. 1990/000900/06)

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

ISSUE DATE : 22 FEBRUARY 2012
CLOSING DATE : 06 MARCH 2012
OPTION DATE : 30 JUNE 2012
CLOSING TIME : 10H00
BRIEFING DATE : 28 FEBRUARY 2012
BRIEFING TIME : 10H00
VENUE : TZANEEN STATION

FOR DIRECTION PLEASE CONTACT : H. DE VILLIERS (083 303 6245)

TENDER BOX ALLOCATED AT THE CHAIRPERSON TRANSNET FREIGHT RAIL ACQUISITION COUNCIL, GROUND FLOOR, INYANDA HOUSE 1, 21 WELLINGTON ROAD, PARKTOWN, JOHANNESBURG

TENDER ENVELOPE TO BE MARKED AS FOLLOWS:
RFQ NUMBER: CRAC-POE-8370
RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)
Please note that late responses and those Delivered or posted to the wrong address will be disqualified



REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

SCHEDULE OF DOCUMENTS

- 1. Notice to Bidders**
- 2. Requisition for quotation**
- 3. Certificate of Attendance of RFQ Information meeting**
- 4. Scope of Work and General specification**
- 5. Safety : Act 85 of 1993 E4E**
- 6. Returnable Schedules / Documents**
- 7. Supplier Declaration Form**
- 8. General Tender Conditions (CSS5 – goods)**
- 9. Standard Terms and Conditions of Contract (US7 - Services)**
- 10. Non-Disclosure Agreement**
- 11. Supplier Code of Conduct**



SECTION 1

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

NOTICE TO BIDDERS

Quotations are requested from interested Respondents to supply the above-mentioned requirement to TRANSNET FREIGHT RAIL.

On or after **22/02/2012** the RFQ documents may be inspected at, and are obtainable from the office of TRANSNET Freight Rail, Tender Advise Centre, Ground Floor, Inyanda House 1, 21 Wellington Road, Park town.

A non-refundable tender fee of R100.00 (inclusive of Vat) is applicable per tender (listed below). Payment is to be made to Transnet Freight Rail, Standard Bank Account number 203158598, Branch code 004805. The deposit slip must reflect the tender number and the Company Name.

NOTE: This amount is not refundable.

Receipts to be presented prior to collection of the RFQ

A **COMPULSORY** information meeting will be held at the following venue:

VENUE : **TZANEEN STATION**
Time : **10h00**
Date : **28 FEBRUARY 2012**

The site meeting is compulsory and companies not attending will be overlooked during the tender awarding process. Respondents without a valid RFQ document in their possession will not be allowed to attend the compulsory clarification meeting. Make sure that you bring your safety shoes and reflective vest on site.

NAME : Esther Tyam/
Tel : (011) 773 8557
Email : Esther.Tyam@transnet.net

Tenders in duplicate must reach the Secretary, TRANSNET Freight Rail Acquisition Council, before the closing hour on the date shown below, and must be enclosed in a sealed envelope which must have inscribed on the outside:

Tender No	: CRAC-POE-8370
Description	: RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)
Closing date and time:	06 MARCH 2012 at 10h00
Closing address (refer options below)	

DELIVERY INSTRUCTIONS FOR THIS RFQ:

- 1** If posted, the envelope must be addressed to the Chairperson, TRANSNET Freight Rail Acquisition Council, P .O. Box 4244, Johannesburg 2000 and must be dispatched in time for sorting by the Post Office to reach the Chairperson before the closing time of the RFQ. In the event of the late receipt of a Proposal, the Respondent's franking machine impression will not be accepted as proof that the response was posted in time.
- 2** If delivered by hand, the envelope is to be deposited in the TRANSNET tender box which is located at the main entrance, Inyanda House, 21 Wellington road, Park town, Johannesburg and should be addressed as follows:

**THE CHAIRPERSON
TRANSNET FREIGHT RAIL ACQUISITION COUNCIL
INYANDA HOUSE
21 WELLINGTON ROAD
PARKTOWN
JOHANNESBURG
2001**

The measurements of the "tender slot" are 500mm wide x 100mm high, and Respondents must please Ensure that response documents or files are not larger than the above dimensions. Responses which are Too bulky (i.e. more than 100mm thick) must be split into two or more files, and placed in separate Envelopes.

It should also be noted that the above tender box is located at the main entrance and is accessible to the public 24 hours per day, 7 days a week.

- 3** If dispatched by courier, the envelope must be addressed as follows and delivered to the Office of The Chairperson, TRANSNET Freight Rail Acquisition Council and a signature obtained from that Office.
1. Please note that this RFQ closes punctually at 10:00 on Tuesday **06 MARCH 2012**
 2. If responses are not posted or delivered as stipulated herein, such responses will not be considered and will be treated as "UNRESPONSIVE".
 3. NO EMAIL OR FACSIMILE RESPONSES WILL BE CONSIDERED
 4. The responses to this RFQ will be opened as soon as practicable after the expiry of the time advertised for receiving them.
 5. TRANSNET shall not, at the opening of responses, disclose to any other company any confidential details pertaining to the Quotations received, i.e. pricing, delivery, etc. The names and location of the Respondents will, however, be divulged to other Respondents upon request.
 6. Envelopes must not contain documents relating to any RFQ other than that shown on the envelope.
 7. No slips are to be attached to the response documents. Any additional conditions must be embodied in an accompanying letter. Alterations, additions or deletions must not be made by the Respondent to the actual RFQ documents.

8. **BROAD-BASED BLACK ECONOMIC EMPOWERMENT (“BBBEE”)**

TRANSNET fully endorses and supports the South African Government’s Broad-Based Black Economic Empowerment Programme and it is strongly of the opinion that all business enterprises have an equal obligation to redress the imbalances of the past. TRANSNET would therefore prefer to do business with business enterprises who share these same values and who are prepared to contribute to meaningful BBBEE initiatives (including and not limited to enterprise development, subcontracting and Joint Ventures) as part of their tender response.

Transnet would accordingly allow a “preference” in accordance with the 10% preference system, as per the Preferential Procurement Policy Framework Act 5 of 2000 (as amended) to companies who provide a BBBEE accreditation Certificate. All procurement and disposal transactions in excess of R30000 will be evaluated accordingly. All transactions below R 30,000 will as far as possible be earmarked for EME’s.

TRANSNET consequently urges Respondents (Large enterprises and QSE’s – see below) to have themselves duly accredited by any one of the Accreditation Agencies **approved** by SANAS (South African National Accreditation System, under the auspices of the DTI).

In terms of Government Gazette No. 32467, Notice No. 810 dated 31 July 2009, as from 1 February 2010 only BBBEE certificates issued by Accredited Verification Agencies of Verification Agencies that are in possession of a valid pre-assessment letter from South African National Accreditation System will be valid.

However accreditation certificates issued by non-accredited verification agencies before 01 February 2010 and which are still within their one (1) year validity period will still be acceptable, until their expiry date provided that the accreditation was done in accordance with the latest codes (i.e. those promulgated on 9 February 2007).

BBBEE Accreditation Certificates issued after the published date i.e. 01 February 2010, by a Verification Agency not approved by SANAS, will NOT be acceptable as from 01 February 2010.

Enterprises will be rated by such Accreditation Agencies based on the following:

- (a) **Large Enterprises (i.e. annual turnover >R35 million):**
 - Rating level based on all 7 (seven) elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (b) **Qualifying Small Enterprises – QSE (i.e. annual turnover >R5 million but <R35 million):**
 - Rating based on any 4 (four) of the elements of the BBBEE scorecard
 - Enterprises to provide BBBEE certificate and detailed scorecard (to be renewed annually)
- (c) **Exempted Micro Enterprises – EME (i.e. annual turnover <R5m are exempted from being rated or verified):**
 - Automatic BBBEE Level 4 rating, irrespective of race ownership, i.e. 100% BBBEE recognition
 - Black ownership >50% or Black Women ownership >30% automatically qualify as Level 3 BBBEE rating, i.e. 110% BBBEE recognition

- EME's should provide documentary proof of annual turnover (i.e. audited financials) plus proof of Black ownership if Black ownership >50% or Black Women ownership >30% (to be renewed annually) from their Auditors / Accounting Officers

In addition to the above, Respondents who wish to enter into a Joint Venture (JV) or subcontract portions of the contract to BBBEE companies must state in their Tenders / Proposals the percentage of the total contract value which would be allocated to such BBBEE companies, should they be successful in being awarded any business. A rating certificate in respect of such BBBEE JV-partners and/or sub-contractors, as well as a breakdown of the distribution of the aforementioned percentage allocation must also be furnished with the tender response to enable Transnet to evaluate / adjudicate on all tenders received on a fair basis.

Each Respondent is required to furnish proof of its BBBEE status (Certificate and Detailed Scorecard) and ensure that the documentation is valid at the date of Tender Submission as stipulated above to TRANSNET.

Failure to submit your BBBEE Certificate and Detailed Scorecard will result in a score of zero being allocated for BBBEE evaluation.

<p>Turnover: Indicate your company's most recent annual turnover:</p> <p>R.....</p>
--

- If annual turnover <R5m, please attach auditors / accounting officers letter confirming annual turnover and percentage black ownership as well as Black Women ownership
- If annual turnover >R5m please attach BBBEE certificate and detailed scorecard from an accredited rating agency.

The DTI has created an online **B-BBEE Registry** (<http://www.dti.gov.za>) in order to provide a central and standardized source of the B-BBEE status of all entities, and to facilitate the flow of this information amongst entities by providing a Unique Profile Number (UPN) per each listing. Existing and prospective suppliers are therefore urged to list their B-BBEE status on the DTI Registry. Hence, entities verified by DTI, will receive the following benefits:

- Their BBBEE status will be verified and confirmed by the DTI, before listing on the Registry
- Listing on the Registry will provide suppliers the option to market themselves on the DTI B-BBEE Opportunities Network. This is a search engine that is designed to help businesses find B-BBEE compliant entities who match specific requirements in terms of the nature of services/goods provided, region, B-BBEE status or other search criteria.

Transnet supports this DTI initiative and will use the DTI Registry to verify prospective and existing suppliers' BBBEE credentials.

Kindly provide Transnet with your DTI B-BBEE UNIQUE PROFILE NUMBER with all tender submissions.

<p>DTI BBBEE UNIQUE PROFILE NUMBER:</p> <p>.....</p>

Failure to submit your BBBEE information in terms of the above-mentioned clauses will result in a score of zero being allocated for BBBEE evaluation.

9 COMMUNICATION

Respondents are warned that a response will be liable to disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of TRANSNET in respect of an RFQ between the closing date and the date of the award of the business.

A respondent may, however, BEFORE THE CLOSING DATE AND TIME, direct any enquiries relating to the RFQ to the TRANSNET employee as indicated in (2) above.

10. RFQ SCHEDULE

Respondents will be contacted as soon as practicable with a status update. At this time short-listed Respondents may be asked to meet with TRANSNET representatives. Respondents are to provide a list of persons who are mandated to negotiate on behalf of their company, together with their contact details.

10.1 INSTRUCTIONS FOR COMPLETING THE RFQ

- (i) Sign one set of documents (sign and date the bottom of each page). This set will serve as the legal and binding copy. A duplicate set of documents is required. This second set can be a copy of the original signed Proposal.
- (ii) Both sets of documents to be submitted to the address specified above.
- (iii) The following returnable documents must accompany all Proposals:
 - The Respondent's latest audited financial statements;
 - The Respondent's valid Tax Clearance Certificate.
 - A CD copy where applicable

11. COMPLIANCE

The Respondent shall be in full and complete compliance with any and all applicable State and Local Laws and Regulations.

12. ADDITIONAL NOTES:

- All returnable documents as indicated in the Proposal Form (Section 3) must be returned with the response
- Changes by the Respondent to its submission will not be considered after the closing date
- The person or persons signing the Proposal must be legally authorized by the Respondent to do so (Refer Section 4). A list of those person(s) authorized to negotiate on your behalf must be submitted along with the Proposal
- All prices must be quoted in South African Rand
- TRANSNET reserves the right to undertake post-tender negotiations with the preferred Respondent or any number of short-listed Respondents

NB: Unless otherwise expressly stated, all Proposals furnished pursuant to this Request shall be deemed to be offers. Any exceptions to this statement must be clearly and specifically indicated. TRANSNET reserves the right to reject any or all offers.

**FAILURE TO OBSERVE ANY OF THE ABOVE-MENTIONED REQUIREMENTS
MAY RESULT IN THE PROPOSAL BEING REJECTED.**

13. DISCLAIMERS

Respondents are hereby advised that TRANSNET is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Proposal in response to it. In particular, please note that TRANSNET reserves the right to:

- modify the RFQ's Goods or Services and request Respondents to re-bid on any changes
- reject any Proposal which does not conform to instructions and specifications which are detailed herein
- disqualify Proposals submitted after the stated submission deadline
- not necessarily accept the lowest priced Proposal
- reject all Proposals, if it so decides
- award a contract in connection with this Proposal at any time after the RFQ's closing date

- award only a portion of the proposed Goods or Services which are reflected in the scope of this RFQ
- split the award of the contract between more than one Supplier
- make no award of a contract

Kindly note that TRANSNET will not reimburse any Respondent for any preparation costs or other work

Performed in connection with the Proposal, whether or not the Respondent is awarded a contract.

14. Any PROPOSAL submitted by a Respondent is subject to negotiation and review of the proposed contract by Trans net's Legal Counsel.

NAME OF RESPONDENT:

PHYSICAL ADDRESS:

Indent's contact person:	Name:	_____
	Designation:	_____
	Telephone:	_____
	Cell phone:	_____
	Facsimile:	_____
	Email:	_____

**TRANSNET urges its clients and suppliers to report
Any fraud or corruption
On the part of Transnet' employees to
TIP-OFFS ANONYMOUS: 0800 003 056**



SECTION 2

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER :CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

REQUISITION FOR QUOTATION

COMPANY NAME:

.....

.....

.....

Tel (011)
Fax (011)

ISSUE DATE 22 -02- 2012

CLOSING DATE 06- 03- 2012 (10h00)

SUPPLY CHAIN SERVICES	
Contact: Esther Tyam	
Tel: 011 773 8557	
Fax:011 773-2020	

Prices in South African currency, including all costs.			
Direct to consignees			
ITEM NO:	DESCRIPTION		
1.	RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)		
Total price for the service			
2.Prices must be V.A.T. exclusive			
3. Direct delivered to:	TZANEEN		
4.Contact person:	Esther Tyam 011 773-8557/ HENRY 083 303 6245		

5.COMPULSARY DOCUMENTS

NOTE

- 5.1.Return of tender documents
The tender documents must be submitted on the closing date in **duplicate** and failure To do so will automatically disqualify your offer.
- 5.2.The following documents are compulsory, and they must be attached to the tender document
If it's a copy must be certified.

If **Not** your tender will not be considered.

- a) Tax Clearance Certificate
- b) Supplier Declaration Form
- c) Current Vat Registration No.
- d) BBBEE level certification and Score Card

6. FRAUD HOTLINE

Transnet strives to be fair, equitable and just in all its dealings with tenderers. As such we encourage all tenderers to report any practice, activity or information that they are aware of or become aware of which may result in any perception of or actual fraud being committed against or in the name of Transnet. The hotline details are:-

Hotline telephone: 0800 003 056

Email: transnet@tip-offs.com

Fax: 0800 007 788

All information received will be treated with the utmost confidentiality

7. BUSINESS ADJUDICATION CRITERIA:

7.1."Order winning criteria"

7.1.1.Competitive pricing

7.1.2 References/ previous performance record

7.2."Technical"

7.3. Compliance to specification

7.4. Technical Capacity/ resources

7.3."BBBEE"

7.3.1.Provide BBBEE level Certification

SIGNATURE OF TENDERER: _____

Date: _____



SECTION 3

REQUEST FOR QUOTATION (“RFQ”)

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

CERTIFICATE OF ATTENDANCE

8. RFQ SITE MEETING:

A COMPULSORY information meeting will be held at the following venue:

PPE SAFETY CLOTHING MUST BE WORN ON SITE

VENUE : TZANEEN STATION
Time : 10H00
Date : 28 FEBRAURY 2012

The site meeting is compulsory and companies not attending will be overlooked during the tender awarding process.

Contact people on sites: (Esther Tyam)

8.1. **ATTENDANCE CERTIFICATE**

This is to certify that.....

Representative/s of

Has/have today attended the Tender briefing in respect of the proposed:

.....

TRANSNET’S REPRESENTATIVE

TENDERER’S REPRESENTATIVE

DATE :

VERY IMPORTANT

ANY TENDERER NOT ATTENDING THE INFORMATION MEETING WILL AUTOMATICALLY BE EXCLUDED FROM THE BUSINESS AWARDING PROCESS

SIGNATURE OF TENDERER: _____ **Date:** _____

REFERENCES: _____

COMPANY INFORMATION

9. STATEMENT OF WORK (S) SUCCESSFULLY CARRIED OUT BY THE TENDERER:

Tenderes are to advise which other companies have they successfully provided or are currently providing similar services.

Service Description	For whom done	Period	Contact person and Telephone or Cell number

SIGNATURE OF TENDERER:

Date: _____



SECTION 4

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

SCOPE OF WORK

SIGNATURE OF TENDERER:

Date: _____



TZANEEN: RENOVATE INFRA ABLUTION FOR MEN, AS PER GENERAL AND TECHNICAL SPECIFICATIONS. (ASSET NO. 02AP082P.)(28 MEN)

Schedule of work and prices

Item	Description	Quant	Unit	Price	Amount
1	BRICKLAYER:SHOWER ROOM: Break out shower floor 1/2,86x0,98x0,10m (2,80m ²) Break concrete out under was hand basin 1/2,00x0,40x0,30m. (0,80m ²)	1	M3		
2	Break 2 steps out 1/1,00x0,60m. and level ground.	0,60	M2		
3	NEW TOILET: Break out existing steel door frame 114mm with wood door. (Used wood door in new toilet.)	1	EA		
4	SHOWER ROOM AND KITCHEN: Break out existing steel windows. (2/1,49x0,61m)	2	EA		
5	SHOWER ROOM, KITCHEN AND NEW TOILET: Break out 114mm brick wall. (1/1,14x2,57m)(1/0,88x0,50m)	4	M2		
6	NEW LOCKER ROOM: Break through existing face brick-wall 230mm and build in 114mm steel door frame with out fan-light. (RH)	1	EA		
7	SHOWER ROOM AND KITCHEN: Break out 230mm brick wall. (1/1,80x2,77)	5	M2		
8	Behind shower: Break old urinal out 1/0,73mx0,70m	1	EA		
9	NEW LOCKER ROOM: Excavate in medium soft soil for foundations. (2/6,42x0,60x0,50m)(1/2,94x0,60x0,50m)	5	M3		
10	NEW LOCKER ROOM: Cast concrete 20MPa in foundations.(2/6,42x0,60x0,30)(1/2,94x0,60x0,30m)	3	M3		
11	NEW LOCKER ROOM: Back fill on floor and compacted. (1/6,00x2,94x0,20m thick)	3,5	M3		
12	NEW LOCKER ROOM: Cast concrete floor 76mm thick (25MPa.) (1/6,00x2,94m) (1,34m ³ concrete)	18	M2		
13	SHOWER ROOM: Cast new shower floors 100mm thick. (5/1,03x0,91m) (0,47m ³ concrete)	5	M2		
14	NEW LOCKER ROOM: Supply 25mm topping on concrete floor, with woodfloat finishing.25MPa(6x2,94m)	18	M2		
15	NEW LOCKER ROOM: Remove every 3 courses one brick on corners at existing wall 230mm to make a joint with new face-brick wall.	56	BRICKS		
16	NEW LOCKER ROOM: Build a 230mm foundation wall dark blue facebrick with 150mm brick force every second row and the same colour as the existing foundation. (2/6,23x0,60m)(1/2,94x0,60m)	10	M2		
17	NEW LOCKER ROOM AND NEW TOILET: Build 230mm face- brick wall with 150mm brick force every fourth row and the same colour as the existing building. Yellow Brown.) (2/6,23x2,77m) (1/2,94x2,77m)(1/0,88x2,05m)	45	M2		
18	NEW LOCKER ROOM: Build in wire roof anchors.	12	EA		
19	NEW LOCKER ROOM AND NEW TOILET: Supply and lay SABS 375U 230mm DPC on floor and bricks before building.	21	M2		
20	NEW TOILET AND SHOWERS: Build 114mm brick wall with common bricks, and 75mm brick force every fourth row. (0,65x2,57m high)(1/0,88x0,65m high)(4/1,14x1,83m high)(1/1,80x2,77m high)	17	M2		

	(5/0,91x0,25m high)				
21	NEW LOCKER ROOM AND SHOWER ROOM: Supply yellow brown face brick and build brick on edge window sill complete with DPC NSABS170U 150mm.	8	M		
22	NEW LOCKER ROOM, Supply and fit 115mm Nutec window sill.	5	M		
23	NEW TOILET: Build new 114mm steel door frame in with out fanlight. (LH)	1	EA		
24	SHOWER ROOM AND NEW TOILET: Brake through existing face brick-wall (230mm) and Build E1H steel windows in. (0,530mx0,654m) with glass and putty.	7	EA		
25	NEW LOCKER ROOM: Build E4H steel windows in. (1,511 widex0,654m high) with glass and putty.	3	EA		
26	SHOWER ROOM: Remove old 150x150mm wall tiles from walls. (1/2,86x1,83m)(2/1,00x1,83m.)	10	M2		
27	SHOWER ROOM: Plaster shower walls (8/1,14x2,05m) (2/0,17x5,21)(1/114mmx5,21m) (2/1,80x2,05m)	30	M2		
28	SHOWER ROOM: MOSAIC TILES ON SHOWER FLOOR. Fit new Mosaic tiles in showers.(First Grade)(Non-Slip) (Dove Grey)(6mm spacing) Only in showers, Apply Pro-Grip Basecoat to floor, and fixed with TAL Gold Star 6 hour Porcelain Adhesive and flush pointed with TAL Anti Bacterial Dove Grey Tinted Epoxy Grout. (Available from Tile Africa.)	5	M2		
29	SHOWER ROOM, URINAL AREA AND TOILETS: Chip walls (Chipping 25mm apart) Apply Pro-Grip Basecoat to walls.	103	M2		
30	SHOWER ROOM, LOCKER ROOM, URINAL AREA AND TOILETS: FLOOR TILES: Supply and fix 3333N TEC PIG GRANI FLOOR 1 ST GRADE 300mmX300mm8.5mm Full Bodied Porcelain tile with 6mm spacing, 100mm tiled skirting (similar to floor tiles) with white plastic edge cover strip. Fix with TAL Gold Star 6 hour Adhesive and flush pointed with TAL Anti Bacterial Dove Grey Tinted Epoxy Grout must be used in Kitchens, Toilets and Shower areas. (Available from Tile Africa.)	40	M2		
31	SHOWER ROOM, URINAL AREA AND TOILETS: (Chip floor.) (Chipping 50mm apart) Apply Pro-Grip Basecoat to floor.	19	M2		
32	SHOWER ROOM, URINAL AREA AND TOILETS: WALL TILES: Supply and fix Johnson's GWC-4 200X200mm Gloss White Wall Tiles with 3mm spacing. Fixed withTAL Gold Star 6 Hour Porcelain Adhesive and flush pointed with TAL Super White Fine Grout. Finish of with white plastic strips on out side corners. (Available from Tile Africa.)	133	M2		
	CARPENTER:				
33	NEW TOILET: Used the existing wood door and fit it in the new steel door frame. Fix 3mm hardboard on back side of wood door.(Now it is a flushback door.)	1	EA		
34	NEW TOILET IN SHOWER ROOM AND LOCKER ROOM: Install hardboard doors.	2	EA		
35	NEW TOILET IN SHOWER ROOM: Install indicator lock to door.(Chrome finish)	1	EA		
36	EXISTING TOILET, NEW TOILET, SHOWER ROOM AND LOCKER ROOM: Install two lever SABS UNION mortice locks.	4	EA		
37	SHOWER ROOM: Install one heavy duty door- closer.	1	EA		
38	NEW LOCKER ROOM: Fix 114mmx38mm wood wall plate to wall.	12	M		

39	NEW LOCKER ROOM: Fix 114mmx38mmx5m wood rafters to wall plate and fix it with wire roof anchors.	6	EA		
40	NEW LOCKER ROOM: Fix 50mmx76mmx9m wood purlins to rafters, with sceenail fixing.	45	M		
41	NEW LOCKER ROOM: Fix Corrugated iron to wood purlins, with 65mm pozi-drive screws and 19mm Bonded washers.(170 Pzi-drive and 170 Bonded washers) Corrugated iron. (11/4,60m Long)	11	SHEET S		
42	NEW LOCKER ROOM: Fix 230mmx12mm Newtec faciaboards to purlins and rafters.	18	M		
43	KITCHEN, SHOWER ROOM AND NEW TOILET: Remove light fittings and old Ceiling for scrap.	24	M2		
44	KITCHEN, SHOWER ROOM AND NEW TOILET: Install NEWTEC Ceiling board, with Bishof Strips and extra brandering.	43	M2		
45	KITCHEN, SHOWER ROOM AND NEW TOILET: Fix 76mm Rino Cornice to ceilings and walls.	66	M		
46	Remove Mango tree to make space for new locker room.	1	JOB		
	PLUMBER:				
47	KITCHEN: Remove old Geyser for scrap.	1	JOB		
48	KITCHEN, SHOWER ROOM, TOILETS, URINAL AND WASH HAND BASENS: Remove all the Galvanice water pipes at walls, inside and outside.	1	JOB		
49	SHOWERS, TOILETS, URINAL AND WASH HAND BASENS: Chase and install all the copper pipes 15mm-22mm for showers, urinals, toilets and wash hand basens complete.	1	JOB		
50	SHOWER ROOM: Remove old gully and install 110mm Concrete Gullys complete with grid.	2	EA		
51	SHOWER ROOM AND TOILET AREA. Remove toilet pan and cistern, install Low Level Vaal Pottery pan with separate porcelian cistern. (Close Cuple)	3	EA		
52	SHOWER ROOM AND TOILET AREA. Install toilet seat white heavy duty plastic ECONO B2.	3	EA		
53	TOILETS: Install toilet paper holder <u>Three Roll Lockable Toilet Paper Dispenser</u> attached to wall.	3	EA		
54	SHOWER ROOM: Install shower taps Cobra under tile Stopcock-Star type. (Hot and Cold)	10	EA		
55	SHOWER ROOM: Install shower roses Cobra, Chrome Swivel with Swan Neck Extention.	5	EA		
56	SHOWER ROOM: Install shower door Aluminium Pivot Obscure Safety glass.	5	EA		
57	SHOWER ROOM: Install shower P-Trap Brass Deep Seal with Chrome Grid.	5	EA		
58	SHOWER ROOM: Install Wash Hand Basens 450mmx530mm Vaal Porcelain on wall mounted fixing brackets, with Chrome Outlet, Plug and Chain	5	EA		
59	SHOWER ROOM: Install Wash Hand Basin Taps, Cobra Heavy Duty Pillar Taps Star Type.(Hot + Cold)	10	EA		
60	SHOWER ROOM: Install 450mmx600mm silver Mirror, mounted flush with tiles using double sided tape above wash hand basins eye level high.	5	EA		
61	SHOWER ROOM: Install wash hand basin P-Trap Anti VAC Plastic Bottle Trap.	5	EA		
62	SHOWER ROOM AND URINAL AREA: Install Urinal wall mounted Vaal Porcelain Flatback Lavetera with Flush Masters.	3	EA		
63	Ablution Geyser: Replace new 200 liter,	1	EA		

	600 kpa Kwikot geyser vertical (SABS) outlet and blanket. Provide vacuum breakers and close off valve. Provide earthing strap to geyser and earthing spike.(Do the installation complete with pipes and fittings.)				
64	ABLUTION Geyser: Install Master Flow Pressure control valve Cobra 600kpa with close off valve.	1	EA		
65	SHOWER ROOM: Install Chrome plated soap dishes (screw type)	5	EA		
66	TOILETS: Remove all the 110mm Cast iron sewerage fittings, out side and replace with 110mm PVC fittings. (Do the sewerage work complete.)	1	JOB		
67	LADIES AND MEN ABLUTION: Lay a new 110mm PVC sewerage pipe (40m) to the Septicktank. On the locker room corner build a new 500x600mm manhole. (Do the sewerage work complete.)	1	JOB		
68	MEN ABLUTION: Install 50mm PVC waist pipes complete.	2	EA		
69	MEN ABLUTION: Remove old gutter and install new White Chrome Adeck gutter. 1/17,00x125mmx80mm.	17	M		
70	MEN ABLUTION: Remove old down pipes and install <u>three</u> new white Chrome Adeck down pipes. (3/3,00x100mmx75mm.)	3	EA		
71	Clean Existing French Drain. Do extra excavations to make the French Drain bigger. New excavations is 8.00m longer x 1,50m wide x 1,50m deep. (Extra 150mm stone and Corrugated Iron.) CLEAN EXISTING FRENCH DRAIN AND SEPTICTANK: Open up existing french drain <u>IN EARTH</u> , (Any type or size.) Excavate to clear drain, trim sides, remove and clean hand stone, replace and add any necessary hand stone, remove and replace second hand Corrugated Iron covering including cutting to size, backfill and leave complete. Dig a hole in ground 1/1,50x1,50x1,50m deep, throw all the Septicktank junk in the hole and fil it up with ground.	1	JOB		
	<u>ELECTRICAL: ALL ELECTRICAL WORK MUST BE DONE ACCORDINGLEY TO MUNICIPALITY RULE'S AND SPECIFICATIONS.</u>				
72	MEN ABLUTION: Remove DB board for scrap. Remove main cable, and install cable with new Lockable Surface Mounted DB. in the new locker room.(Install new circuitbrakers for lights and Geyser.) (Do this installation complete)	1	JOB		
73	MEN ABLUTION: Supply Locker Room, Shower room and urinal area with new wireing, double light switch in locker room and <u>five</u> light fittings V/Proof 2x36W SB 05983025. All the Condiut must be build in or chased in walls. (Do this work complete)	1	JOB		
74	MEN ABLUTION: Supply existing toilet and new toilet with new wireing, double light switch and <u>two</u> light fittings, type Gallary and PVC Bowl with <u>two</u> energy globes. All the Condiut must be build in or chased in walls. (Do this work complete)	1	JOB		
75	MEN ABLUTION: Install <u>three</u> bathroom Extractor Fan 300mm Expell air through wall. Install a exstra switch for Extractor Fans, not on light switches. (Do this installation complete)	1	JOB		
76	MEN ABLUTION: GEYSER: Do electrical wiring from DB to Geyser complete with new Circuit- breaker and Isolater.	1	JOB		

	PAINTER:				
77	MEN ABLUTION: Paint new Ceilings 3 Coats Dulux Dura 65 White.	40	M2		
78	MEN ABLUTION: Paint 114mm steel door frames 3 Coats paint. 1 Coat Dulux Univer White Undercoat. 2 Coats Dulux Pearl glo Lockness code – 3L 1-5.	5	EA		
79	MEN ABLUTION: Paint wood doors 3 Coats paint. 1 Coat Dulux Universal White Undercoat. 2 Coats Dulux Pearl glo Lockness code – 3L 1-5.	5	EA		
80	MEN ABLUTION: Paint Steel windows 3 Coats paint. 1 Coat Dulux Universal White Undercoat. 2 Coats Dulux Pearl glo Lockness code – 3L 1-5. (8/0,53x0,65m)(3/1,51x0,65m)(1/0,97x0.31m) (1/1,46x0,31m)(1/0,97x0,61m)(1/1,53x0,61m)	15	EA		
81	MEN ABLUTION: LOCKER ROOM: Paint window sills inside 3 Coats. 1 Coat Dulux Universal White Undercoat. 2 Coats Dulux Pearl glo Lockness code – 3L 1-5.	5	M		
82	MEN ABLUTION: Paint 114mmx38mm wood sprockets 2 Coats paint (14/0,74m)(14/0,30m) 1 Coat Dulux Universal White Undercoat. 1 Coat Dulux White High Gloss.	15	M		
83	MEN ABLUTION: Paint new 114mmx38mm wood sprockets 3 Coats paint (6/0,74m)(6/0,30m) 1 Coat Dulux Pink Wood Primer. 1 Coat Dulux Universal White Undercoat. 1 Coat Dulux White High Gloss.	6	M		
84	MEN ABLUTION: Paint 50mmx76mm wood purlins 2 Coats paint. (2/9,88m)(3/,30) 1 Coat Dulux Universal White Undercoat. 1 Coat Dulux White High Gloss.	21	M		
85	MEN ABLUTION: Paint new 50mmx76mm wood purlins 3 Coats paint.(3/,30m)(2/6,53m) 1 Coat Dulux Pink Wood Primer. 1 Coat Dulux Universal White Undercoat. 1 Coat Dulux White High Gloss.	14	M		
86	MEN ABLUTION: Paint 230mmx12mm faciaboard 2 Coats Dulux Dura 65 White.	41	M		
87	MEN ABLUTION: Paint Corrugated iron roof 3 Coats paint. 1 Coat Primer NS4 White. 2 Coat Cottage White Heat Reflective paint Dulux Roof Guard.	72	M2		
88	MEN ABLUTION: Stencil Asset no. on wall 02AP082. (Size of numbers 50mm)	1	JOB		
89	MEN ABLUTION: Men shower room, fit 2/0,60m meranti skirting to wall, and screw CP hooks on skirting to hanging cloths on.	6	HOOK S		
90	Clean site.	1	JOB		
			TOTAL		
			14%		
		GRAN D	TOTAL		

Schedule of work and prices

Item	Description	Quant	Unit	Price	Amount
	<u>BRICKLAYER:</u>				
1	<u>SHOWER FLOOR:</u> Remove old Mosaic floor tiles. (1/0,89x0,86m)_(Chip floor) (Chipping 50mm apart) Fit new Mosaic tiles in shower. (First Grade) (Non-Slip)(Dove Grey)(6mm spacing) Apply Pro-Grip Basecoat to floor, and fixed with TAL Gold Star 6 hour Porcelain Adhesive and flush pointed with TAL Anti Bacterial Dove Grey Tinted epoxy Grout.	1	M2		
2	<u>SHOWER WALLS:</u> Chip wall's, (chipping 25mm apart) Apply <u>PRO-GRIP BASECOAT</u> to walls. Supply and fix <u>JOHNSON'S 150x150mm GLOSS WHITE WALL TILES</u> with 3mm spacing and white plastic surrounds on tile corners. Fixed it with <u>TAL GOLD STAR 6 HOUR PORCELAIN ADHESIVE</u> and flush pointed with <u>TALSUPER WHITE FINE GROUT</u> . Only in showers mix grout with <u>BOND - IT</u> before used.	7	M2		
3	<u>WASHAND BASEN ROOM AND TOILET:</u> Chip walls, (chipping 25mm apart) Apply <u>PRO-GRIP BASECOAT</u> to walls. Supply and fix <u>Johnson's GWC-4 200X200mm Gloss White Wall Tiles</u> with 3mm spacing. Fixed with <u>TAL Gold Star 6 Hour Porcelain Adhesive</u> and flush pointed with <u>TAL Super White Fine Grout</u> . Finish of with white plastic strips on out side corners. (Available from Tile Africa.)	36	M2		
4	<u>IN SHOWER:</u> Remove Grout on <u>EXISTING</u> Wall tiles, used <u>TALSUPER WHITE FINE GROUT</u> . Only in showers mix Grout with <u>BOND - IT</u> before used.	1	JOB		
5	<u>IN SHOWER:</u> Install two air bricks.	2	EA		
	<u>PLUMBER:</u>				
6	<u>TOILET:</u> Install 9 lit Plastic Cistern Complete	1	EA		
7	<u>TOILET:</u> Install rubber cone.(white)	1	EA		
8	<u>TOILET:</u> Install toilet seat White Heavy Duty Plastic B2.	1	EA		
9	<u>TOILET:</u> Install toilet paper holder, three roll lockable toilet paper dispenser attached to wall.	1	EA		
10	<u>WASHAND BASEN ROOM:</u> Install new WHB 450mmx530mm Vaal Porcelain on wall mounted fixing brackets, with Chrome Outlet, Plug and Chain.	1	EA		
11	<u>WASHAND BASEN ROOM:</u> Install <u>COBRA HEAVY DUTY PILLAR Taps Star Type.</u> (Hot and Cold.)	2	EA		
12	<u>IN SHOWER:</u> Install shower taps <u>COBRA</u> under tile Stopcock- Star Type. (Hot and Cold)	2	EA		
13	<u>IN SHOWER:</u> Install Shower Rose <u>COBRA</u> Chrome Swivel with Swan Neck Extention.	1	EA		
14	Remove old Geyser for scrap.	1	EA		
15	<u>Ablution Geyser:</u> Install out side ablution 150 LIT <u>KWIKOT GEYSER HORIZONTAL 400kpa</u> , with blanket. Provide <u>VACUUM</u> breakers and close off valve(Ball Stop and Handel.) Provide earthing strap to Geyser and earthing spike. Do all the water pipe's	1	EA		

	(COPPER) from Geyser to shower and warm water for wash hand basin, do the installation complete.				
16	Ablution Geyser: Install one Pressure Control Valve Master flou, Cobra 600Kpa with one close off valve Ball-Stop and Handel Chrome Plated.	1	JOB		
17	SHOWER, WASH HAND BASIN, TOILET AND GEYSER: Remove all the Galvanice water pipes and Replace with Copper pipes, chaist in wall.	1	JOB		
18	SHOWER and WASH HAND BASIN, Remove all the Galvanice waist pipes and replace with 50mm PVC pipe.	1	JOB		
19	WASH HAND BASIN AND TOILET: Remove and replace 3 new Flexible Connectors, with 3/15mm close off valves Ball-Stop and Handel Crome Plated.	1	JOB		
20	110MM SEWERAGE PIPES: Connec ladies sewerage pipes with men sewerage pipes.	1	JOB		
21	STAND PIPE OUTSIDE: Remove Galvanice stand pipe and replace with Copper pipe fixed to wall with pipe holder bats.	1	EA		
22	LADIES ABLUTION: Remove and replace mirror 1/450mmx600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basin eye level.	1	EA		
23	SHOWER: Install Chrome plated soap dish (screw type)	1	EA		
24	LADIES ABLUTION: Remove old gutter and install new White Chrome Adeck gutter. 1/6,05mx125mmx80mm.	6.00	M		
25	LADIES ABLUTION: Remove old down pipes and install <u>two</u> new white Chrome Adeck down pipes. (3/3,00x100mmx75mm.)	2	EA		
	<u>ELECTRICAL: ALL ELECTRICAL WORK MUST BE DONE ACCORDINGLEY TO MUNICIPALITY RULE'S AND SPECIFICATIONS.</u>				
26	SHOWER ROOM, AND LOCKER ROOM: Install <u>two</u> light fittings V/Proof 2x36W SB 05983025. (Complete)	2	EA		
27	TOILET: One light fitting type Gallary and PVC Bowl with <u>one</u> energy globe.	1	EA		
28	LADIES ABLUTION: Install <u>one</u> bathroom Extractor Fan 300mm Expell air through wall. Install a exstra switch for Extractor Fans, not on light switches. (Do this installation complete)	1	JOB		
29	LADIES ABLUTION GEYSER: Do electrical wiring from DB to Geyser complete with new Circuit - breaker and Isolater. (Do the installation complete.)	1	JOB		
	<u>PAINTER:</u>				
30	LADIES ABLUTION: Paint Ceilings 2 Coats Dulux Dura 65 White. (1/3,00mx1,97m)(1/1,99mx1,85m) (1/1,90mx0.89m)(1/0,88mx1,90m)(1/0,88mx0,63m)	14	M2		
31	LADIES ABLUTION: Paint 114mm steel door frames 3 Coats paint. 1 Coat Dulux Univer White Undercoat. 2 Coats Dulux Pearl glo Lockness code – 3L 1-5.	4	EA		
32	LADIES ABLUTION: Paint wood doors 3 Coats paint. 1 Coat Dulux Universal White Undercoat. 2 Coats Dulux Pearl glo Lockness code – 3L 1-5.	4	EA		
33	LADIES ABLUTION: Paint Steel windows 3 Coats paint.	5	EA		

	1 Coat Dulux Universal White Undercoat. 2 Coats Dulux Pearlglø Lockness code – 3L 1-5. (2/0,97X0,30m)(1/0,97x0,60m)(2/0,39x0,60m)				
34	LADIES ABLUTION: Paint 114mmx38mm wood sprockets 2 Coats paint. (5/0,40m) 1 Coat Dulux Universal White Undercoat. 1 Coat Dulux White High Gloss.	2	M		
35	LADIES ABLUTION: Paint 50mmx76mm wood purlins 2 Coats paint. 1 Coat Dulux Universal White Undercoat. 1 Coat Dulux White High Gloss. (2/6,05m)(6/0,30m)	14	M		
36	LADIES ABLUTION: Paint 230mmx12mm faciaboard 2 Coats Dulux Dura 65 White.	21	M		
37	LADIES ABLUTION: Paint Corrugated iron roof 2 Coats Paint. Cottage White Heat Reflective paint Dulux Roof Guard.(1/6,10X3,90m)	24	M2		
38	LADIES ABLUTION: Stencil Asset no. on wall 02AP082. (Size of numbers 50mm)	1	JOB		
39	LADIES SHOWER: Ladies shower room, fit 1/0,60m meranti skirting to wall, and screw CP hooks on skirting to hanging cloths on.	3	HOOKS		
40	Clean site.	1	JOB		
			TOTAL		
			14%		
		GRAND	TOTAL		
		D			

TZANEEN: RENOVATE KITCHEN FOR INFRA PERSONNEL AS PER GENERAL AND TECHNICAL SPECIFICATIONS. (02AP 081P)

Schedule of work and prices

Item	Description	Quant	Unit	Price	Amount
	BRICKLAYER:				
1	NEW KITCHEN: Remove up-roll galv. door. (1/3,14 wide x 2,48 high)	1	EA		
2	NEW KITCHEN: Build Garage door opening close, face-brick out side and common bricks in side with 150mm brick force every forth row and the same colour as the existing building. (230mm Brick-wall) (1/3,14X2,48m)	8	M2		
3	NEW KITCHEN: In the left side of garage door opening build in 114mm steel door frame with out fanlight. (RH) In the left side of the middle wall build in 114mm steel door frame with out fanlight. (RH)	2	EA		
4	NEW KITCHEN: Remove every 3 courses one brick on existing wall 230mm to make a joint with new face-brick wall.	36	BRICKS		
5	NEW KITCHEN: Supply and lay SABC 375U 230mm DPC under bricks before building.	4	M		
6	NEW KITCHEN: Supply yellow brown face brick and build brick on edge window sill complete with DPC NSABS170U 150mm.	5	M		
7	NEW KITCHEN: Inside supply and fit 115mm Nutec window sill.	5	M		

8	NEW KITCHEN: Brake through existing face brick-wall (230mm) and build D4FH steel windows in. (3/1,511X1,245m) with <u>burglar bar, glass and putty.</u>	3	EA		
9	NEW KITCHEN: In middle of Kitchen build 114mm Comman brick wall and 75mm brick force <u>every forth row.</u>	12	M2		
10	NEW KITCHEN: Plaster walls, finish off with wood float finishing(1/3,14X2,48m)(2/3,88x3,01m)	32	M2		
11	NEW KITCHEN: (Chip floor.) (Chipping 50mm apart) Apply Pro-Grip Basecoat to floor. (1/7,33x3,88m)	30	M2		
12	NEW KITCHEN: Supply and fix 3333N TEC PIG GRANI FLOOR 1 ST GRADE 300mmX300mm8.5mm Full Bodied Porcelain tile with 6mm spacing, 100mm tiled skirting (similar to floor tiles) with white plastic edge cover strip. Fix with TAL Gold Star 6 hour Adhesive and flush pointed with TAL Anti Bacterial Dove Grey Tinted Epoxy Grout must be used in Kitchens, Toilets and Shower areas. (Available from Tile Africa.)	30	M2		
13	NEW KITCHEN: (Chip walls.) (Chipping 25mm apart) Apply Pro-Grip Basecoat to walls. (2/7,33X3,01m)(1/3,88x3,01m)	56	M2		
14	NEW KITCHEN: Supply and fix Johnson's GWC-4 200X200mm Gloss White Wall Tiles with 3mm spacing. Fixed withTAL Gold Star 6 Hour Porcelain Adhesive and flush pointed with TAL Super White Fine Grout. Finish of with white plastic Supply and fix Johnson's GWC-4 200X200mm Gloss White Wall Tiles with 3mm spacing. Fixed withTAL Gold Star 6 Hour Porcelain Adhesive and flush pointed with TAL Super White Fine Grout. Finish of with white plastic strips on out side corners. (Available from Tile Africa.)(2/7,33x3,01m)(4/3,88x3,01m)	93	M2		
15	KITCHEN TO ABLUTION'S: Cast Concrete foot path 20mpa, wood float finishing. (Cast 3M Concrete blocks)(1/20,00mx800mmx76mm thick) = (16m2) (1/12,00mx800mmx76mm thick) = (10m2) All the out side corners must be nosing.	26	M2		
	CAPENTER:				
16	NEW KITCHEN: Supply kitchen cabinet with 4 white Malamine wood doors, and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material. One Malamine rack in middle of cabinet. (2/1,80m length x 570mm wide x 900mm high)	2	EA		
17	NEW KITCHEN: Supply kitchen sink (double bay) with 4 wihte steel doors and one steel rack in middle. (1/1,80m length x 530mm wide x 870mm high)	1	EA		
18	NEW KITCHEN: Install hardboard door.	1	EA		
19	NEW KITCHEN: Install Meranti flushback door.	1	EA		
20	NEW KITCHEN: Install two lever SABS UNION mortice locks.	2	EA		
21	NEW KITCHEN: Fix Brandering, Newtec Ceiling Board, Bisuf – strips, Cornice, and one Trap door 1/700x700mm.	30	M2		
22	NEW KITCHEN: Fix burglar bar to existing window.	1	JOB		
	NEW KITCHEN: Cut trees on roof.	1	JOB		

	PLUMBER:				
23	NEW KITCHEN: Install Wash Hand Basen 450mmx530mm <u>Vaal Porcelain</u> on wall mounted fixing brackets, with <u>Chrome Outlet, Plug and Chain</u>	2	EA		
24	NEW KITCHEN: Install Wash Hand Basin Taps, Cobra Heavy Duty Pillar Tap Star Type. (Hot & Cold)	4	EA		
25	NEW KITCHEN: Install wash hand basin and sink P-Trap Anti VAC Plastic Bottle Trap.	3	EA		
26	NEW KITCHEN: Install Cobra Mixer-Star type (sink)	1	EA		
27	NEW KITCHEN: Install new 100 liter, 600 kpa Kwikot geyser vertical (SABS) outlet and blanket. Provide vacuum breakers and close off valve. Provide earthing strap to geyser and earthing spike.(Do the installation complete with pipes and fittings.)	1	EA		
28	NEW KITCHEN: Install Master Flow Pressure control valve Cobra 600kpa with close off valve.	1	EA		
29	NEW KITCHEN: Chase and install all the copper pipes 15mm-22mm for wash hand basen and sink complete.	1	JOB		
30	NEW KITCHEN: Install 110mm Concrete Gully complete with grid and 110mm PVC fittings.	1	EA		
31	NEW KITCHEN: Lay a new 110mm PVC sewerage pipe (18m) to the Septicktank.	18	M		
32	NEW KITCHEN: Install 50mm PVC waist pipes complete with fittings.	2	EA		
33	NEW KITCHEN: Remove old gutters and install new White Chrome Adeck gutters. 2/9,00x125mmx80mm.	18	M		
34	NEW KITCHEN: Remove old down pipes and install <u>two</u> new white Chrome Adeck down pipes. (3/3,00x100mmx75mm.)	2	EA		
	<u>ELECTRICAL: ALL ELECTRICAL WORK MUST BE DONE ACCORDINGLEY TO MUNICIPALITY RULE'S AND SPECIFICATIONS.</u>				
35	INFRA BOARDROOM (MAIN DB BOARD) Install 10mm 3 core cable from Infra building to new kitchen DB board.	25	M		
36	INFRA BUILDING: (MAIN DB BOARD) Install Circuit Breaker 40amp.	1	EA		
37	NEW KITCHEN: Install new Lockable Surface Mounted DB board, with: 1/30amp Double Pole Isolater. 1/30amp Earthly Citch. 1/15amp Circuit Breaker. (For Plugs) 1/10amp Circuit Breaker. (For Lights) 1/15amp Circuit Breaker. (For Geyser) 1/30amp Isolater.	1	JOB		
38	NEW KITCHEN: GEYSER: Do electrical wiring from new DB to Geyser complete with new Circuit - breaker and Isolater. Do the geyser instalation complete.	1	JOB		
39	NEW KITCHEN: Install two surface double wall plugs with wireing and coduit, chase in wall. Do the plug instalation complete, with 15amp Circuit Breaker.	2	EA		
40	NEW KITCHEN: Install flourescent light fittings, Anti-corrosive fit. 1,5m double tube Thorn Tech.	2	EA		

	Electronic, with 10amp Circuit Breaker. Do the light instalation complete.				
	PAINTER: (INTERIOR)				
41	NEW KITCHEN: Paint new ceiling <u>3 Coats</u> Dulux. Dura 65 White	30	M2		
42	NEW KITCHEN: Paint steel window frames 3 Coats paint.(3/1,24X1,51m)(1/1,03X0,98m)(Inside & outside 1 Coat Dulux White Universal Undercoat. 2 Coats Dulux Pearl glo Lockness code-3L 1-5.	4	EA		
43	NEW KITCHEN: Paint 114mm steel door frames with out fanlights 3 Coats paint. 1 Coat Dulux White Universal Undercoat. 2 Coats Dulux Pearl glo Lockness code-3L 1-5.	2	EA		
44	NEW KITCHEN: Paint hardboard door 3 Coats paint. 1 Coat Dulux White Universal Undercoat. 2 Coats Dulux Pearl glo Lockness code-3L 1-5.	1	EA		
45	NEW KITCHEN: Sand Meranti hard wood door, 3 Coats clear varnish (Satin) finish.	1	EA		
	NEW KITCHEN: (EXTERIOR)				
46	NEW KITCHEN: Paint wood sprockets 114mmx38mm 2 Coats paint. 1 Coat Dulux White Universal Undercoat. 1 Coat Dulux White High Gloss. (800mm length)	14	EA		
47	NEW KITCHEN: Paint wood purlins 50mmx76mm 2 Coats paint. 1 Coat Dulux White Universal Undercoat. 1 Coat Dulux White High Gloss.	20	M		
48	NEW KITCHEN: Paint 230mm facia boards 2 Coats Dura 65 White. (2/8,39m)	17	M		
49	NEW KITCHEN: Paint 230mm barge boards 2 Coats Dura 65 White. (4/3,10m)	13	M		
50	NEW KITCHEN: Paint Corrugated iron roof 3 Coats paint. 1 Coat Primer NS4 White. 2 Coat Cottage White Heat Reflective paint Dulux Roof Guard.	52	M2		
51	NEW KITCHEN: Stencil asset no. on wall. Size of letters (50mm)(ASSET NO. 02AP081)	1	JOB		
52	Clean site.	1	JOB		
			TOTAL		
			14%		
		GRAND	TOTAL		
		D			

NAME OF THE COMPANY-----

TZANEEN: RENOVATE INFRA ABLUTION FOR MEN, AS PER GENERAL AND TECHNICAL SPECIFICATIONS. (ASSET NO. 02AP082P.)(28 MEN)

SCOPE OF WORK

- 1 **BRICKLAYER:SHOWER ROOM:** Break out shower floor 1/2,86x0,98x0,10m (2,80m2)
Break concrete out under was hand basin
1/2,00x0,40x0,30m. (0,80m2)
- 2 Break 2 steps out 1/1,00x0,60m. and level ground.
- 3 **NEW TOILET:** Break out existing steel door frame 114mm with wood door. (Used wood door in new toilet.)
- 4 **SHOWER ROOM AND KITCHEN:** Break out existing steel windows. (2/1,49x0,61m)
- 5 **SHOWER ROOM, KITCHEN AND NEW TOILET:** Break out 114mm brick wall.
(1/1,14x2,57m)(1/0,88x0,50m)
- 6 **NEW LOCKER ROOM:** Break through existing face brick-wall 230mm and build in 114mm steel door frame with out fan-light. (RH)
- 7 **SHOWER ROOM AND KITCHEN:** Break out 230mm brick wall. (1/1,80x2,77)
- 8 **Behind shower:** Break old urinal out 1/0,73mx0,70m
- 9 **NEW LOCKER ROOM:** Excavate in medium soft soil for foundations.
(2/6,42x0,60x0,50m)(1/2,94x0,60x0,50m)
- 10 **NEW LOCKER ROOM:** Cast concrete 20MPA in foundations.(2/6,42x0,60x0,30)(1/2,94x0,60x0,30m)
- 11 **NEW LOCKER ROOM:** Back fill on floor and compacted. (1/6,00x2,94x0,20m thick)
- 12 **NEW LOCKER ROOM:** Cast concrete floor 76mm thick (25MPA.) (1/6,00x2,94m) (1,34m3 concrete)
- 13 **SHOWER ROOM:** Cast new shower floors 100mm thick. (5/1,03x0,91m) (0,47m3 concrete)
- 14 **NEW LOCKER ROOM:** Supply 25mm topping on concrete floor, with woodfloat finishing.25MPA(6x2,94m)
- 15 **NEW LOCKER ROOM:** Remove every 3 courses one brick on corners at existing wall 230mm to make a joint with new face-brick wall.
- 16 **NEW LOCKER ROOM:** Lay 230mm Damcourse on foundation ready to build foundation.
- 17 **NEW LOCKER ROOM:** Build a 230mm foundation wall dark blue facebrick with 150mm brick force every second row and the same colour as the existing foundation. (2/6,23x0,60m)(1/2,94x0,60m)
- 18 **NEW LOCKER ROOM AND NEW TOILET:** Build 230mm face- brick wall with 150mm brick force every forth row and the same colour as the existing building. Yellow Brown.)
(2/6,23X2,77M) (1/2,94X2,77M)(1/0,88x2,05m)
- 19 **NEW LOCKER ROOM:** Build in wire roof anchors.
- 20 **NEW LOCKER ROOM AND NEW TOILET:** Supply and lay SABC 375U 230mm DPC under bricks before building.
- 21 **NEW TOILET AND SHOWERS:** Build 114mm brick wall with comman bricks, and 75mm brick force every forth row. (0,65x2,57m high)(1/0,88x0,65m hig) (4/1,14x1,83m high)(1/1,80x2,77m high)
(5/0,91x0,25m high)
- 22 **NEW LOCKER ROOM AND SHOWER ROOM:** Supply yellow brown face brick and build brick on edge window sill complete with DPC NSABS170U 150mm.
- 23 **NEW LOCKER ROOM,** Supply and fit 115mm Nutec window sill.
- 24 **NEW TOILET:** Build new 114mm steel door frame in with out fanlight. (LH)
- 25 **SHOWER ROOM AND NEW TOILET:** Build E1H steel windows in. (0,530mx0,654m) with glass and putty.
- 26 **NEW LOCKER ROOM:** Build E4H steel windows in.
(1,511 widex0,654m high) with glass and putty.

- 27 **SHOWER ROOM:** Remove old 150x150mm wall tiles from walls.
(1/2,86x1,83m)(2/1,00x1,83m.)
- 28 **SHOWER ROOM:** Plaster shower walls (8/1,14x2,05m) (2/0,17x5,21)(1/114mmx5,21m)
(2/1,80x2,05m)
- 29 **SHOWER ROOM: MOSAIC TILES ON SHOWER FLOOR.** Fit new Mosaic tiles in showers.(First Grade)(Non-Slip) (Dove Grey)(6mm spacing) Only in showers, Apply Pro-Grip Basecoat to floor, and fixed with TAL Gold Star 6 hour Porcelain Adhesive and flush pointed with TAL Anti Bacterial Dove Grey Tinted Epoxy Grout. (Available from Tile Africa.)
- 30 **SHOWER ROOM, URINAL AREA AND TOILETS:** (Chip walls.) (Chipping 25mm apart)
Apply Pro-Grip Basecoat to walls.
- 31 **SHOWER ROOM, LOCKER ROOM, URINAL AREA AND TOILETS: FLOOR TILES:**
Supply and fix 3333N TEC PIG GRANI FLOOR 1ST GRADE 300mmX300mm8.5mm Full Bodied Porcelain tile with 6mm spacing, 100mm tiled skirting (similar to floor tiles) with white plastic edge cover strip. Fix with TAL Gold Star 6 hour Adhesive and flush pointed with TAL Anti Bacterial Dove Grey Tinted Epoxy Grout must be used in Kitchens, Toilets and Shower areas. (Available from Tile Africa.)
- 32 **SHOWER ROOM, URINAL AREA AND TOILETS:** (Chip floor.) (Chipping 50mm apart)
Apply Pro-Grip Basecoat to floor.
- 33 **SHOWER ROOM, URINAL AREA AND TOILETS: WALL TILES:**
Supply and fix Johnson's GWC-4 200X200mm Gloss White Wall Tiles with 3mm spacing. Fixed with TAL Gold Star 6 Hour Porcelain Adhesive and flush pointed with TAL Super White Fine Grout. Finish of with white plastic strips on out side corners. (Available from Tile Africa.)
- CARPENTER:**
- 34 **NEW TOILET:** Used the existing wood door and fit it in the new steel door frame. Fix 3mm hardboard on back side of wood door.(Now it is a flushback door.)
- 35 **NEW TOILET IN SHOWER ROOM AND LOCKER ROOM:** Install hardboard doors.
- 36 **NEW TOILET IN SHOWER ROOM:** Install indicator lock to door.(Chrome finish)
- 37 **EXISTING TOILET, NEW TOILET, SHOWER ROOM AND LOCKER ROOM:** Install two lever SABS UNION mortice locks.
- 38 **SHOWER ROOM:** Install one heavy duty door- closer.
- 39 **NEW LOCKER ROOM:** Fix 114mmx38mm wood wall plate to wall.
- 40 **NEW LOCKER ROOM:** Fix 114mmx38mmx5m wood rafters to wall plate and fix it with wire roof anchors.
- 41 **NEW LOCKER ROOM:** Fix 50mmx76mmx9m wood purlins to rafters, with scenail fixing.
- 42 **NEW LOCKER ROOM:** Fix Corrugated iron to wood purlins, with 65mm pozi-drive screws and 19mm Bonded washers.(170 Pzi-drive and 170 Bonded washers)
Corrugated iron (1 1/4,60m Long)
- 43 **NEW LOCKER ROOM:** Fix 230mmx12mm Newtec faciaboards to purlins and rafters.
- 44 **KITCHEN, SHOWER ROOM AND NEW TOILET:**
Remove light fittings and old Ceiling for scrap.
- 45 **KITCHEN, SHOWER ROOM AND NEW TOILET:**
Install NEWTEC Ceiling board, with Bishof Strips and extra brandering.
- 46 **KITCHEN, SHOWER ROOM AND NEW TOILET:**
Fix 76mm Rino Cornice to ceilings and walls.
- 47 Remove Mango tree to make space for new locker room.
- PLUMBER:**
- 48 **KITCHEN:** Remove old Geyser for scrap.
- 49 **KITCHEN, SHOWER ROOM, TOILETS, URINAL AND WASH HAND BASENS:** Remove all the Galvanice water pipes at walls, inside and outside.
- 50 **SHOWERS, TOILETS, URINAL AND WASH HAND BASENS:** Install and chase all the copper pipes 15mm-22mm for showers, urinals, toilets and wash hand basens complete.
- 52 **SHOWER ROOM:** Remove old gully and install 110mm Concrete Gullys complete with

grid.

- 53 **SHOWER ROOM AND TOILET AREA.** Remove toilet pan and cistern, install Low Level Vaal Pottery pan with separate porcelian cistern. (Close Cuple)
- 54 **SHOWER ROOM AND TOILET AREA.** Install toilet seat white heavy duty plastic ECONO B2.
- 55 **TOILETS:** Install toilet paper holder Three Roll Lockable Toilet Paper Dispenser attached to wall.
- 56 **SHOWER ROOM:** Install shower taps Cobra under tile Stopcock-Star type. (Hot and Cold)
- 57 **SHOWER ROOM:** Install shower roses Cobra, Chrome Swivel with Swan Neck Extention.
- 58 **SHOWER ROOM:** Install shower door Aluminium Pivot Obscure Safety glass.
- 59 **SHOWER ROOM:** Install shower P-Trap Brass Deep Seal with Chrome Grid.
- 60 **SHOWER ROOM:** Install Wash Hand Basens 450mmx530mm Vaal Porcelain on wall mounted fixing brackets, with Chrome Outlet, Plug and Chain
- 61 **SHOWER ROOM:** Install Wash Hand Basin Taps, Cobra Heavy Duty Pillar Taps Star Type.(Hot + Cold)
- 62 **SHOWER ROOM:** Install 450mmx600mm silver Mirror, mounted flush with tiles using double sided tape above wash hand basins eye level high.
- 63 **SHOWER ROOM:** Install wash hand basin P-Trap Anti VAC Plastic Bottle Trap.
- 64 **SHOWER ROOM AND URINAL AREA:** Install Urinal wall mounted Vaal Porcelain Flatback Lavetera with Flush Masters.
- 65 **Ablution Geyser:** Remove and replace new 200 liter, 600 kpa Kwikot geyser vertical (SABS) outlet and blanket. Provide vacuum breakers and close off valve. Provide earthing strap to geyser and earthing spike.(Do the installation complete with pipes and fittings.)
- 66 **Ablution Geyser:** Install Master Flow Pressure control valve Cobra 600kpa with close off valve.
- 67 **SHOWER ROOM:** Install Chrome plated soap dishes (screw type)
- 68 **TOILETS:** Remove all the 110mm Cast iron sewerage fittings, out side and replace with 110mm PVC fittings. (Do the sewerage work complete.)
- 69 **LADIES AND MEN ABLUTION:** Lay a new 110mm PVC sewerage pipe (40m) to the Septicktank. On the locker room corner build a new 500x600mm manhole. (Do the sewerage work complete.)
- 70 **MEN ABLUTION:** Remove old gutter and install new White Chrome Adeck gutter. 1/17,00x125mmx80mm.
- 71 **MEN ABLUTION:** Remove old down pipes and install three new white Chrome Adeck down pipes. (3/3,00x100mmx75mm.)
- 72 **Clean Existing French Drain.** Do extra excavations to make the French Drain bigger. New excavations is 8.00m longer x 1,50m wide x 1,50m deep. (Exstra 150mm stone and Corrugated Iron.)
- CLEAN EXISTING FRENCH DRAIN AND SEPTICTANK:** Open up existing french drain IN EARTH, (Any type or size.) Excavate to clear drain, trim sides, remove and clean hand stone, replace and add any necessary hand stone, remove and replace second hand Corrugated Iron covering including cutting to size, backfill and leave complete. Dig a hole in ground 1/1,50x1,50x1,50m deep, throw all the Septicktank junk in the hole and fill it up with ground.
- ELECTRICAL:**
- 73 **MEN ABLUTION:** Remove DB board for scrap. Remove main cable, and install cable with new Lockable Surface Mounted DB. in the new locker room.(Install new circuitbrakers for lights and Geyser.) (Do this installation complete)
- 74 **MEN ABLUTION:** Supply Locker Room, Shower room and urinal area with new wiring, double light switch in locker room and five light fittings V/Proof 2x36W SB 05983025.

- All the Conduit must be build in or chased in walls. (Do this work complete)
- 75 **MEN ABLUTION:** Supply existing toilet and new toilet with new wiring, double light switch and two light fittings, type Gallary and PVC Bowl with two energy globes. All the Conduit must be build in or chased in walls. (Do this work complete)
- 76 **MEN ABLUTION:** Install three bathroom Extractor Fan 300mm Expell air through wall. Install a exstra switch for Extractor Fans, not on light switches.
(Do this installation complete)
- 77 **MEN ABLUTION: GEYSER:** Do electrical wiring from DB to Geyser complete with new Circuit - breaker and Isolater.
- PAINTER:**
- 78 **MEN ABLUTION:** Paint new Ceilings 3 Coats Dulux Dura 65 White.
- 79 **MEN ABLUTION:** Paint 114mm steel door frames
3 Coats paint. 1 Coat Dulux Univer White Undercoat.
2 Coats Dulux Pearl glo Lockness code – 3L 1-5.
- 80 **MEN ABLUTION:** Paint wood doors 3 Coats paint.
1 Coat Dulux Universal White Undercoat.
2 Coats Dulux Pearl glo Lockness code – 3L 1-5.
- 81 **MEN ABLUTION:** Paint Steel windows 3 Coats paint.
1 Coat Dulux Universal White Undercoat.
2 Coats Dulux Pearl glo Lockness code – 3L 1-5.
(8/0,53x0,65m)(3/1,51x0,65m)(1/0,97x0,31m)
(1/1,46x0,31m)(1/0,97x0,61m)(1/1,53x0,61m)
- 82 **MEN ABLUTION: LOCKER ROOM:** Paint window sills inside 3 Coats.
1 Coat Dulux Universal White Undercoat.
2 Coats Dulux Pearl glo Lockness code – 3L 1-5.
- 83 **MEN ABLUTION:** Paint 114mmx38mm wood sprockets 2 Coats paint
(14/0,74m)(14/0,30m)
1 Coat Dulux Universal White Undercoat.
1 Coat Dulux White High Gloss.
- 84 **MEN ABLUTION:** Paint new 114mmx38mm wood sprockets 3 Coats paint
(6/0,74m)(6/0,30m)
1 Coat Dulux Pink Wood Primer.
1 Coat Dulux Universal White Undercoat.
1 Coat Dulux White High Gloss.
- 85 **MEN ABLUTION:** Paint 50mmx76mm wood purlins
2 Coats paint. (2/9,88m)(3/,30)
1 Coat Dulux Universal White Undercoat.
1 Coat Dulux White High Gloss.
- 86 **MEN ABLUTION:** Paint new 50mmx76mm wood purlins 3 Coats paint.(3/,30m)(2/6,53m)
1 Coat Dulux Pink Wood Primer.
1 Coat Dulux Universal White Undercoat.
1 Coat Dulux White High Gloss.
- 87 **MEN ABLUTION:** Paint 230mmx12mm faciaboard
2 Coats Dulux Dura 65 White.
- 88 **MEN ABLUTION:** Paint Corrugated iron roof 2 Coats
Cottage White Heat Reflective paint Dulux Roof Guard.
- 89 **MEN ABLUTION:** Stencil Asset no. on wall 02AP082.
(Size of numbers 50mm)
- 90 **MEN ABLUTION:** Men shower room, fit 2/0,60m meranti skirting to wall, and screw CP hooks on skirting to hanging cloths on.
- 91 Clean site.

SCOPE OF WORK

-
- BRICKLAYER:**
- 1 **SHOWER FLOOR:** Remove old Mosaic floor tiles. (1/0,89x0,86m) (Chip floor) (Chipping 50mm apart) Fit new Mosaic tiles in shower. (First Grade) (Non-Slip)(Dove Grey)(6mm spacing) Apply Pro-Grip Basecoat to floor, and fixed with TAL Gold Star 6 hour Porcelain Adhesive and flush pointed with TAL Anti Bacterial Dove Grey Tinted epoxy Grout.
 - 2 **SHOWER WALLS:** Chip wall's, (chipping 25mm apart) Apply PRO-GRIP BASECOAT to walls. Supply and fix JOHNSON'S 150x150mm GLOSS WHITE WALL TILES with 3mm spacing and white plastic surrounds on tile corners. Fixed it with TAL GOLD STAR 6 HOUR PORCELAIN ADHESIVE and flush pointed with TALSUPER WHITE FINE GROUT. Only in showers mix grout with BOND - IT before used.
 - 3 **WASHAND BASEN ROOM AND TOILET:** Chip walls, (chipping 25mm apart) Apply PRO-GRIP BASECOAT to walls. Supply and fix Johnson's GWC-4 200X200mm Gloss White Wall Tiles with 3mm spacing. Fixed with TAL Gold Star 6 Hour Porcelain Adhesive and flush pointed with TAL Super White Fine Grout. Finish of with white plastic strips on out side corners. (Available from Tile Africa.)
 - 4 **IN SHOWER:** Remove Grout on EXISTING Wall tiles, used TALSUPER WHITE FINE GROUT. Only in showers mix Grout with BOND - IT before used.
 - 5 **IN SHOWER:** Install two air bricks.
 - 6 **FROM LADIES ABLUTION TO KITCHEN:** Cast concrete foot path with nosing and wood float fishing. (1/!!! x 800mm wide x 76mm thick.)
- PLUMBER:**
- 7 **TOILET:** Install 9 lit Plastic Cistern Complete
 - 8 **TOILET:** Install rubber cone.(white)
 - 9 **TOILET:** Install toilet seat White Heavy Duty Plastic B2.
 - 10 **TOILET:** Install toilet paper holder, three roll lockable toilet paper dispenser attached to wall.
 - 11 **WASHAND BASEN ROOM:** Install new WHB 450mmx530mm Vaal Porcelain on wall mounted fixing brackets, with Chrome Outlet, Plug and Chain.
 - 12 **WASHAND BASEN ROOM:** Install COBRA HEAVY DUTY PILLAR Taps Star Type.(Hot and Cold.)
 - 13 **IN SHOWER:** Install shower taps COBRA under tile Stopcock- Star Type. (Hot and Cold)
 - 14 **IN SHOWER:** Install Shower Rose COBRA Chrome Swivel with Swan Neck Extention.
 - 15 Remove old Geyser for scrap.
 - 16 **Ablution Geyser:** Install out side ablution 150 LIT KWIKOT GEYSER HORIZONTAL 400kpa, with blanket. Provide VACUUM breakers and close off valve(Ball Stop and Handel.) Provide earthing strap to Geyser and earthing spike. Do all the water pipe's (COPPER) from Geyser to shower and warm water for wash hand basin, do the installation complete.
 - 17 **Ablution Geyser:** Install one Pressure Control Valve Master flou, Cobra 600Kpa with one close off valve Ball-Stop and Handel Chrome Plated.
 - 18 **SHOWER, WASH HAND BASIN, TOILET AND GEYSER:** Remove all the Galvanice water pipes and Replace with Copper pipes, chaist in wall.
 - 19 **SHOWER and WASH HAND BASIN,** Remove all the Galvanice waist pipes and replace with 50mm PVC pipe.
 - 20 **WASH HAND BASIN AND TOILET:** Remove and replace 3 new Flexible Connectors, with 3/15mm close off valves Ball-Stop and Handel Crome Plated.
 - 21 **110MM SEWERAGE PIPES:** Connec ladies sewerage pipes with men sewerage pipes.
 - 22 **STAND PIPE OUTSIDE:** Remove Galvanice stand pipe and replace with Copper pipe fixed to wall with pipe holder bats.
 - 23 **LADIES ABLUTION:** Remove and replace mirror 1/450mmx600mm silver mirror, mounted flush with tiles using double sided tape above

- wash hand basin eye level.
- 24 **SHOWER:** Install Chrome plated soap dish (screw type)
- 25 **LADIES ABLUTION:** Remove old gutter and install new White Chrome Adeck gutter.
1/6,05mx125mmx80mm.
- 26 **LADIES ABLUTION:** Remove old down pipes and install two new white Chrome Adeck down pipes.
(3/3,00x100mmx75mm.)
- ELECTRICAL:**
- 27 **SHOWER ROOM, AND LOCKER ROOM:** Install two light fittings V/Proof 2x36W SB 05983025. (Complete)
- 28 **TOILET:** One light fitting type Gallary and PVC Bowl with one energy globe.
- 29 **LADIES ABLUTION:** Install one bathroom Extractor Fan 300mm Expell air through wall. Install a extra switch for Extractor Fans, not on light switches.
(Do this installation complete)
- 30 **LADIES ABLUTION GEYSER:** Do electrical wiring from DB to Geyser complete with new Circuit - breaker and Isolater. (Do the installation complete.)
- PAINTER:**
- 31 **LADIES ABLUTION:** Paint Ceilings 2 Coats Dulux Dura 65 White.
(1/3,00mx1,97m)(1/1,99mx1,85m)
(1/1,90mx0,89m)(1/0,88mx1,90m)(1/0,88mx0,63m)
- 32 **LADIES ABLUTION:** Paint 114mm steel door frames
3 Coats paint. 1 Coat Dulux Univer White Undercoat.
2 Coats Dulux Pearl glo Lockness code – 3L 1-5.
- 33 **LADIES ABLUTION:** Paint wood doors 3 Coats paint.
1 Coat Dulux Universal White Undercoat.
2 Coats Dulux Pearl glo Lockness code – 3L 1-5.
- 34 **LADIES ABLUTION:** Paint Steel windows 3 Coats paint.
1 Coat Dulux Universal White Undercoat.
2 Coats Dulux Pearl glo Lockness code – 3L 1-5.
(2/0,97X0,30m)(1/0,97x0,60m)(2/0,39x0,60m)
- 35 **LADIES ABLUTION:** Paint 114mmx38mm wood sprockets 2 Coats paint. (5/0,40m)
1 Coat Dulux Universal White Undercoat.
1 Coat Dulux White High Gloss.
- 36 **LADIES ABLUTION:** Paint 50mmx76mm wood purlins
2 Coats paint.
1 Coat Dulux Universal White Undercoat.
1 Coat Dulux White High Gloss.
(2/6,05m)(6/0,30m)
- 37 **LADIES ABLUTION:** Paint 230mmx12mm faciaboard
2 Coats Dulux Dura 65 White.
- 38 **LADIES ABLUTION:** Paint Corrugated iron roof 2 Coats Paint. Cottage White Heat Reflective paint Dulux Roof Guard.(1/6,10X3,90m)
- 39 **LADIES ABLUTION:** Stencil Asset no. on wall 02AP082. (Size of numbers 50mm)
- 40 **LADIES SHOWER:** Ladies shower room, fit 1/0,60m meranti skirting to wall, and screw CP hooks on skirting to hanging cloths on.
- 41 Clean site.

02AP081P TOTAL AMOUNT R _____

02AP082P TOTAL AMOUNT R _____

02AP083P TOTAL AMOUNT R _____

TOTAL BEFORE VAT **R** _____

VAT INCL. **R** _____

GRAND TOTAL **R** _____

Preview Copy Only

GENERAL CONDITIONS OF CONTRACT (PETTY CONTRACT)

1. The Contractor shall carry out the work in accordance with the attached Contract Specifications and in a thorough and workmanlike manner. The final acceptance of the work rests with Transnet's designated manager.
2. The Contractor shall supply all necessary labour, tools, equipment and material.
3. Should Transnet provide or make available any material and/or equipment, the Contractor shall be responsible for the correct and economical transport, storage and usage thereof. The cost of any loss or damage to Transnet equipment other than through normal wear and tear, and any uneconomical usage or loss of material provided by Transnet, will be recovered from the Contractor.
4. Should the Contractor fail to complete the work by the date or within the period stipulated in this agreement or by such extended date as may be allowed by Transnet in terms of clause 8, he shall pay to Transnet as penalties in terms of the Conventional Penalties Act of 1962 (as amended) the amount stated in the Tender Enquiry/Contract Document for each day or part thereof during which the work remains uncompleted.

Application for relief from the obligation to pay a penalty will only be considered by Transnet if the Contractor can prove to the reasonable satisfaction of Transnet that the penalty is out of proportion to the prejudice suffered by Transnet by reason of the act or omission in respect of which the penalty was stipulated.

5. No transport concessions will be allowed.
6. The obligation to take care of and protect the contract work and everything connected therewith shall rest solely with the Contractor who shall take all necessary precautions to protect the public, the property of the public, and the property and personnel of Transnet and all other persons from damage or injury, and to protect adjoining properties from trespass or damage during the progress of the work.

The risk of physical loss of or damage to the contract work, temporary works, materials and equipment to be incorporated into the works shall be borne by the Contractor and he shall arrange such insurances as may be necessary for the protection thereof.

Transnet will, in the case where a risk of legal liability for accidental death of or injury to third party persons and/or accidental loss of or damage to third party property may arise out of the carrying out of the contract work, arrange for such public liability insurance in the joint names of Transnet and the Contractor as is deemed necessary by Transnet.

The Contractor shall be responsible for obtaining insurance against loss of or damage to his own machinery tools, equipment, materials and site establishment and any consequential financial losses arising from such damage. The Contractor shall likewise arrange his own insurances in respect of motor vehicle liability and common law liabilities of the Contractor as an employer.

- 7.a) The Contractor shall comply with the Occupational Injuries and Diseases Act. (Act 130 of 1993) and any amendment thereof.
- 7.b) *
 - (i) The Contractor shall observe and comply with the provisions of the Explosives Act. No. 26 of 1956 and any amendment thereof and with any regulations framed hereunder.
 - (ii) Blasting in the vicinity of open lines will be permitted only during intervals between trains. It will be controlled by a person appointed by Transnet, who will be in telephonic communication with the nearest station and whose instructions the Contractor shall carry out implicitly. The Contractor shall have labour available to clear any stones or debris deposited on the track by blasting and to repair any damage to the track immediately after occurrence thereof.

(* **Delete if not applicable.**)

- 7.c) The Contractor shall comply with the Occupational Health and Safety Act (Act No. 85 of 1993). The Contractor is, in terms of section 37(2) of Act 85 of 1993 deemed to be an employer in his own right with duties as prescribed in the said Act and agrees to ensure that all work will be performed or machinery and plant used in accordance with the provisions of the Act in respect of all persons in his employ, other persons on the premises or the site or place of the works or on the works to be executed by him and under his control in terms of the contract. The agreements in this contract and all documents attached or referred to, form an integral part of the arrangements and procedures mentioned in the aforementioned section.
- 7.d) The Contractor also undertakes to comply with any safety requirements of Transnet, as adopted from time to time, and instructed by the relevant project leader.
- 7.e) The Contractor shall at his own costs comply with the provisions of all such laws, Provincial Ordinances, Local Authority Bylaws and all relevant Regulations framed there under which are applicable to the work to be undertaken.
8. If the Contractor suffers delay or incurs extra expense as the result of delay on the part of Transnet in supplying such materials as are to be provided by it, or from any other cause, the Contractor shall inform Transnet within 48 hours of the commencement of the delay, and may, within 14 days after such delay has ended, apply in writing to Transnet for extra time and/or extra payment and Transnet shall after investigation grant such extension of time and/or authorise payment of such sum as is considered reasonably adequate to cover the delay or to compensate for the extra direct expense suffered by the Contractor. Transnet will grant such extension of time and/or authorise the payment of such sum, as it considers adequate to cover the delay suffered or to compensate the Contractor.
9. The Contractor shall not assign his obligations under the contract, nor sublet the contract work or any part thereof without the written consent of the Manager. Breach of this condition will entitle Transnet to cancel the contract forthwith.

10. Any amount certified by the Manager as being recoverable from the Contractor in terms of any of the preceding clauses may, without prejudice to any other legal rights which Transnet may have, be deducted from any moneys due to the Contractor by Transnet whether under this contract or from any source whatsoever.
11. On completion of the work, the Contractor shall inform the Manager who will arrange a final inspection. If the work has been completed to his satisfaction, the Manager will issue a Certification of Completion and arrange payment of all moneys due to the Contractor by Transnet.

Except where expressly agreed to the contrary with Transnet, the Contractor requests and authorises Transnet to send any amount due to him by registered post to his known postal address or any other address requested in writing by the Contractor. The Contractor declares that the SA Post Office Limited acts as his representative and that the risk that such payment does not reach him after it has been sent by post lies totally with the Contractor.
12. Transnet may order alterations, extras, additions to or omissions from the works. The Contractor shall carry out or give effect to such orders from Transnet. The rates for such work shall be agreed between the Contractor and Transnet and where possible rates quoted in the schedule of work and prices shall form the basis, as far as may be reasonable, of such agreement.
13. If a dispute of any kind arises between the Contractor and any member of Transnet personnel in connection with the contract, the matter shall be referred to the designated Manager. The Manager shall decide the dispute and advise the Contractor accordingly.

The Manager's decision shall be final and binding upon the parties unless the Contractor has, within 14 days of the date thereof, notified Transnet in writing of his dispute of the decision, in which case the matter shall be referred to arbitration.

Such arbitration shall be by a single arbitrator who shall be selected by agreement between the parties or, failing such agreement, nominated on application of either party by the Chairperson for the time being of the Association of Arbitrators of South Africa.

The Arbitrator shall have unfettered discretion and jurisdiction to decide the procedure of the arbitration and the matter in dispute and his award shall be final and binding on the parties hereto.

“Transnet insists on honesty and integrity beyond reproach at all times and will not tolerate any form of improper influencing, bribery, corruption, fraud, or any other unethical conduct on the part of bidders/Transnet employees. If, in the opinion of Transnet's Chief Operating Officer, a tenderer / contractor / supplier has or has caused to be promised, offered or given to any Transnet employee, any bribe, commission, gift, loan, advantage or other consideration, Transnet shall be entitled to revoke the tender / contract by following its internal policies that govern the Exclusion process. In such an event Transnet will be entitled to place any Tenderer / Contractor / Supplier who has contravened the provisions of Transnet's business ethics on its List of Excluded Tenderer's. This list will also be distributed to all other State Owned Enterprises and Government Departments.

Transnet invites its valued suppliers to report any allegations of fraud, corruption or other unethical activities to Transnet Tipp-offs Anonymous, at any of the following addresses/contact numbers:-

Toll-free anonymous hotline- 0800 008 056

Email – Transnet@tip-offs.com

Fax number – 0800 007 788

Freepost DN298, Umhlanga Rocks, 4320

Confidentiality is guaranteed.”



TRANSNET LIMITED
(REGISTRATION NO. 90/000900/06)
TRADING AS TRANSNET FREIGHT RAIL

RFQ- NO.: CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

NOTICE TO TENDERERS

TENDERS ARE INVITED FOR THE: **RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)**

1. On or after **22 FEBRUARY 2012** tender documents may be inspected at and are obtainable from the, Transnet Freight Rail, Tender Advise Centre, Ground Floor, Inyanda House 1 , 21 Wellington Road , Parktown,

NOTE: No facsimile tenders/quotations will be accepted.

2. A site inspection can be arranged by contacting Mr Henry De Villiers Tel: 083 303 6245
3. Tenders must reach the Secretary, Transnet Freight Rail, Tender Advise Centre Ground Floor, Inyanda House 1, 21 Wellington Road, Parktown, Johannesburg before the closing hour on the date shown below, and must be enclosed in a sealed envelope which must have inscribed on the outside:
 - (a) Tender No. **CRAC-POE-8370**
 - (b) Description of work. : **RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)**
 - (c) Closing date of tender.: **06 MARCH 2012**
4. If posted, the envelope must be addressed to the Chairperson, TRANSNET Freight Rail, Tender Advise Centre P .O. Box 4244, Johannesburg 2000 and must be dispatched in time for sorting by the Post Office to reach this office before the closing time of the tender. In the event of the late receipt of a tender, the Tenderer's franking machine impression will not be accepted as proof that the tender was posted in time.
5. If delivered by hand, the envelope must be addressed to the Secretary, Transnet Freight Rail, Acquisition Council, Ground Floor, Inyanda House 1, 21 Wellington Road, Parktown, Johannesburg, and handed in at this address before the closing time during the following office hours:

Mondays to Fridays: 07:30 to 12:45-13:30 to 15:50
6. Please note that this tender closes punctually at 10:00 on 06 MARCH 2012
7. If tenders are not posted or delivered as stipulated herein, such tenders will not be considered and will be returned as "late" tenders.

8. Any telegraphic or telex tender stating clearly therein the tender number, name of Tenderer, the service and the amount of the tender, must be dispatched in time for delivery to the destination by the South African Post Office Limited before the closing hour of the tender, and be confirmed by the submission of the official tender documents posted or delivered by courier not later than the day before the closing date of the tender.
9. N/A
10. Telegraphic or telex tenders from sources outside the Republic of South Africa will be considered on the aforementioned conditions, provided that the confirmation is forwarded by the quickest means, viz., by airmail where possible.
11. Transnet does not bind itself to accept the lowest or any tender/quotation nor will it disclose the successful tenderer's tender price or any other tendered prices, as this is regarded as confidential information, moreover Transnet reserves the right to accept the whole or part of a tender. Transnet also reserve the right to negotiate terms and conditions with all, or a short listed group of contenders, should it be deemed necessary.

All unsuccessful Tenderers will, however, on award of business to the successful Tenderer, be informed of the reason for the rejection of their tender, for example, price, quality, delivery period, etc.

12. Envelopes must not contain documents relating to any tender other than that shown on the envelope.
13. No slips are to be attached to the tender documents. Any additional conditions must be embodied in an accompanying letter. Alterations, additions or deletions must not be made by the Tenderer to the actual tender documents.
14. The attention of Tenderers is directed to all the various documents comprising these tender documents and including, inter alia, General Conditions of Contract, Special Conditions of Contract and Specifications and Bills and/or Schedule of Quantities and/or Prices. Particular attention must be given to -

Clauses 6, 25 and 26 of the General Conditions of Contract (Minor Works) (Transnet 287) and other clauses dealing with sufficiency of tenders and terms of payment which will be applicable to the contract to be concluded as a consequence of this tender enquiry.

15. Unless otherwise stated in any of these tender documents, Tenderers are required to submit an offer, complete in every respect and fully in compliance with the specifications. If, in a Tenderer's opinion, justification exists for the submission of one or more alternative tender(s) such offer(s) must, as in the case of the main tender(s), be completed in every respect.
16. The attention of Tenderers is also directed to the General Conditions of Contract, in terms of which Transnet Limited will effect and pay for insurance of the WORKS and/or Public Liability (third party) Insurance.
17. N/A
18. Tenderers are required to give a list of major items of plant and/or equipment to be used in the execution of the WORKS and must complete the plant statement E.4D **where this is attached to the tender documents.**

- 19 No tender will be considered unless certificate E.4A is signed by the tenderer stating that he has acquainted himself with the contract documents.
- 20 Tenderers must furnish proof that they have had actual experience in the class of work for which
- 21 they are tendering and must submit with the tender, on form E4c, a statement of works recently and successfully carried out.
- 22 Tenders will be opened in public as soon as practicable after the expiry of the time advertised for receiving them and the name of each Tenderer will be read out.
- 23 Tenderers are warned that a tender will be liable to disqualification should any attempt be made by a Tenderer either directly or indirectly to canvass any officer(s) or employees of Transnet Limited in respect of a tender between the date the tender is submitted and the date of the award.
- 24 A Tenderer may, however, at any time communicate with the Tender Advise Centre, at telephone no. (011) 584-9231 on any matter relating to his tender.
- 25 When a Tenderer has been notified by telegraph or letter of the acceptance of his tender the South African Post Office Limited and/or Telkom SA Limited shall be regarded as the agent of the Tenderer, and delivery of such acceptance to the South African Post Office Limited and/or Telkom SA Limited shall be considered as delivery to the Tenderer unless the Tenderer should indicate to the contrary in any letter accompanying the tender.
- 26 Compliance of tender(s) with Transnet's Limited requirements is the sole responsibility of the Tenderer and any costs incurred in subsequent modifications to or replacement of equipment accepted by Transnet Limited in good faith on the grounds of certified compliance with specified standards by the contractor and in fact found to be inadequate in such respects, will be to the relevant Tenderer's account.
- 27 Tenderers shall give a clause-by-clause comment as to whether or not their tender complies. If not, how it differs from the specification(s). Failure to do so may preclude a tender from consideration.
- 28 The attention of Tenderers is particularly directed to the necessity to complete the "**Labour Payment Schedule**", "**The Tender form**" and "**Resolution of Board of Directors**", where these documents are included in the tender.
- 29 Tenders submitted by Tenderers must be neatly bound and the inclusion of loose documents must be avoided.
- 30 Tenderer's must state in their tenders the percentage, of the total contract value, that will be allocated to previously disadvantaged/underprivileged enterprises and /or communities in the vicinity where contract works are to be executed, should they be successful in winning this tender.A breakdown of the distribution of the aforementioned percentage must also be furnished.
- 31 It is specifically recorded that this contract is awarded to the contractor/supplier on the unequivocal understanding by the parties that



- 31.1 **black and/or BEE contractors/suppliers shall for purpose of this contract mean South African companies (business entities) owned by, or in part owned by, South African citizens of African, Coloured or Indian origin;**
- 31.2 **the black ownership constitutes ____ percent (%) of the business concern of the contractor/supplier;**
- 31.3 **the contractor/supplier shall furnish proof of 30.2 above to Transnet;**
- 31.4 **the contractor/supplier has familiarized itself with Transnet's Black Economic Empowerment Policy and undertakes to abide by the requirements thereof during the currency of this contract;**
- 31.5 **should the aforesaid degree of black ownership, at any time after the awarding of the contract, change, and this change reflects a decrease from that specified in the sub-clause 30.2, above, then and in such event the contractor/supplier, shall be obliged to inform Transnet (Freight Rail) thereof in writing within two (2) weeks of such change. Failure on the part of the contractor/supplier to do so shall constitute a material breach of the contract which shall entitle Transnet (Freight Rail) to unilaterally cancel the contract and enforce such other rights as it may in law have arising out of such breach of contract; and**
- 31.6 **in the event of the black ownership of the contractor/supplier being changed and the contractor/supplier duly informing Transnet (Freight Rail) thereof in accordance with Sub-clause 30.5 above, then Transnet (Freight Rail) shall have the right to (1) continue with the contract on the same terms and conditions, or (2) propose such amendments as it may deem fit for the remaining period of the contract or (3) resile from the contract.**
- 32 Transnet fully endorses and supports the Government's Black Economic Empowerment Programme. We are strongly of the pinion that all South African Business Enterprises have an obligation to redress the imbalances of the past and Transnet will therefore prefer to do business with local business enterprises, which share these same values. To this end Transnet will seriously reconsider continued business relationships with such local business enterprises who do not at least have a 26% Shareholding by previously disadvantaged individuals/groups, or who are not prepared to channel at least 26% of the contract value to such BEE Companies by means of legitimate sub-contracting or JV agreements. Transnet therefore reserves the right to request documentary proof of such BEE empowerment endeavors and to verify and monitor that such endeavors in fact materialize into real development and upliftment of the historically disadvantaged individuals and groups.



Tender No.: CRAC-POE-8370
(To be completed by tenderers)

NAMES OF DIRECTORS OF COMPANIES/MEMBERS OF CLOSE CORPORATIONS OR PARTNERS OF PARTNERSHIPS

Tenderers must disclose hereunder the full name/s and address/es of the director/s of the company, member/s of the close corporation or partner/s of the partnership on whose behalf the tender is submitted.

Registration number of *company/close corporation/partnership: -

Date of incorporation: - _____

NB. IT IS COMPULSORY IN THE CASE OF A FEMALE DIRECTOR/MEMBER OR PARTNER TO FURNISH HER MAIDEN NAME AND IF APPLICABLE, HER PREVIOUS MARRIED NAMES

FULL NAME OF DIRECTOR/MEMBER OR PARTNER: - ADDRESS:

Is there any family or direct relationship between any of the above-mentioned directors, members or partners and any employee of Transnet Limited? :-

* YES/NO If so, full particulars of such relationship should be furnished separately.

Failure to furnish all or correct information may lead to the disqualification of a tender. If the space is insufficient for all the relevant information, tenderers must furnish the required information separately.

SIGNATURE OF TENDERER/S : _____

ADDRESS OF REGISTERED OFFICE : _____

DATE: _____

* (Delete whichever is not applicable)



TRANSNET LIMITED
(REGISTRATION NO. 90/000900/06)

TRADING AS TRANSNET FREIGHT RAIL

TENDER No: CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

RESOLUTION OF BOARD OF DIRECTORS

Name of firm _____

It was resolved at a meeting of the Board of Directors held on _____ that

FULL NAME(S)

SIGNATURE

in his/her/their capacity of _____ is/are hereby authorised to enter into, sign and execute and complete any documents relating to Tenders and/or Contracts for the supply of goods and services.

Confirm: DATE _____

FULL NAME _____

CHAIRMAN

FULL NAME _____

SECRETARY

Certified true copy:

SIGNED AT _____ ON THIS _____ DAY OF _____ 20__

COMMISSIONER OF OATHS



2. CERTIFICATE OF ACQUAINTANCE WITH CONTRACT DOCUMENTS

I/We _____ do

Hereby certify that I/we acquainted myself/ourselves with the E5, E5 (MW) or E160 Contract Conditions, Special Conditions of Contract and specifications, and bills of quantities/schedule of quantities/schedule of prices, together with the drawings enumerated therein, as laid down by Transnet for the carrying out of the proposed works for which I/we submitted my/our tender.

I/We furthermore agree that Transnet will recognize no claim from me/us for relief based on an allegation that I/we overlooked any tender condition or failed to take it into account for the purpose of calculating my/our tender prices or otherwise.

SIGNED at _____ on this _____ day of _____ 2012 .

WITNESS: _____

TENDERER(S)



SECTION 5

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT (ACT 85 OF 1993) AND APPLICABLE REGULATIONS E4E

1. General

- 1.1 The Contractor and Transnet Limited (hereinafter referred to as "Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Contractor and Technical Officer or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the Works.
- 1.5 In the event of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

2. Definitions

- 2.1 In this Specification any word or expression to which a meaning has been assigned in the Construction Regulations, shall have the meaning so assigned to it, unless the context otherwise indicates: -
- 2.2 The work included in this Contract shall for the purposes of compliance with the Act be deemed to be "**Construction Work**", which, in terms of the Construction Regulations, 2003 means any work in connection with: -

- (a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;
- (c) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
- (d) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
- (e) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;

2.3 **“competent person”** in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;

2.4 **“contractor”** means principal contractor and “subcontractor” means contractor as defined by the Construction Regulations, 2003.

2.5 **“fall protection plan”** means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;

2.6 **“health and safety file”** means a file, or other record in permanent form, containing the information required to be kept on site in accordance with the Act and applicable Regulations;

2.7 **“Health and Safety Plan ”** means a documented plan which addresses the hazards identified and include safe work procedures to mitigate, reduce or control the hazards identified;

2.8 **“Risk Assessment”** means a programme to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;

2.9 **“the Act”** means the Occupational Health and Safety Act No. 85 of 1993.

3. Procedural Compliance

3.1 The Contractor who intends to carry out any construction work shall, before carrying out such work, notify the Provincial Director in writing if the construction work:-

- (a) includes the demolition of a structure exceeding a height of 3 metres; or
- (b) includes the use of explosives to perform construction work; or
- (c) includes the dismantling of fixed plant at a height greater than 3m,

and shall also notify the Provincial Director in writing when the construction work exceeds 30 days or will involve more than 300 person days of construction work and if the construction work:-

- (a) includes excavation work deeper than 1m; or
- (b) includes working at a height greater than 3 metres above ground or a landing.

- 3.2 The notification to the Provincial Director shall be on a form similar to Annexure A of the Construction Regulations, 2003, also shown in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, Technical Officer or employee.
- 3.3 The Contractor shall, in accordance with the Act and applicable Regulations, make all the necessary appointments of competent persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Technical Officer. Copies should also be retained on the health and safety file.
- 3.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the Technical Officer.
- 3.5 In the case of a self-employed Contractor or any subcontractor who has the appropriate competencies and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.
- 3.6 The Contractor shall, before commencing any work, obtain from the Technical Officer an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Protekon's safety requirements and procedures.

4. Special Permits

Where special permits are required before work may be carried out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Technical Officer or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of: -
- (i) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health of his employees and subcontractors in terms of section 8 of the Act;
 - (ii) the execution of the contract work in such a manner as to ensure in terms of section 9

of the Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;

- (iii) ensuring, as far as is reasonably practical, in terms of section 37 of the Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.

5.2 The Contractor's Health and Safety Programme shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.

5.3 The Contractor shall cause a risk assessment contemplated in clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall form part of the Health and Safety programme to be applied on the site and shall include at least the following:

- (a) The identification of the risks and hazards that persons may be exposed to;
- (b) the analysis and evaluation of the hazards identified;
- (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified;
- (d) *a monitoring and review plan.*

5.4 The Health and Safety Plan shall include full particulars in respect of: -

- (a) The safety management structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of safety committees where applicable;
- (b) the safe working methods and procedures to be implemented to ensure the work is performed in compliance with the Act and Regulations;
- (c) the safety equipment, devices and clothing to be made available by the Contractor to his employees;
- (d) the site access control measures pertaining to health and safety to be implemented;
- (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Technical Officer with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and
- (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored for the duration of the Contract.

- 5.4 The Health and Safety programme shall be subject to the Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.
- 5.5 The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken shall include periodic audits at intervals mutually agreed to between them, but at least once every month.
- 5.6 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.
- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.
- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.10 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the Risk Assessment before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.11 The Contractor shall ensure that all visitors to a construction site undergoes health and safety induction pertaining to the hazards prevalent on the site and shall be provided with the necessary personal protective equipment.

6. Fall Protection Plan

- 6.1 In the event of the risk and hazard identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working from an elevated position the contractor shall cause the designation of a competent person, responsible for the preparation of a fall protection plan;
- 6.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of Contract. The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.
- 6.3 The fall protection plan shall include:-

- (a) A Risk Assessment of all work carried out from an elevated position;
- (b) the procedures and methods to address all the identified risks per location;
- (c) the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
- (d) the training of employees working from elevated positions; and
- (e) the procedure addressing the inspection, testing and maintenance of all fall protection equipment.

7. Hazards and Potential Hazardous Situations

The Contractor and the Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

8. Health and Safety File

- 8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Technical Officer, or subcontractor upon request.
- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Technical Officer.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.



ANNEXURE 1

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Regulation 3(1) of the Construction Regulations

NOTIFICATION OF CONSTRUCTION WORK

-
-
- 1(a) Name and postal address of principal contractor:

- (b) Name and tel. no of principal contractor's contact person:

2. Principal contractor's compensation registration number: _____
- 3(a) Name and postal address of client: **TFR PRODUCTION MANAGER, PROPERTY
TECHNICAL JOHANNESBURG**
- (b) Name and tel no of client's contact person or agent:
HENRY DE VILLIERS TEL / CELL 083 303 6245
- 4(a) Name and postal address of designer(s) for the project:

- (b) Name and tel. no of designer(s) contact person:

5. Name and telephone number of principal contractor's construction supervisor on site appointed in terms of regulation 6(1).

6. Name/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of regulation 6(2). _____
7. Exact physical address of the construction site or site office:

8. Nature of the construction work:

9. Expected commencement date: _____
10. Expected completion date: _____
11. Estimated maximum number of persons on the construction site: _____
12. Planned number of contractors on the construction site accountable to the principle contractor:

13. Name(s) of contractors already chosen.

Principal Contractor

Date

Client

Date

- * THIS DOCUMENT IS TO BE FORWARDED TO THE OFFICE OF THE DEPARTMENT OF LABOUR **PRIOR TO COMMENCEMENT** OF WORK ON SITE.
- * **ALL PRINCIPAL CONTRACTORS** THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE SAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK.

Preview Copy Only



ANNEXURE 2

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993) :

SECTION/REGULATION: _____

REQUIRED COMPETENCY: _____

In _____ terms of _____
I, _____

representing the Employer) do hereby appoint _____

As the Competent Person on the
premises at _____

(physical address) to assist in compliance with the Act and the applicable Regulations.

Your designated area/s is/are as follows: -

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

Date: _____

Signature: - _____

Designation: - _____

ACCEPTANCE OF DESIGNATION

*I, _____ do hereby accept this Designation and
acknowledge that I
understand the requirements of this appointment.*

Date: _____

Signature: - _____

Designation: - _____



ANNEXURE 3

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

DECLARATION

In terms of the above _____ am personally assuming the
Act I, _____ duties
and obligations as Chief Executive Officer, defined in Section 1 of the Act and in terms of
Section 16(1), I will, as far as is reasonably practicable, ensure that the duties and obligations
of the Employer as contemplated in the above Act are properly discharged.

Signature: - _____

Date: _____

Preview Copy Only



SECTION 6

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

RETURNABLE DOCUMENTS

C.1.Returnable Schedules / Documents required for tender evaluation purposes (By e.g.

	Returnable Schedules / Documents	YES/NO/N/A	
1	Certificate Of Authority For Joint Ventures (Where Applicable)	X	
2	Schedule of the Tenderers Experience	X	
3	Certificate of Attendance at Clarification Meeting	X	
4	Labour Payment Schedule	X	
5	Supplier Declaration form (version2)	X	
6	Letter of Good Standing with the Compensation Commissioner	x	
7	Original / Certified BBBEE Rating Certificate With Detailed Scorecard	X	
8	Statement Of Compliance With Requirements Of The Scope Of Work	x	
9	Certified Copy of Financial Statements (for the past 3 years) including Balance SHEETs where BBBEE not provided.	x	
10	Certified Copy of Share Certificates CK1 & CK2	x	
11	Certified Copy Of Certificate Of Incorporation and CM29 and CM9	x	
12	Certified Copy of Identity Documents of Shareholders/Directors/Members (Where Applicable)	x	
13	Cancelled Cheque	X	
14	Original current Tax Clearance Certificate	X	
15	Original Vat Registration Certificate	X	
16	Copy of BEE Policy/BEE Plan/Employment Policy/Procurement Policy	X	

SIGNATURE OF TENDERER:

Date: _____



SECTION 7

REQUEST FOR QUOTATION ("RFQ")

RFQ NO.: CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

SUPPLIER DECLARATION FORM

Transnet Supplier Declaration/Application

The Financial Director or Company Secretary

Transnet Vendor Management has received a request to load your company on to the Transnet vendor database. Please furnish us with the following to enable us to process this request:

1. Complete the "Supplier Declaration Form" (**SDF**) on page 2 of this letter
2. **Original** cancelled cheque **OR** letter from the bank verifying banking details (**with bank stamp**)
3. **Certified** copy of Identity document of Shareholders/Directors/Members (where applicable)
4. **Certified** copy of certificate of incorporation, CM29 / CM9 (name change)
5. **Certified** copy of share Certificates of Shareholders, CK1 / CK2 (if CC)
6. A letter with the company's letterhead confirming physical and postal addresses
7. **Original** or **certified** copy of SARS Tax Clearance certificate and Vat registration certificate
8. A signed letter from the Auditor / Accountant confirming most recent annual turnover and percentage black ownership in the company **AND/OR** BBBEE certificate and detailed scorecard from an accredited rating agency (SANAS member).

NB:

- **Failure to submit the above documentation will delay the vendor creation process.**
- *Where applicable, the respective Transnet business unit processing your application may request further information from you. E.g. proof of an existence of a Service/Business contract between your business and the respective Transnet business unit etc.*

IMPORTANT NOTES:

- a) **If your annual turnover is less than R5 million**, then in terms of the DTI codes, you are classified as an Exempted Micro Enterprise (EME). If your company is classified as an EME, please include in your submission, a signed letter from your Auditor / Accountant confirming your company's most recent annual turnover is less than R5 million and percentage of black ownership and black female ownership in the company **AND/OR** BBBEE certificate and detailed scorecard from an accredited rating agency (e.g. permanent SANAS Member), should you feel you will be able to attain a better BBBEE score.
- b) **If your annual turnover is between R5 million and R35million**, then in terms of the DTI codes, you are classified as a Qualifying Small Enterprise (QSE) and you claim a specific BBBEE level based on any 4 of the 7 elements of the BBBEE score-card, please include your BEE certificate in your submission as confirmation of your status.
NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (e.g. permanent SANAS Member).
- c) **If your annual turnover is in excess of R35million**, then in terms of the DTI codes, you are classified as a Large Enterprise and you claim a specific BEE level based on all seven elements of the BBBEE generic score-card. Please include your BEE certificate in your submission as confirmation of your status.
NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (permanent SANAS Member).

- d) **To avoid PAYE tax being automatically deducted from any invoices received from you**, you must also contact the Transnet person who lodged this request on your behalf, so as to be correctly classified in terms of Tax legislation.
- e) Unfortunately, **No payments can be made to a vendor** until the vendor has been registered, and no vendor can be registered until the vendor application form, together with its supporting documentation, has been received and processed.
- f) **Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products in order that he/she should complete and Internal Transnet Departmental Questionnaire before referring the matter to the appropriate Transnet Vendor Master Office.**

Regards,

Transnet Vendor/Supplier Management *[please substitute this with your relevant Transnet department before sending this document out]*

Supplier Declaration Form

Company Trading Name							
Company Registered Name							
Company Registration Number Or ID Number If A Sole Proprietor							
Form of entity	CC	Trust	Pty Ltd	Limited	Partnership	Sole Proprietor	
VAT number (if registered)							
Company Telephone Number							
Company Fax Number							
Company E-Mail Address							
Company Website Address							
Bank Name				Bank Account Number			
Postal Address						Code	
Physical Address						Code	
Contact Person							
Designation							
Telephone							
Email							
Annual Turnover Range (Last Financial Year)	< R5 Million		R5-35 million		> R35 million		
Does Your Company Provide	Products		Services		Both		
Area Of Delivery	National		Provincial		Local		
Is Your Company A Public Or Private Entity			Public		Private		
Does Your Company Have A Tax Directive Or IRP30 Certificate			Yes		No		
Main Product Or Service Supplied (E.G.: Stationery/Consulting)							
BEE Ownership Details							
% Black Ownership		% Black women ownership		% Disabled person/s ownership			
Does your company have a BEE certificate			Yes		No		
What is your broad based BEE status (Level 1 to 9 / Unknown)							
How many personnel does the firm employ		Permanent		Part time			
Transnet Contact Person							
Contact number							
Transnet operating division							
Duly Authorised To Sign For And On Behalf Of Firm / Organisation							
Name				Designation			



Signature		Date	
-----------	--	------	--

Stamp And Signature Of Commissioner Of Oath			
Name		Date	
Signature		Telephone No.	

NB: Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the Transnet Official who is intending to procure your company's services/products.

2. VENDOR TYPE OF BUSINESS

(Please tick as applicable)

(* - Minimum requirements)

2.1 Indicate the business sector in which your company is involved/operating:

Agriculture		Mining and Quarrying	
Manufacturing		Construction	
Electricity, Gas and Water		Finance and Business Services	
Retail, Motor Trade and Repair Services		Wholesale Trade, Commercial Agents and Allied Services	
Catering, accommodation and Other Trade		Transport, Storage and Communications	
Community, Social and Personal Services		Other (Specify)	
Principal Business Activity *			
Types of Services Provided			
Since when has the firm been in business?			

2.2 What is your company's annual turnover (excluding VAT)? *

<R20k	>R20k <R0.3m	>R0.3m <R1m	>R1m <R5m	>R6m <R10m	>R11m <R15m	>R16m <R25m	>R26m <R30m	>R31m <R34m	>R35m

2.3 Where are your operating/distribution centres situated *

3. VENDOR OWNERSHIP DETAIL

(Please tick as applicable)

(* - Minimum requirements)

3.1 Did the firm previously operate under another name? *

YES		NO	
-----	--	----	--

3.2	If Yes state its previous name:*
Registered Name	
Trading Name	

3.3	Who were its previous owners / partners / directors?*
SURNAME & INITIALS	ID NUMBERS

3.4	List Details of current partners, proprietors and shareholders by name, identity number, citizenship, status and ownership as relevant: *							
SURNAME & INITIALS	IDENTITY NUMBER	CITI-ZENSHIP	HDI	DIS - ABLED	GENDER	DATE OF OWNERSHIP	% OWNED	% VOTING

3.5	List details of current directors, officers, chairman, secretary etc. of the firm: *						
SURNAME & INITIALS	IDENTITY NUMBER	TITLE	DIS - ABLED	GENDER	% OF TIME DEVOTED TO THE FIRM	CONTACT NUMBER	

3.6	List details of firms personnel who have an ownership interest in another firm: *				
SURNAME & INITIALS	IDENTITY NUMBER	NAME & ADDRESS OF OTHER FIRM	TITLE IN OTHER FIRM	% OWNED	TYPE OF BUSINESS OF OTHER FIRM

4. VENDOR DETAIL
 (Please tick as applicable) (* - Minimum requirements)

4.1	How many personnel does the firm employ? *					
	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Permanent						
Part Time						

4.1.1 In terms of above kindly provide numbers on women and disabled personnel? *

	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Women						
Disabled						

4.2 Provide Details of Contact Person/s Responsible for Broad Based Black Economic Empowerment (BBBEE) in the Company *

SURNAME	INITIALS	DESIGNATION	TELEPHONE NO.

4.2.1 Is your company a value adding supplier (i.e. registered as a vendor under the VAT Act of 1991, where NPAT + total labour cost > 25% of total revenue)?

YES		NO	
-----	--	----	--

4.2.2 Is your company a recipient of Enterprise Development Contributions?*

YES		NO	
-----	--	----	--

4.2.3 May the above mentioned information be shared and included in Transnet Supplier Database for future reference? *

YES		NO	
-----	--	----	--

4.2.4 If you are successful in the tender/contract (where applicable) and this is awarded to your company / organisation, will this have a positive impact on your employment plans? *

YES		NO	
-----	--	----	--

4.2.5 If yes (above) kindly provide the following information:

	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Permanent						
Part Time						

4.2.6 In terms of above kindly provide numbers on woman and disabled personnel:

	BLACK	WHITE	COLOURED	INDIAN	OTHER	TOTAL
Women						
Disabled						

4.2.7 Are any of your members/shareholders/directors ex employees of Transnet?

YES		NO	
-----	--	----	--

4.2.8 Are any of your family members employees of Transnet?

YES		NO	
-----	--	----	--

4.2.9 If Yes to points 4.2.7 & 4.2.8, list details of employees/ex-employees

SURNAME & INITIALS	IDENTITY NUMBER	NAME & ADDRESS OF OTHER FIRM	TITLE IN OTHER FIRM	% OWNED	TYPE OF BUSINESS OF OTHER FIRM

Internal Transnet Departmental Questionnaire (for office use only)

Section 1: To be completed by the Transnet Requesting / Sourcing Department											
TFR		TRE		TPT		TPL		TNPA		TRN	
Create		Amend		Block		Unblock		Once-Off / Emergency			
Extend		Delete		Undele							

Supplier's trading name				
Supplier's registered name				
Please indicate if the Supplier has a contract with sourcing Transnet OD	Yes		No	
If yes please submit a copy of the letter of award				

a) What is being procured from the supplier?				
i. Products only	Yes		No	
ii. Services only	Yes		No	
iii. Labour only	Yes		No	
iv. Mix of services and products	Yes		No	
v. Mix of services and labour	Yes		No	

b) If your answer is **YES** to questions II, III, IV or V in paragraph a) above, please indicate whether the relevant **PAYE questionnaires** have been forwarded to the appropriate **Transnet Operational Divisions'** decision making bodies / **Strategic Supply Management** team for a directive /decision on tax withholding from payments to this supplier.

Yes		No	
-----	--	----	--

c) If your reply to (b) is **"NO"**, please furnish reasons :

d) Certification and Approval of proposed Vendor Creation/Unblocking/Other Changes by Transnet Official with Appropriate Delegated Authority :

I HEREBY CERTIFY THAT THE TRANSNET DETAILED PROCUREMENT PROCESS (DPP) / PROCUREMENT MECHANISM HAS IN ALL RESPECTS BEEN ADHERED TO AND I THEREFORE APPROVE THE PROPOSED VENDOR CREATION/APPROVAL/OTHER CHANGES TO BE EFFECTED ON THE VENDOR MASTER

Name	Grade	Date	Signature
		Y Y Y Y M M D D	

Tel No:		Fax	
---------	--	-----	--

Section 2: To be completed by the BEE Department (this section is for Confirmation/Determining of BEE Status)

NARROW BASED (NB)				BROADBASED (BBBEE)										
BEE O/S	BWBE	DPBE	MR	CONTB. LEVEL	EME: <R5m	QSE: >R5m <R35m	LARGE: >R35m	VALIDITY DATE						
Name				Grade		Date			Signature					
						Y	Y	Y	Y	M	M	D	D	
						Y	Y	Y	Y	M	M	D	D	



SECTION 8

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

GENERAL TERMS AND CONDITIONS (CSS5 – GOODS)

See attached documents

Preview Copy Only



SECTION 9

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

STANDARD TERMS AND CONDITIONS OF CONTRACT (US7 – SERVICES)

See attached document

Preview Copy Only



SECTION 10

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

NON-DISCLOSURE AGREEMENT

THIS AGREEMENT is made the day of 2012

BETWEEN:

- (1) **Transnet Limited** ("Transnet") (Registration Number 1990/000900/06) whose registered office is at 49th Floor, Carlton Centre, 150 Commissioner Street, Johannesburg 2001, and
- (2) [.....] ("the Company") (Registration Number) whose registered office is at [.....]

WHEREAS

Transnet and the Company wish to exchange Information (as defined below) and it is envisaged that each party may from time to time receive Information relating to the other in respect thereof. In consideration of each party making available to the other such Information, the parties jointly agree that any dealings between them shall be subject to the terms and conditions of this Agreement which themselves will be subject to the parameters of the Proposal.

IT IS HEREBY AGREED

1. Interpretation

1.1 In this Agreement:-

"**Agents**" means directors, officers, employees, agents, professional advisers, contractors or sub-contractors, or any Group member;

"**Confidential Information**" means Information relating to one party (the "Disclosing Party") and/or the business carried on or proposed or intended to be carried on by that party and which is made available for the purposes of the Proposal to the other party (the "Receiving Party") or its Agents by the Disclosing Party or its Agents or recorded in agreed minutes following oral disclosure and any other information otherwise made available by the Disclosing Party or its Agents to the Receiving Party or its Agents, whether before, on or after the date of this Agreement, and whether in writing or otherwise, including any information, analysis or specifications derived from, containing or reflecting such information but excluding information which:-

- (i) is publicly available at the time of its disclosure or becomes publicly available (other than as result of disclosure by the Receiving Party or any of its Agents contrary to the terms of this letter); or

- (ii) was lawfully in the possession of the Receiving Party or its Agents (as can be demonstrated by its written records or other reasonable evidence) free of any restriction as to its use or disclosure prior to its being so disclosed; or
- (iii) following such disclosure, becomes available to the Receiving Party or its Agents (as can be demonstrated by its written records or other reasonable evidence) from a source other than the Disclosing Party or its Agents, which source is not bound by any duty of confidentiality owed, directly or indirectly, to the Disclosing Party in relation to such information;

“**Group**” means any subsidiary, any holding company and any subsidiary of any holding company of either party;

“**Information**” means all information in whatever form including, without limitation, any information relating to systems, operations, plans, intentions, market opportunities, know-how, trade secrets and business affairs whether in writing, conveyed orally or by machine-readable medium;

“**Proposal**” means the aggregation of Transnet’s Request for Information (RFI) and Request for Proposal (RFP).

2. Confidential Information

- 2.1 The Receiving Party will treat and keep all Confidential Information as secret and confidential and will not, without the Disclosing Party’s written consent, directly or indirectly communicate or disclose (whether in writing or orally or in any other manner) Confidential Information to any other person other than in accordance with the terms of this Agreement.
- 2.2 The Receiving Party will only use the Confidential Information for the sole purpose of technical and commercial discussions between the parties in relation to the Proposal or for the subsequent performance of any contract between the parties in relation to the Proposal.
- 2.3 Notwithstanding clause 2.1, the Receiving Party may disclose Confidential Information:
 - (i) To those of its Agents who strictly need to know the Confidential Information for the sole purpose set out in clause 2.2 provided that the Receiving Party shall ensure that such Agents are made aware prior to the disclosure of any part of the Confidential Information that the same is confidential and that they owe a duty of confidence to the Disclosing Party. The Receiving Party shall at all times remain liable for any actions of such Agents that would constitute a breach of this Agreement; or
 - (ii) to the extent required by law or the rules of any applicable regulatory authority, subject to clause 2.4 below.
- 2.4 In the event that the Receiving Party is required to disclose any Confidential Information in accordance with clause 2.3 (ii) above, it shall promptly notify the Disclosing Party and co-operate with the Disclosing Party regarding the form, nature, content and purpose of such disclosure or any action which the Disclosing Party may reasonably take to challenge the validity of such requirement.
- 2.5 In the event that any Confidential Information shall be copied, disclosed or used otherwise than as permitted under this Agreement then, upon becoming aware of the same, without prejudice to any rights or remedies of the Disclosing Party, the Receiving Party shall as soon as practicable notify the Disclosing Party of such event and if requested take such steps (including the institution of legal proceedings) as shall be necessary to remedy (if capable of remedy) the default and/or to prevent further unauthorised copying, disclosure or use.
- 2.6 All Confidential Information shall remain the property of the Disclosing Party and its disclosure shall not confer on the Receiving Party any rights, including intellectual property rights, over the Confidential Information whatsoever beyond those contained in this Agreement.

3. Records and return of Information

- 3.1 The Receiving Party agrees to ensure proper and secure storage of all Information and any copies thereof to at least the same standard as the Receiving Party keeps its own Confidential Information. The Receiving Party shall not make any copies or reproduce in any form any Confidential Information except for the purpose of disclosure as permitted in accordance with this Agreement.
- 3.2 The Receiving Party shall keep a written record, to be supplied to the Disclosing Party upon request, of the Confidential Information provided and any copies made thereof and, so far as is reasonably practicable, of the location of such Confidential Information and any copies thereof.
- 3.3 The Receiving Party shall, within seven days of receipt of a written demand from the Disclosing Party or of its ceasing to be interested in the Proposal:
- (i) Return all written Confidential Information (including all copies); and
 - (ii) expunge or destroy any Confidential Information from any computer, word processor or other device whatsoever into which it was copied, read or programmed by the Receiving Party or on its behalf (including by any person to whom disclosure has been made as permitted under clause 2.3(i) above).

The obligations in this clause 3.3 shall not apply to the extent that (but only for so long as) it is necessary to retain copies for the purpose of providing information to any regulatory authority in accordance with clause 2.3 (ii) above.

- 3.4 The Receiving Party shall on request supply a certificate signed by a director as to its full compliance with the requirements of clause 3.3 (ii) above.

4. Announcements

- 4.1 Neither party will make or permit to be made any announcement or disclosure of its prospective interest in the Proposal without the prior written consent of the other party.
- 4.2 Neither party shall make use of the other party's name or any information acquired through its dealings with the other party for publicity or marketing purposes without the prior written consent of the other party.

5. Duration

The obligations of each party and its Agents under this Agreement shall [be continuing and shall survive the termination of any discussions or negotiations between the parties regarding the Proposal continue for a period of 3 (three) years.

6. Principal

Each party confirms that it is acting as principal and not as nominee, agent or broker for any other person and that it will be responsible for any costs incurred by it or its advisers in considering or pursuing the Proposal and in complying with the terms of this Agreement.

7. Representations

- 7.1 Each party agrees that any Information made available to the Receiving Party or its Agents for the purpose of negotiations or discussions in relation to the Proposal will not form the basis of, or any representation in relation to, any contract, nor constitute an offer or invitation by the Disclosing Party.
- 7.2 Except in the case of fraudulent misrepresentation, the Disclosing Party accepts no responsibility for nor makes any representation or warranty, express or implied, with respect to the accuracy, reliability or completeness of any Information made available to the Receiving Party or its Agents.

8. Adequacy of damages

- 8.1 Without prejudice to any other rights or remedies of the Disclosing Party, the Receiving Party acknowledges and agrees that damages would not be an adequate remedy for any breach by it of the provisions of this Agreement and that the Disclosing Party shall be entitled to seek the remedies of injunction, specific performance and other equitable relief for any threatened or actual breach of any such provision by the Receiving Party or its Agents, and no proof of special damages shall be necessary for the enforcement of the rights under this Agreement.
- 8.2 Nothing contained in this Agreement shall be construed as prohibiting the Disclosing Party from pursuing any other remedies available by it, either at law or in equity, for any such threatened or actual breach of this Agreement including specific performance, recovery of damages or otherwise.

9. Data Protection

The Receiving Party warrants that it and its Agents have the appropriate technical and organizational measures in place against unauthorized or unlawful processing of personal data and against accidental loss or destruction of, or damage to, personal data held or processed by them.

10. General

- 10.1 Neither party may assign the benefit of this Agreement or any interest hereunder except with the prior written consent of the other, save that Transnet may assign this Agreement at any time to any member of the Transnet Group.
- 10.2 No failure or delay in exercising any right, power or privilege under this Agreement will operate as a waiver of it, nor will any single or partial exercise of it preclude any further exercise or the exercise of any right, power or privilege under this Agreement or otherwise.
- 10.3 The provisions of this Agreement shall be severable in the event that any of its provisions are held by a court of competent jurisdiction or other applicable authority to be invalid, void or otherwise unenforceable, and the remaining provisions shall remain enforceable to the fullest extent permitted by law.
- 10.4 This Agreement may only be modified by a written agreement duly signed by persons authorized on behalf of each party.
- 10.5 Nothing in this Agreement shall constitute the creation of a partnership, joint venture or agency between the parties.
- 10.6 his Agreement will be governed by, and construed in accordance with South African law and the parties irrevocably submit to the exclusive jurisdiction of the South African courts.

T

IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be executed by their respective duly authorized representatives.

TRANSNET LIMITED:

By:
(Signature)

Print name: _____

Title: _____

Date: _____

[Insert company name]:

By:
(Signature)

Print name: _____

Title: _____

Date: _____

Preview Copy Only



SECTION 11

REQUEST FOR QUOTATION ("RFQ")

RFQ NUMBER : CRAC-POE-8370

RENOVATE ABLUTIONS AND KITCHEN INFRA DEPOT TZANEEN (02AP081, 082P AND 083P)

SUPPLIERS CODE OF CONDUCT

Preview Copy Only

delivering on our commitment to you



Suppliers Code of Conduct



Suppliers Code of Conduct

Transnet aims to achieve the best value for money when buying or selling goods and obtaining services. This, however, must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any supplier dealing with Transnet must understand and support.

These are:

- » Transnet Procurement Policy- A guide for tenderers;
- » Section 217 of the Constitution- the five pillars of Public PSCM (Procurement and Supply Chain Management): fair, equitable, transparent, competitive and cost effective;
- » The Public Finance Management Act (PFMA);
- » The Broad Based Black Economic Empowerment Act (BBBEE); and
- » The Anti-Corruption Act.

This code of conduct has been compiled to formally apprise Transnet Suppliers of Transnet's expectations regarding behaviour and conduct of its Suppliers.

Prohibition of Bribes, Kickbacks, Unlawful Payments, and Other Corrupt Practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Enterprise, actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. As such, our transformation is focused on adopting a performance culture and to adopt behaviours that will enable this transformation.

Transnet will not participate in corrupt practices. Therefore, it expects its suppliers to act in a similar manner.

- » Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions with, and payments to, our suppliers.



- » Employees must not accept or request money or anything of value, directly or indirectly, from suppliers.

Employees may not receive anything that is calculated to:

- Illegally influence their judgement or conduct or to influence the outcome of a sourcing activity;
- Win or retain business or to influence any act or decision of any person involved in sourcing decisions; gain an improper advantage.

- » There may be times when a supplier is confronted with fraudulent or corrupt behaviour of Transnet employees. We expect our suppliers to use our "Tip-offs Anonymous" Hotline to report these acts - 0800 003 056.

Transnet is firmly committed to free and competitive enterprise.

- » Suppliers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust practices.
- » Transnet does not engage non-value adding agents or representatives solely for the purpose of increasing BBBEE spend (fronting).

Transnet's relationship with suppliers requires us to clearly define requirements, to exchange information and share mutual benefits.

- » Generally, suppliers have their own business standards and regulations. Although Transnet cannot control the actions of our suppliers, we will not tolerate any illegal activities.



These include, but are not limited to:

- Misrepresentation of their product (origin of manufacture, specifications, intellectual property rights, etc);
- Collusion;
- Failure to disclose accurate information required during the sourcing activity (ownership financial situation, BBBEE status, etc.);
- Corrupt activities listed above; and harassment, intimidation or other aggressive actions towards Transnet employees.

- >> Suppliers must be evaluated and approved before any materials, components, products or services are purchased from them. Rigorous due diligence must be conducted and the supplier is expected to participate in an honest and straight forward manner.
- >> Suppliers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

Conflict of Interest

A conflict of interest arises when personal interests or activities influence (or appear to influence) the ability to act in the best interests of Transnet. Examples are:

- >> Doing business with family members.
- >> Having a financial interest in another company in our industry.

Show that you support good business practice by logging onto www.transnet-suppliers.net and completing the form.

This will allow us to confirm that you have received, and agree to, the terms and conditions set out in our Suppliers Code of Conduct.



TIP-OFFS ANONYMOUS HOTLINE
0800 003 056