TRANSNE



TRANSNET FRAIGHT RAIL, a division of

TRANSNET SOC LTD Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ] No MMC ERAC-FDT-011380

RENOVATION OF ASSETS IN ERMELO STORES (02NH007A STORE, 02NH006A STORE, 03NHH007A OFFICE, 02AH149A TROLLEY SHED 03RH010A)

FOR THE: RENOVATION OF ASSETS IN ERMELO STORES (02NH007A STORE, 02NH006A STORE, 03NHH009A OFFICE, 02AH149A TROLLEY SHED 03RH(104)



CONTACT PERSON: BENNY STRYDOM Cell: 083 704 1728 Bus: 012 315 3244 TIME: 10:00

ISSUE DATE: 03 October 2013

CLOSING DATE: 17 October 2013

CLOSING TIME: 10:00

VALIDITY DATE: 31 January 2014

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 2 of 71

Section 1 NOTICE TO BIDDERS

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD:	[Submit physically]
CLOSING VENUE:	[Transnet Freight Rail Tender Advice Centre, Inyanda House 1, Ground Floor,
	21 Wellington road, Parktown, Johannesburg]

1 Responses to RFQ

Responses to this RFQ [**Quotations**] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an account nying letter.

On or after **03 October 2013**, the RFQ documents may be inspected at and are obtainable from the office of Transnet Freight Rail Tender Advice Centre, Inyanda House 1, Ground Floor, 21 Wellington road, Parktown, Johannesburg, on payment of an amount of **R200,00** (incusive of VAT) pet set. Payment is to be made as follows:

Bank:	Standard Bank
Account Number:	203158598
Branch:	Braamfontein
Branch code:	004805
Account Name:	Transnet Limited Head Office
Reference:	MMC ERIC-FD1-011380
NOTES –	\mathbf{X}
a) This	mount is not refundable.

A recent for such payment made must be presented when collecting the RFQ documents and submitted with your Quotation.

occuments will only be available until 15h00 Wednesday, 09 October 2013

additional information or clarification will be faxed or emailed to all Respondents, if necessary.

2 FORMAL BRIEFING

A compulsory information briefing will be conducted at Industrial Road, Railway Station, Ermelo, on Thursday, 10^{th} October 2013, at 10h00 for a period of $\pm 1 - 2$ hours.

[Respondent to provide own PPE, transportation and accommodation].

Contact person: Benny Strydom on 083 704 1728

2.1 A Certificate of Attendance in the form set out in Section 14 hereto must be completed and submitted with your Quotation.

- 2.2 Respondents failing to attend the compulsory site meeting and/or RFQ briefing will be disqualified.
- 2.3 Respondents without a valid RFQ document in their possession will not be allowed to attend the site meeting and/or RFQ briefing.

3 THE BRIEFING SESSION WILL START PUNCTUALLY AT 10H00 AND INFORMATION WILL NOT BE REPEATED FOR THE BENEFIT OF RESPONDENTS ARRIVING LATE.

4 Broad-Based Black Economic Empowerment [B-BBEE]

Transnet fully endorses and supports the Government's Broad-Based Black Economic Empowerment Programme and it would therefore prefer to do business with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies who provide a valid B-BBEE Verification Certificate. All procurement transactions will be evaluated accordingly.

4.1 B-BBEE Scorecard and Rating

As prescribed in terms of the Preferential Procurement Policy Family KAct (PPPFA), Act 5 of 2000 and its Regulations, Respondents are to note the following:

- Functionality is included at a pre-qualification stage with a prescribed percentage threshold of 60 (Sixty points).
- Proposals will be evaluated on price which will be allocated 80 or 90 points and preference which will be allocated 20 or 10 points, dependent on the value of the Goods or Services.
- The 80/20 preference point system applies where the acquisition of the Goods or Services will be less than R1 000 000.00.
- If the 80/20 preference wint system is stipulated and all Bids received exceed R1 000 000.00, the RFQ will be cancelled
- The 90/20 preneterce point system applies where acquisition of the Goods or Services will exceed R1,000,00.0
- of the 90,20 preference point system is stipulated and all Bids received are equal to or below R. 000 000.00, the RFQ will be cancelled.

In this RFQ, Transnet will **80/20** preference point system prescribed in the PPPFA.

October 2011 valid B-BBEE Verification Certificates must be issued by:

- (i) Verification Agencies accredited by the South African National Accreditation System [SANAS]; or
- (ii) Registered Auditors approved by the Independent Regulatory Board of Auditors [IRBA], in accordance with the approval granted by the Department of Trade and Industry.
- Enterprises will be rated by such agencies based on the following:

a) Large Enterprises [i.e. annual turnover greater than R35 million]:

Rating level based on all seven elements of the B-BBEE scorecard

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 4 of 71

b) Qualifying Small Enterprises – QSE [i.e. annual turnover between R5 million and R35 million]:

Rating based on any four of the elements of the B-BBEE scorecard

c) Exempted Micro Enterprises – EME [i.e. annual turnover less than R5 million]:

In accordance with B-BBEE Codes of Good Practice [Statement 000, Section 4], any enterprise with an annual total revenue of R 5 million or less qualifies as an EME.

- Automatic rating of B-BBEE Level 4 irrespective of race or ownership
- Black ownership greater than 50% or Black Women ownership greater than 50% automatically qualify as B-BBEE Level 3

Sufficient evidence to qualify as an EME would be a certificate (which may be in the form of a letter) from an auditor or accounting officer or a certificate from a Verification Agency accredited by SANAS. The certificate must confirm the company's turnover, black ownership / black female ownership, B-BBEE status level and validity date.

Respondents are required to furnish proof of the above to Transpet. [i.e. a valid detailed scorecard as stipulated above in respect of Large Enterprises and QSE, or a valid certificate in respect of EMEs].

Transnet will accordingly allocate a maximum of **10/20 [ten/twenty] points** in accordance with the **80/20 / 90/10** preference point system prescriber in the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulation, to the Respondent's final score based on an entity's B-BBEE scorecard rating. *[Refer Annexure A-B-BBE Deference Points Claim Form]* for further details].

N.B. Failure to submit a B-BBEE certificate, which is valid as at the Closing Date of this RFP, will result in a score of zero being allocated for P-B-BEE.

5 Communication

- a) Respondents are varied that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect or this RFQ between the closing date and the date of the award of the business.
- b) Responsent may, however, before the closing date and time, direct any written enquiries relating to the PFQ to the following Transnet employee:

Name: Prudence Nkabinde

Email: prudence.nkabinde@transnet.net

c) Respondents may also, at any time after the closing date of the RFQ, communicate with

Matete Madisha on any matter relating to its RFQ response:

Telephone 013 656 4254

Email Matete.Madisha@transnet.net

6 Tax Clearance

The Respondent's original valid Tax Clearance Certificate must accompany the Quotation. Failure to provide this document with the RFQ submission will result in disqualification.

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 5 of 71

7 VAT Registration

The valid VAT registration number must be stated here: ______ [if applicable].

8 Legal Compliance

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

9 Changes to Quotations

Changes by the Respondent to its submission will not be considered after the closing date and time.

10 Pricing

All prices must be quoted in South African Rand on a fixed price basis, excluding AT

11 Prices Subject to Confirmation

Prices quoted which are subject to confirmation will not be considered

12 Negotiations

Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents.

13 Binding Offer

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specificate indicated.

14 Disclaimers

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Dease note that Transnet reserves the right to:

- modify the RFD's goods / service(s) and request Respondents to re-bid on any changes;
- reject any Quet tion which does not conform to instructions and specifications which are detailed herein.

liso white Quotations submitted after the stated submission deadline;

hot recessarily accept the lowest priced Quotation;

- reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;
- award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all.

Transnet reserves the right to lower the threshold for Technical by **60%** [sixty percent] if no Bidders pass the predetermined minimum threshold or if only one bidder passes the threshold. This right will be exercised in Transnet's sole discretion.

In addition, Transnet reserves the right to exclude any Respondent from the bidding process who has been convicted of a serious breach of law during the preceding 5 [five] years, including but not limited to breaches

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 6 of 71

of the Competition Act 89 of 1998. Respondents are required to indicate below whether or not they have been found guilty of a serious breach of law during the past 5 [five] years:

I/We ______ do hereby certify that *I/we* **have/have not been** found guilty during the preceding 5 [five] years of a serious breach of law, including but not limited to a breach of the Competition Act, 89 of 1998, by a court of law, tribunal or other administrative body. The type of breach that the Respondent is required to disclose excludes relatively minor offences or misdemeanours, e.g. traffic offences.

Where found guilty of such a serious breach, please disclose:

RENTER

NATURE OF BREACH:

DATE OF BREACH:

Furthermore, I/we acknowledge that Transnet SOC Ltd reserve, the right to exclude any Respondent from the bidding process, should that person or entity have been found guilty of a serious breach of law, tribunal or regulatory obligation.

15 Evaluation Criteria

Transnet will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

- Administrative responsiveness (Phase 1) Completeness of response and returnable documents
- Substantive responsiveness (Phase 2) Prequalification criteria, if any, must be met
- **Technical threshold** of 60 % (**Phase 2**): Compliance to specification / quality, previous performance, delivery lead-time

Weighted evaluation based on 80/20 preference point system (Phase 3)

The evaluation will have a 3 Phases approach.

Phase 1 will be an Administrative Responsiveness determining phase to proceed to phase 2 and those that comply, will progress to be competitively evaluated in phase 3.

Minimum criteria for progressing from phase 1 to phase 2 is detailed below: (Transnet will apply the following criteria; not necessarily in this order, phase 1 of the evaluation)

PHASE 2 – FUNCTIONAL EVALUATION

- Submitted Risk/Safety Plan to be employed taking into consideration the scope of work and deliverables and management of the contract (30)
- Technical Capacity/Resources including Plant and Equipment relevant to performing the project [30]
- Delivery period (40)

PHASE 3

The bidders that have successfully progressed through to Phase 3 will be evaluated in accordance with the **80/20 preference point system** contemplated in the Preferential Progrement Policy Framework Act (Act 5 of 2011)

Weighted evaluation based on 80/20 preference point system:

Pricing

- Pricing will be calculated using the lowest price quoted as the baseline, thus the lowest price quoted will achieve full marks, while all other quotes will achieve a weighted average mark based on the lowest price.
- Pricing and price basis [firm] whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts¹ will be critical

Transnet will utilise the following formula in its evaluation of Price:

¹ Only unconditional discounts will be taken into account during evaluation. A discount which has been offered conditionally will, despite not being taken into account for evaluation purposes, be implemented when payment is effected.

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 8 of 71

$$PS = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

Ps	=	Score for the Bid under consideration
Pt	=	Price of Bid under consideration
Pmin	=	Price of lowest acceptable Bid

- B-BBEE status of company

Preference points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

	B-BBEE Status Level of Contributor	Number of points (80/20 system)
	1	20
	2	18
	3	16
	4	12
	5	8
_	6	
	7	
	8	
	Non-compliant contributor	0
Tranne This Ri	Q is valid until 31 January	80 20 100 0 [ninety] days from the closing date of this RFQ. 2014.
Bankin	g Details	
BANK: _		
	I NAME / CODE:	
BRANCH		
	NT HOLDER:	

18 Company Registration

16

17

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 9 of 71

19 Disclosure of Prices Quoted

Respondents must indicate here whether Transnet may disclose their quoted prices and conditions to other Respondents:

YES		NO		
-----	--	----	--	--

20 Returnable Documents

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below.

 Respondents are required to submit with their Quotations the <u>mandatory Returnable Documents</u>, as detailed below.

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Documents are returned with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these mandatory Peter ble Documents by so indicating [Yes or No] in the table below:

Returnable Documents	Submitted [Yes or No]
SECTION 2 : Quotation Form	
- Original valid Tax Clearance Certificate Leonsortia / Joint Ventures / Sub- contractors must submit a separate Tax Clearance Certificate for each party]	
ANNEXURE : Technical Submission/Questionnaire	

b) In addition to the requirements of section (a) above, Respondents are further required to submit with their Quotations the following **essential Returnable Documents** as detailed below.

Failure to provide all these Returnable Documents may result in a Respondent's discussion discussion. Respondents are therefore urged to ensure that <u>all</u> these documents are ensured with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these essential Returnable Documents by so indicating [Yes or No] in the table below:

	Returnable Documents	
SE	CTION 1 : Notice to Bidders	
-	Valid B-BBEE Verification Certificate [RSA Large Enterprises and QSEs] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard	
-	Valid B-BBEE certificate from auditor, accounting officer or SANAS accredited Verification Agency [RSA EMEs]	
	Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard	

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 10 of 71

Returnable Documents	Submitted [Yes or No]
- In the case of Joint Ventures, a copy of the Joint Venture Agreement or written confirmation of the intention to enter into a Joint Venture Agreement	
- SECTION 3 : Standard Terms and Conditions of Contract for the Supply of Goods or Services to Transnet	
SECTION 4 : Vendor Application Form	
- Original cancelled cheque or bank verification of banking details	
- Certified copies of IDs of shareholder/directors/members [as applicable]	
- Certified copy of Certificate of Incorporation [CM29/CM9 name change]	
- Certified copy of share certificates [CK1/CK2 if C.C.]	
- Entity's letterhead	
- Certified copy of VAT Registration Certificate [RSA entities only]	
- Certified copy of valid Company Registration Certificate [if applicable]	
- A signed letter from Respondent's auditor or accountant confirming most recent annual turnover figures	
ANNEXURE A – B-BBEE Preference Points Claim Form	
SECTION 6 : Signing Power - Resolution of Board of Directors	
SECTION 7 : Certificate of Acquaintance with RECE ocuments	
SECTION 8 : General Bid Conditions – Services	
SECTION 9 : STANDARD TERMS AND CONDITIONS OF CONTRACT	
SECTION 10 : RFQ Declaration Form	
SECTION 11 : Breach of Law	
SECTION 12 : Bid Clarification Request Form	
SECTION 13 : Service Provider Code of Conduct	
SECTION 14 : Certificate of attendance of Site Meeting / RFQ Briefing	
SECTION 15 MON-DISCLOSURE AGREEMENT [NDA]	
SECTIC 11 : Etc. – Minimum Communal Health Requirements	
SECTION 8 : E4E – Safety arrangements and Procedural compliance	
SECTION 19 : BBD8210 Version $1 - E7/1 - Specification to general work and works on, over, under or adjacent to railway lines and near high voltage equipment$	
SECTION 20: SCHEDULE OF PLANT AND EQUIPMENT	
Risk and safety plan	
List of plant and methods of operation to be used	

Failure to provide all the above-referenced returnable documents listed will result in a Respondent's disqualification. Bidders are therefore urged to ensure that <u>all</u> these documents are returned with their Quotations.

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 11 of 71

20.1 CONTINUED VALIDITY OF RETURNABLE DOCUMENTS

RENTER

The successful Respondent will be required to ensure the validity of all returnable documents, including but not limited to its Tax Clearance Certificate and B-BBEE Accreditation Certificate, for the duration of any contract emanating from this RFQ. Should the Respondent be awarded the contract [the **Agreement**] and fail to present Transnet with such renewals as and when they become due, Transnet shall be entitled, in addition to any other rights and remedies that it may have in terms of the eventual Agreement, to terminate the Agreement forthwith without any liability and without prejudice to any claims which Transnet may have for damages against the Respondent.

Respondent's Signature

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 12 of 71

Section 2 QUOTATION FORM

I/We_

Hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

RENTEN

- the Standard Terms and Conditions for the Supply of Goods and Services to Transnet [available on request]; and
- any other standard or special conditions mentioned and/or embodied in this Request for Quotation.

I/We accept that unless Transnet should otherwise decide and so informine/us, this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence], to end or with Transnet's acceptance thereof shall constitute a binding contract between Transnet and mo/br

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery lead-one quoted, Transnet may, without prejudice to any other legal remedy which it may have, cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations afresh and or having to accept any less favourable offer.

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 13 of 71

2 REFERENCES

Please indicate below the company names and contact details of existing customers whom Transnet may contact to seek third party evaluations of your current service levels:

Company Name	Nature of work	Value of work		Contact details	Year
			person		completed
				N	
			\mathbf{V}^{*}		
		1			
	C	\mathbf{O}^{*}			
Ser .					

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 14 of 71

3 SCOPE OF REQUIREMENTS

1. SPECIFICATIONS - 2013-2014 ERMELO RENOVATE INFRA STORE 02NH006A

Paint G.I. roof primer NS4 and two coats white heat reflective paint Paint walls ext.one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1 Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1 Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint ceilings one coat universal undercoat and two coats pva white code M3701600 Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps (and tiles on concrete lintels) Remove and replace glass Supply and fit asst. no.02NH006A Paint all pipes one coat universal undercoat and one coat high g ss en mel white Remove and replace door lock Remove and replace F/L/B door Repair wooden door frame Build 115mm brick wall and plaster (4/ 0.80n high x 0.80m wide for table) Supply and fit concrete lintels on brick will (0.80 de x 1.97m lona)

2. SPECIFICATIONS - 2013-2014 ERMELO RENOVATE INFRA STORE 02NH007A

Paint G.I. roof primer NS and two coats white heat reflective paint Paint walls ext.one to Dura white .two coats Weather guard Barely Beige code 3H1/1 ne wat universal undercoat and two coat dulux pearlolo lockness coat 3L1/5 Paint window fremes Paint walls it. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1 Paint deals and traines one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Pair ity gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 eilings one coat universal undercoat and two coats pva white code M3701600 Pal Supply and fit flat bare 25mm x 5mm at steel windows for B/bars (4/ 1m long) Remove and replace glass Supply and fit asst. no.02NH005A Repair wooden door frame Remove and replace door lock Remove and replace F/L/B door Supply and fit new security door complete

3. SPECIFICATION - 2013-2014 ERMELO RENOVATE INFRA STORE 03HH009A

Paint G.I. roof primer NS4 and two coats white heat reflective paint Paint walls ext.one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1 Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1 Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint ceilings one coat universal undercoat and two coats pva white code M3701600 Supply and fit flat bare 25mm x 5mm at steel windows for B/bars (4/ 1m long) Remove and replace glass Supply and fit asst. no.03HH009A Repair wooden door frame Remove and replace door lock

Remove and replace F/L/B door

SPECIFICATION - 2013-2014 ERMELO RENOVATE OFFICE 2PH179A

Paint G.I. roof primer NS4 and two coats white heat reflective paint

Paint purlins one coat universal undercoat and one coat high gloss enamel white

Paint sprockets one coat universal undercoat and one coat high gloss enamel white

Paint walls ext. one coat sealing compound one that Dura 65 white .two coats Weather guard Barely Beige code 3H1/1

Paint window frames one coat unive saturated and two coat dulux pearly lockness coat 3L1/5 Paint windows sills one coat dura 65 bite and two coats weather guard barely beige code 3H1/1

Seal roof with flash harr

Remove and replace loose rouging screws 63mm posy drive screws

Remove old gutters

Supply and fit so mless gutters 125mmx100mm color white

Supply and fit seamess down pipes color white 100mm x 75mm

Remive and toplace glass

Supply and fit asst. no.02PH179A

Paint ceilings one coat universal undercoat and two coats PVA white code M3701600

Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1

Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps

Remove old board at window and replace with nutec 6mm board complete (2/ 1m x 0.62m)

Remove and replace door lock

Remove all pipes from building

Supply and fit new ceiling complete with nutec board and one trap door

Supply and fit new security gate complete

SPECIFICATION – 2013-2014 Ermelo Renovate Office 02AH149A

Paint purlins one coat universal undercoat and one coat high gloss enamel white Paint sprockets one coat universal undercoat and one coat high gloss enamel white Paint walls ext. one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1 Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint windows sills one coat dura 65 white and two coats weather guard barely beige code 3H1/1 Remove old gutters

Supply and fit seamless gutters 125mmx100mm color white

Supply and fit seamless down pipes colour white 100mm x 75mm

Remove and replace glass

Paint facias and barge boards one coat universal undercoat and one coat high gloss enamel white Paint ceilings one coat universal undercoat and two coats PVA white coat M3701600

Paint walls int. one coat universal undercoat and one coat engshelpenamel barely beige code 3H1/1 Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps

Remove all pipes from building

Supply and fit asst. no.02411434

Paint facias and barge boards one coat universal undercoat and one coat high gloss enamel white Supply and fit vertical blinds to windows colour plain fawn in window

0.60m drop x 0.97m v de

1.18m drop x 0.97m wide

1.50m drop x 0.99m wide

Remove all wooden skirting and make wall good

Remove and replace roof sheet with chromadek .roof sheet corrugated iron 0.3mm full length and full hard colour white complete

Remove and replace putty at windows

Remove and replace door lock

Remove and replace Barge board with nutec

Remove old sink complete

Repair wooden door frame

4. SPECIFICATION - 2013-2014 ERMELO RENOVATE TROLLEY SHED 03RH010A

Paint steel sprockets one coat universal undercoat and one coat high gloss enamel white

Paint steel purlins one coat universal undercoat and one coat high gloss enamel white Paint steel beams one coat universal undercoat and one coat high gloss enamel white

Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5

Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5

Remove and replace loose roofing screws 63mm posy drive screws

Paint concrete floor Black and Yellow strips

Fit steel plate on door (1/ 0.90m x 1.00m)

Cut corrugated iron fit steel and make good (0. 30 m high x 2.30m long)

Cast concrete ramp (25 m p a) with wood float finish and nosing 200mm thick [4. 20m wide x 2m long]

Remove corrugated iron doors

Fabricate store room with steel construction and corrugated iron sheet with does and roof, with only two walls to be affixed to standing building walls in corner (Corrugated iron doors in port 11 to be used) : Door size : 4,19m x 2m

x 2,2m high

Supply and fit Industrial Roll up doors (manually operated) to suit opening of : 4,20m high x 4,14m wide

5. SPECIFICATION - 2013-2014 EFMELO PENOVATE TROLLEY SHED 03RH010A

Paint steel sprockets one coat universal undercoat and one coat high gloss enamel white

Paint steel purlins one coat universal undercoat and one coat high gloss enamel white Paint steel beams one coat universal unsercoat and one coat high gloss enamel white

Paint window frames one coat universe undercoat and two coat dulux pearlglo lockness coat 3L1/5

Paint doors and frames the cost universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Remove and replace loose room screws 63mm posy drive screws

Paint concrete foor Black and Yellow strips

Fit steel plate on soor (1/ 0.90m x 1.00m)

Cut corrugate iron fit steel and make good (0. 30 m high x 2.30m long)

Cast concrete camp (25 m p a) with wood float finish and nosing 200mm thick [4. 20m wide x 2m long] Remove corrugated iron doors

Fabricate store room with steel construction and corrugated iron sheet with door and roof, with only two walls to be affixed to standing building walls in corner (Corrugated iron doors in point 11 to be used) : Door size : $4,19m \times 2m \times 2,2m$ high

Supply and fit Industrial Roll up doors (manually operated) to suit opening of : 4,20m high x 4,14m wide

SPECIFICATIONS 05ZM001A

Paint G.I. roof primer NS4 and two coats white heat reflective paint Paint facials and barge boards one coat universal undercoat and one coat high gloss enamel white Paint purlins one coat universal undercoat and one coat high gloss enamel white Paint sprockets one coat universal undercoat and one coat high gloss enamel white Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5 Paint windows sills one coat dura 65 white and two coats weather guard barely beige code 3H1/1 Paint all pipes one coat universal undercoat and one coat high gloss enamel white and steel at carport Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lock ess coad 3L1/5 Paint security gates one coat universal undercoat and and two coat dulux pearlole lockness coat 3L1/5 Paint ceilings one coat universal undercoat and two coats pva white code M321600 Paint walls int.one coat universal undercoat and one coat eggshell enamel ba eige code 3H1/1 elv Supply and fit seamless gutters 125mmx100mm colour white Supply and fit seamless down pipes colour white 100mm x 75mm Remove and replace wall tiles white 200x300mm complete with white wouting and protection covers at edge kit. Supply and fit floor unit with white melamine interior and oak ext. and with granite top color moss grey and back splash 100mm complete with locks 1.40m long and sink with mixer cold and hot water complete Strip and remove floor covering chip floor appropriate to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove gree grouting nd 100mm tile skirting and protection cover at doors and skirting and steps Supply and fit floor cupboard with white melamine interior and red oak ext. with three draws (450mm wide x 800mm high x 600mm deep) Supply and fit post formed kitchen to colour moss grey on floor cupboards complete (top 3530 x 600mm) Supply and fit a security teen rame with a security gate in (1/1.13m x 2.50m height) complete as wall Supply and fit a security stee frame (1/1.56m x 2.50m height) complete as wall eel frame (1/1.56m x 1.13m) complete as ceiling (roof) Supply and fit a secure Supply and fit V ical blinds to windows colour plain fawn in window 0.63m drug x 47m wide hd place brass sliding stays Rem ve

MAINTENANCE STANDARDS PROPERTY MANAGEMENT TECHNICAL

ITEM	MATERIAL DESCRIPTION
CIVIL	
Paint ceiling	Two coats DURA 65 WHITE,
Paint cornices and cover strips	Two coats DURA 65 WHITE,
Suspended ceiling	Don Shield SUSPENDED ceiling,
Acoustic tiles	SUPPLIED ON SPECIAL REQUEST.
	Paint walls two coats Dulux Wash N Wear Silk, Barely Beige code - 3H1-1 paint windows one c at white universal under coat and two coats Dulux Peango Lockness code - 3L1-5 Paint door frames one coat white Du Lux universal under coat and two coats Duba Pealglo Lockness code - 3L1-5 (windows int. and ext., doo frames and doors included) (Wash walls with heavy duty precised. Use 100Grid to sand paper walls, dust
Wall paint (inside) *	thoroughly, and a ply crack filler, sand paper again. Dust walls) faint wadaws
Wall Tiles (inside)	300 x 300mm ceramic wall tiles from Ferreira's code -arc 0162 JC colour-white with 3mm spacing and white grouting.
Wall Tiles	Solution's GWC-4 200 x 200mm Gloss white wall tiles available from Sile Africa fixed with TAL professional adhesive and flush pointed with TAL Super white fine grout.
Wall paint (incide)	Painted surface (ENAMEL) - Two coats Dura 65 white. Two coats Dulux eggshell enamel, Barely Beige code 3H1-1. (Wash walls with heavy duty detergent. Use 100Grid to sand paper walls, dust thoroughly, and apply crack filler, sand paper again. Dust walls)
	Painted surface (PVA or ENAMEL)-One coat Dura 65 white. Two coats WEATHERGUARD, Barely Beige code (Wash walls with heavy duty detergent. Use 100Grid to sand paper walls, dust Thoroughly, and apply crack filler, sand paper again. Dust
Wall paint(external)(Painted)	walls) 3H1-1. (Wash walls with heavy duty detergent. Use 100Grid to sand paper walls, dust thoroughly, and apply crack filler, sand paper again. Dust walls)
	Raw walls. One coat Dura 65 white .Two coats
Wall paint(external) (raw walls) Wall paint (external) face brick	weatherguard,Barely Beige code 3HI-1 Two coats clear brick dressing.
	WALLPAPER.DESIGN SYNDICATE (DS)PAPER
Wall paper (inside)	RANGE.MORANO.REF NR.MW5210 or similar
	Lay 600x600mm, LS (LX) Super White Nano porcelain floor tiles. Apply super bond adhesive progrip (EZAD103) with progrip water proof grout (EZGR559) and 100mm tiled skirting (similar to floor tiles) with plastic edge cover strip to match floor
Floor tiles	tile. Tiles obtainable at CTM store.

finish aberberpoint 920 nexbac colour charcoal size, 500x500mm finish bberberpoint 920 nexbac colour. Paint Floor paint floor one coat apoxy floor paint; colour; dark grey. Skirting's (painted) skirting sanded, one coat pink primer, two coats dulux code 3h1-1 colour barley beige. Tiled skirting's 100mm tiled skirting (similar to floor tiles) with white plastic edge cover strip Door to toilet cubicle. indicator lock to door (chrome finish) Door to toilet cubicle. indicator lock to door (chrome finish) Skirting (wood) 19 x 75mm maranti skirting, sand aad toply two coats dulux woodgard timber varnish Toilet (Low water volume and pressure areas) Low level Vaal Pottery pan pith storate porcelain cistern Toilet (Ally water volume and pressure areas) Low level Vaal Pottery pan with Flush Master Toilet paper holder Three roll lockal & tub ter paper dispenser attached to wall/partition Shower tose Cobra and tile sopcock-star type Shower tose Cobra and tile sopcock-star type Shower rose Cobra and trap ap roleal on wall mounted fixing brackets, tith throme outlet, plug and chain. Cobra heavy duty pilar systar type. WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with shrome outlet, plugs and chain. Mitror 420 x 600mm silver mirror, mounted flush		I
size.500x500mm finish b - berberpoint 920 nexbac colour. Carpets Paint Floor paint floor one coat apoxy floor paint; colour; dark grey. Skirting's (painted) Shirting's (painted) Shirting's (painted) Skirting's edge cover strip Tied skirting's odge cover strip Tied skirting's odge cover strip Tomm anddized aluminium skirting around columns and on new drywall partitioning. Door to toilet cubicle. Indicator lock to door (chrome finish) Skirting (wood) Yoogard timber varnish Voodgard timber varnish Toilet (Liou water volume and pressure areas) Low level Vaal Pottery pan tith is parate porcelain cistern Toilet paper holder White heavy duty provide coor B2 Three roll lockale to liel topper dispenser attached to Shower rose Cobra und't lie opecock- star type Shower of tar Alumin um Proot obscure safety glass Shower of cor Alumin um Proot obscure safety glass Shower of saf type. Shower of cor	Carpets	city.finish bnexus carpet.range; westminster. colour black
Wood skirting's (painted) skirting sanded, one coat pink primer, two coats dulux code 3h1-1 colour barley beige. 100mm tiled skirting (similar to floor tiles) with white plastic edge cover strip Torm anodized aluminium skirting around columns and on new drywall partitioning. Door to toilet cubicle. indicator lock to door (chrome finish) Did (wood) 19 x 75mm maranti skirting .sand and poly two coats dulux woodgard timber varnish Toilet (Low water volume and pressure areas) Low level Vaal Pottery pan tith s parate porcelain cistern Toilet (High water volume and pressure areas) Low level Vaal Pottery pan tith s parate porcelain cistern Toilet seat White heavy duty premise Coon B2 There ofl lockate is bilet paper dispenser attached to wall/partition Shower taps Cobra undir tile sopcock- star type Shower taps Cobra undir tile soprecelv wall mounted fixing brackets, the hore outlet, plug and chain. Cobra heavy duty pillar MHB 450 x 50mm Vala porcelain on wall mounted fixing brackets, the hore outlet, plug and chain. Cobra heavy duty pillar MHB 357456, with chrome outlet, plugs and chain. MHB 305 X 240 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. WHB 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE - 333250 Bathro	Carpets	size.500x500mm finish bberberpoint 920 nexbac colour. senegal size.500 x 500mm finish cberberpoint 920 nexbac
Wood skirting's (painted) 3h1-1 colour barley beige. Tiled skirting's 100mm tiled skirting (similar to floor tiles) with white plastic edge cover strip Skirting- 75mm anodized aluminium skirting around columns and on new drywall partitioning. Door to toilet cubicle. indicator lock to door (chrome finish) 19 x 75mm maranti skirting.sand agd poply two coats dulux woodgard timber varnish Toilet (Low water volume and pressure areas) Low level Vaal Pottery pan rith substate porcelain cistern Toilet (High water volume and pressure areas) Low level Vaal Pottery pan with Flush Master Toilet seat White heavy duty prove Econo B2 Three roll lockat le tollet paper dispenser attached to wall/partition Shower rose Cobra und't lie sopcock- star type Shower door Alumin um Pirot obscure safety glass Shower P - trap Bass dow seal with chrome grid WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plug and chain. WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. WHB 205 x 245 x 420 mm Barron Bowl urinal Model TE top entry MBP - 420 WHB Api cabic bottle trap Urinal winh founded) Flat back Lavetera wit	Paint Floor	paint floor one coat apoxy floor paint; colour; dark grey.
Tiled skirting's edge cover strip Skirting- 75mm anodized aluminium skirting around courtins and on new drywall partitioning. Door to toilet cubicle. indicator lock to door (chrome finish) Skirting (wood) 19 x 75mm maranti skirting .sand and topply two coats dulux woodgard timber varnish Toilet (Low water volume and pressure areas) Low level Vaal Pottery pan afth subate porcelain cistern Toilet (High water volume and pressure areas) Low level Vaal Pottery pan afth subate porcelain cistern Toilet seat White heavy duty place Econo B2 Toilet paper holder Three roll lockal te tile to paper dispenser attached to wall/partition Shower taps Cobra afforce survel with swan neck extension Shower rose Cobra afforce survel with swan neck extension Shower oor Alumirum Pixot obscure safety glass Shower P - trap Bass dee, seal with chrome grid VHB 450 x 500mm Vaal porcelain on wall mounted fixing brackets, vinnerme outlet, plug and chain. Cobra heavy duty pillar WHB 357456, with chrome outlet, plugs and chain. WHB 450 x 500mm Siver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB Cobra pillar, push button self closing taps WHB 20 x 245 x 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE - 333250 Bathroom extractor fan 300mm Expel air	Wood skirting's (painted)	
Skirting- new drywall partitioning. Door to toilet cubicle. indicator lock to door (chrome finish) 19 x 75mm maranti skirting .sand aan oply two coats dulux woodgard timber varnish Toilet (Low water volume and pressure areas) Low level Vaal Pottery pan with Subate porcelain cistern Toilet (High water volume and pressure areas) Low level Vaal Pottery nan with Flush Master Toilet seat White heavy duty provide Econo B2 Three roll lockal a tiple paper dispenser attached to wall/partition Shower taps Shower rose Cobra, undor sile spletock- star type Shower rose Cobra, andor sile spletock- star type Shower P - trap Bigs door seal with chrome grid MHB M50x 530mm Vaal porcelain on wall mounted fixing brackets, virtual norme outlet, plug and chain. Cobra heavy duty pillar WHB Siz 545, with chrome outlet, plug and chain. Mirror 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB Siz 456, with chrome outlet, plugs and chain. Mirror 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB taps Cobra pillar, push button self closing taps WHB taps Cobra pillar, push button self closing taps WHB taps Cobra pillar, push button	Tiled skirting's	
Skirting (wood) 19 x 75mm maranti skirting .sand and oply two coats dulux woodgard timber varnish Toilet (Low water volume and pressure areas) Low level Vaal Pottery pan util stockate porcelain cistern Toilet (High water volume and pressure areas) Low level Vaal Pottery han with Flush Master Toilet seat White heavy duty prace Econo B2 Toilet seat White heavy duty prace Econo B2 Toilet paper holder wall/partition Shower taps Cobra under tile sopcock- star type Shower taps Cobra under tile sopcock- star type Shower door Alumir um Pitot obscure safety glass Shower P - trap Brass dee, seal with chrome grid 450 x 530mm Vaal porcelain on wall mounted fixing brackets, vin forome outlet, plug and chain. Cobra heavy duty pillar WHB A20 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. Mirror doube sided tape above wash hand basins at eye level. WHB S5 x 245 X 420 mm Barron Bowl urinal Model TE top entry flush risk provide two rows of 300 X 300mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete Cobra miker- star type 1000mm steal cabinet unit with hinged doors and s/s sink.	Skirting-	new drywall partitioning.
Skirting (wood) woodgard timber varnish Toilet (Low water volume and pressure areas) Low level Vaal Pottery pan vith storaste porcelain cistern Toilet (High water volume and pressure areas) Low level Vaal Pottery nan with Flush Master Toilet seat White heavy duty press Econo B2 Three roll lockate 6 toilet paper dispenser attached to wall/partition Shower taps Cobra under tile specek- star type Shower rose Cobra under tile specek- star type Shower door Alumir um Pirot obscure safety glass Shower P - trap Bass dee, seal with chrome grid 450x 530mm Vaal porcelain on wall mounted fixing brackets, mith from exite, plug and chain. Cobra heavy duty pillar this star type. WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. Mirror 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB P tap Cobra pillar, push button self closing taps WHB P tap Anti vac plastic bottle trap Urinal, well mounted) Flat back Lavetera with Flush Master 300mm Expel air 300mm Expel air Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Korbo1300. Above full length of sink provide t	Door to toilet cubicle.	indicator lock to door (chrome finish)
pressure areas) Low level Vaal Pottery pan utth Substate porcelain cistern Toilet (High water volume and pressure areas) Low level Vaal Pottery pan with Flush Master Toilet seat White heavy duty prove Econo B2 Toilet seat White heavy duty prove Econo B2 Toilet seat Cobra under tile sporock-star type Shower taps Cobra under tile sporock-star type Shower rose Cobra under tile sporock-star type Shower door Alumin um Pixot obscure safety glass Shower P - trap Biss depuseal with chrome grid 455 K530mm Vaal porcelain on wall mounted fixing brackets, tith hrome outlet, plug and chain. Cobra heavy duty pillar vas star type. WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. WHB 357456, with chrome outlet fush with tiles using double sided tape above wash hand basins at eye level. WHB p - dap Anti vac plastic bottle trap Urinal wolls outled Flat back Lavetera with Flush Master Unall (Wall mounted) Flat back Lavetera with Flush Master Store applied 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink.	Skirting (wood)	
pressure areas) Low level Vaal Pottery van with Flush Master Toilet seat White heavy duty press Econo B2 Three roll lockate & tilet paper dispenser attached to wall/partition Three roll lockate & tilet paper dispenser attached to wall/partition Shower taps Cobra under tile sopcock- star type Shower rose Cobra under tile sopcock- star type Shower door Alumin um Prot obscure safety glass Shower P - trap Bass deb seal with chrome grid 450x 530mm Vaal porcelain on wall mounted fixing brackets, when hrome outlet, plug and chain. Cobra heavy duty pillar WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. WHB 357456, with chrome outlet, plugs and chain. Mirror 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB p - tap Anti vac plastic bottle trap Urinal (m th ounted) Flat back Lavetera with Flush Master 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250 Bathroom extractor fan 300mm Expel air Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic	Toilet (Low water volume and pressure areas)	Low level Vaal Pottery pan with suparate porcelain cistern
Three roll lockable fullet paper dispenser attached to wall/partitionShower tapsCobra under tile sopcock- star typeShower roseCobra anore solvel with swan neck extensionShower roseCobra anore solvel with swan neck extensionShower P - trapBisss deo, seal with chrome gridVBBV50x 530mm Vaal porcelain on wall mounted fixing brackets, with hrome outlet, plug and chain. Cobra heavy duty pillar vas star type.WHB420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain.Mirror450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level.WHB tapsCobra pillar, push button self closing tapsWHB value305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE - 333250Winal (wul mounted)Flat back Lavetera with Flush Master300mm Expel air300mm Expel airKitchen Cabinet complete1200mm steel cabinet unit with hinged doors and s/s sink. Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code - ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen cupboards and sinkCobra mixer star typeKitchen cupboards and sinkFor Top. Bottom skirting to be manufactured from a waterproof material.Taps kitchenCobra mixer star typeSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	pressure areas)	
Toilet paper holder wall/partition Shower taps Cobra under tile spocock- star type Shower rose Cobra under tile spocock- star type Shower door Aluminum Pirot obscure safety glass Shower P - trap Brass deep seal with chrome grid MED Mass deep seal with chrome grid WHB Mass star type. 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 57456, with chrome outlet, plugs and chain. Mirror 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB taps Cobra pillar, push button self closing taps WHB taps Cobra pillar, push button self closing taps Urinal mult founted) Flat back Lavetera wi	Toilet seat	
Shower taps Cobra under tile S opcock- star type Shower rose Cobra unifore survel with swan neck extension Shower door Aluminum Pirot obscure safety glass Shower P - trap Binss deep seal with chrome grid 450x 530mm Vaal porcelain on wall mounted fixing brackets, Vitmbrome outlet, plug and chain. Cobra heavy duty pillar WHB 450x 530mm Vaal porcelain on wall mounted fixing brackets, Vitmbrome outlet, plug and chain. Cobra heavy duty pillar WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. Mirror 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB taps Cobra pillar, push button self closing taps WHB P - rap Anti vac plastic bottle trap Urinal mounted) Flat back Lavetera with Flush Master 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE - 333250 Bathroom extractor fan 300mm Expel air Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code - ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant. Cherry wood melamine with drop- in -sink and grey/pink gr	Toilet paper holder	
Shower rose Cobra enfronce synvel with swan neck extension Shower door Aluminum Pitot obscure safety glass Shower P - trap Bress deep seal with chrome grid Vittem frome outlet, plug and chain. Cobra heavy duty pillar Nome outlet, plug and chain. Cobra heavy duty pillar WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - WHB 357456, with chrome outlet, plugs and chain. Mirror 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB WHB taps Cobra pillar, push button self closing taps WHB P - rap Anti vac plastic bottle trap Urinal mol roomfed) Flat back Lavetera with Flush Master 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250 Bathroom extractor fan 300mm Expel air Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete Showe salant. Kitchen cupboards and sink a waterproof material. Cherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material. Taps kitchen Cobra mixer star type <td></td> <td></td>		
Shower door Aluminum Pirot obscure safety glass Shower P - trap Btass deb, seal with chrome grid 450 x 530mm Vaal porcelain on wall mounted fixing brackets, tith hrome outlet, plug and chain. Cobra heavy duty pillar WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. WHB 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB taps Cobra pillar, push button self closing taps WHB P - tap Anti vac plastic bottle trap Urinal mounted) Flat back Lavetera with Flush Master 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250 Bathroom extractor fan 300mm Expel air Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete Cherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material. Taps kitchen Cobra mixer star type 150 x 150mm white Johnson with 3mm spacing, white grout filling Sink P - trap PVC bottle trap		
Shower P - trap Bisss deep seal with chrome grid 450x 530mm Vaal porcelain on wall mounted fixing brackets, rither prome outlet, plug and chain. Cobra heavy duty pillar WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. WHB 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB taps Cobra pillar, push button self closing taps WHB taps Cobra pillar, push button self closing taps WHB taps Cobra pillar, push button self closing taps WHB value 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250 Bathroom extractor fan 300mm Expel air Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code - ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant. Kitchen cabinet complete Cherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material. Taps kitchen Cobra mixer star type Milling 150 x 150mm white Johnson with 3mm spacing, white grout filling Sink P - trap PVC bottle trap Pressure control valve		
450x 530mm Vaal porcelain on wall mounted fixing brackets, vin throme outlet, plug and chain. Cobra heavy duty pillar this star type. WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. WHB 420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain. Mirror 450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level. WHB taps Cobra pillar, push button self closing taps WHB V - tap) Anti vac plastic bottle trap Urinal (well mounted) Flat back Lavetera with Flush Master 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250 Bathroom extractor fan 300mm Expel air Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code - ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant. Kitchen cupboards and sink Cherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material. Taps kitchen Cobra mixer star type WHB V20 bottle trap PVC bottle trap PVC bottle trap	Shower P - trap	
420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, with chrome outlet, plugs and chain.Mirror450 x 600mm silver mirror, mounted flush with tiles using double sided tape above wash hand basins at eye level.WHB tapsCobra pillar, push button self closing tapsWHB p - tapAnti vac plastic bottle trapUrinal (multified)Flat back Lavetera with Flush Master305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250Bathroom extractor fan300mm Expel airKitchen Cabinet complete1200mm steel cabinet unit with hinged doors and s/s sink.Kitchen Cabinet completeSolow - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen cupboards and sinkCherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.Cobra mixer star type150 x 150mm white Johnson with 3mm spacing, white grout fillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	WHB	vite hrome outlet, plug and chain. Cobra heavy duty pillar
Mirrordouble sided tape above wash hand basins at eye level.WHB tapsCobra pillar, push button self closing tapsWHB P - tapAnti vac plastic bottle trapUrinal (well mounted)Flat back Lavetera with Flush Master305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250Bathroom extractor fan300mm Expel airKitchen Cabinet complete1200mm steel cabinet unit with hinged doors and s/s sink.Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen cupboards and sinkCherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.KitchenCobra mixer star typeVall tiles above sink150 x 150mm white Johnson with 3mm spacing, white grout fillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	WHB	420 x 340 x 185 mm Oval A basin from FRANKE - FSA Code -
WHB P - (ap) Anti vac plastic bottle trap Urinal (mill nounted) Flat back Lavetera with Flush Master 305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250 Bathroom extractor fan Xitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete 1200mm steel cabinet unit with hinged doors and s/s sink. Kitchen Cabinet complete Kitchen Cabinet complete Silicon sealant. Cherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material. Taps kitchen Cobra mixer star type Vall tiles above sink filling Sink P - trap PVC bottle trap Pressure control valve Cobra 600Kpa with close off valve	Mirror	
Urinal (m) Lyounted)Flat back Lavetera with Flush Master305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250Bathroom extractor fan300mm Expel airKitchen Cabinet complete1200mm steel cabinet unit with hinged doors and s/s sink.Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen Cabinet completeCherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.Kitchen cupboards and sinkCobra mixer star typeMall tiles above sinkfillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	WHB taps	Cobra pillar, push button self closing taps
Unnal (well mounted)305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA CODE- 333250Bathroom extractor fan300mm Expel airKitchen Cabinet complete1200mm steel cabinet unit with hinged doors and s/s sink.Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen Cabinet completeCherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.KitchenCobra mixer star type150 x 150mm white Johnson with 3mm spacing, white grout fillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	WHB P - tap	
Unical (we mounted)flush - FSA CODE- 333250Bathroom extractor fan300mm Expel airKitchen Cabinet complete1200mm steel cabinet unit with hinged doors and s/s sink.Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen Cabinet completeCherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.Kitchen cupboards and sinkCobra mixer star typeTaps kitchenCobra mixer star typeWall tiles above sinkfillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	Urinal (multicounted)	
Kitchen Cabinet complete1200mm steel cabinet unit with hinged doors and s/s sink.Kitchen Cabinet completeKombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen Cabinet completeCherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.Kitchen cupboards and sinkCobra mixer star type 150 x 150mm white Johnson with 3mm spacing, white grout fillingWall tiles above sinkPVC bottle trap Cobra 600Kpa with close off valve	Unnal (well mounted)	flush - FSA CODE- 333250
Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear silicon sealant.Kitchen Cabinet completeCherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.Kitchen cupboards and sinkCobra mixer star typeTaps kitchenCobra mixer star typeWall tiles above sinkFillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve		
Cherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from a waterproof material.Kitchen cupboards and sinkCobra mixer star typeTaps kitchenCobra mixer star type150 x 150mm white Johnson with 3mm spacing, white grout fillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	Kitchen Cabinet complete	Kombo1800. Above full length of sink provide two rows of 300 X 300mm ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as splash-back. (Seal unit to tiles with clear
150 x 150mm white Johnson with 3mm spacing, white grout fillingWall tiles above sinkfillingSink P - trapPVC bottle trapPressure control valveCobra 600Kpa with close off valve	Kitchen cupboards and sink	Cherry wood melamine with drop- in -sink and grey/pink granite post form top. Bottom skirting to be manufactured from
Wall tiles above sink filling Sink P - trap PVC bottle trap Pressure control valve Cobra 600Kpa with close off valve	Taps kitchen	
Pressure control valve Cobra 600Kpa with close off valve	Wall tiles above sink	filling
	•	
	Pressure control valve Waste pipes	Cobra 600Kpa with close off valve Dia 40mm to 50mm PVC colour WHITE.

Sewer pipes	Dia 100mm PVC above ground, heavy duty coloured underground
Fit new gutters and down pipes	Fit white Chromadek continuous gutters 125x80mm. Fit white chromadek down pipes 100x75mm
Paint purling/rafters/sprocket ends	Painted surface - Dulux universal white undercoat. Primer on wood/steel - Pink primer (wood) NS4 (steel). Two coats White Dulux high gloss
Fascias, gutters /down pipes and barge boards.	ONE Coat primer suitable for surfaces where applicable One coat universal undercoat and Two coats high gloss enamel - colour white. Fascia boards two coats Dulux Dura 65
Painting new gutters/down pipes.	Wash with "Spick and Span gal. Iron cleaner (GIP) and then rinse with clean water, One coat Galvogrip Metal primer(GIP), left for 24-72 hours to dry. Finish-One coat universal undercoat and Two coats high gloss enamel-colour white
Roof	Primer - NS4 grey (GI roofs only) Two coats cottage white heat reflective paint Du Lux Roof Guard
Window sills and plinths	Painted surface - Two coats Dura 65 white. Two coats Weather guard, Barely Beige code 3H, 1.
Veranda floor paint	Dulux stoop red
Window frames inside/outside	(Painted) One coat white universa under coat and two coats Dulux Pearlglo Lockness code - 311-5 Paint burglar bars One coat universal undercoat, one coat Dulux high gloss enamel. Colour -white
Door frames inside/outside	Paint door frames one coat white Du Lux universal under coat and Two coats D Jux Pearlglo Lockness code - 3L1-5
Door frames(wood finish)	Sand frame, Two costs clear varnish (satin) finish
Doors (wood finish)	Sand door, Two coats clear varnish (satin) finish
Doors(inside)	Paint coors two sides, One coat white universal under coat and two coars Durux Pearlglo Lockness code - 3L1-5 Paint doors two sides, One coat white universal under coat and
Doors(outside)	ma pats Dulux Pearlglo Lockness code - 3L1-5
Outside pipes paint all dia.	Che coat white universal undercoat and two coats Dulux Pearlglo Lockness code - 3L1-5
Door closer	Dorma TS68 (silver finish.)
Door locks	4 lever vertical type lockset, satin chrome finish, with two keys
Steel burglar bare/ security gates	One Coat primer suitable for steel surfaces, One coat undercoat, Two coats Dulux high gloss enamel. Colour -white.
Wood cupboords showes	Two coats clear varnish (satin) finish.
Window pane	Reflective film to fixed and opening window sections
	Colour Plain Fawn with aluminium top rail. Blinds inside
Veneal dinds	window recesses.
Water pipes (external)	Pipes to be lagged in cold areas
Washing line(inside court yard)	2m Dia Wendy DRY (Galvanised or powder coated white) with 7mm nylon cord wash- line.
Court yard	4m x 4m x 1.8m high precast wall (unpainted) court yard for washing line and rubbish bin
••••••	
Gravel (25mm)	One metre wide strip around building
	One metre wide strip around building, colour grey (concrete)
Gravel (25mm)	
Gravel (25mm) Paving	One metre wide strip around building, colour grey (concrete)
Gravel (25mm) Paving Pathways. concrete slabs	One metre wide strip around building, colour grey (concrete) One metre wide strip around building Cut grass and vegetation. Remove trees closer than 2 m to
Gravel (25mm) Paving Pathways. concrete slabs	One metre wide strip around building, colour grey (concrete) One metre wide strip around building Cut grass and vegetation. Remove trees closer than 2 m to building

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 22 of 71

Plant trees	Plant trees suitable to area, 3 m away from building. One tree per building
ELECTRICAL	
Wall plugs.	Crabtree Flush/Surface mounted 16A three pin
_ight switches.	Crabtree Flush/Surface mounted 5A three pin
solators	Crabtree Flush/Surface mounted 30A & 60A Triple & Double Pole
Fluorescent Light Fittings	Semi Decorative Fit. 1.5m Double Tube Thorn Tech. Electronic
Fluorescent Light Fittings	Anti-corrosive Fit. 1.5m Double Tube Thorn Tech. Electronic
Fluorescent Light Fittings	Industrial Type Fit. 600mm & 1.5m Double Tube Thorn Tech. Electronic
Fluorescent Light Fittings	Recess Decorative Fit. 1.5m Four & Triple Tube Thorn Tech. Electronic
_ight Fittings	2D / 16W Energy Saving Luminaries Slim line PVC
_ight Fittings	2D / 16W Energy Saving Luminaries Industrial Type
_ight Fittings	Ceiling Mount Double Round Tube Dec rative Fit. (Electronic)
_amps	Osram & Phillips Fluorescent Type 36.4, 40W, 58W & 65W
_amps	Osram & Phillips Fluorescent Type 2D / 16W, 20W & 48W
_amps	ES & BC Energy Saving lartes
_amps	50W / 12V Dicrobic (Closed)
Hydro boil	Kwik Boil from Kwikot 75 litre Hydro boil placed over sink with own isolator
Heaters	Wall mounted with 2 nour timers with epoxy coated finish
electrical geyser norizontal/vertical	150 litres, 600 kpp revikot, with drip tray, outlet and blanket. Provide vacuum bleakers and close off valve. Provide earthing strap to geyser and earthing spike.
Air conditioners	LG Split Unit Window (Heating & Cooling)
Air conditioners	LG Gazette / Under Ceiling (Heating & Cooling)
	deix mann MCB's, E/L Relays, Isolators, Lightning Arresters, Imers, etc.

Price Schedule

I/We quote as follows for the goods required, on a "delivered nominated destination" basis, excluding VAT:

	SCHEDULE OF WOR	K AND	PRICES		
	2013-2014 Ermelo Renovate Infra Store 02NH006A	Qty	<u>Unit</u>	<u>Price</u>	<u>Amount</u>
1	Paint G.I. roof primer NS4 and two coats white heat reflective paint	40	m²		
2	Paint walls ext.one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1	66	m²		
3	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	4	Ea	•	
4	Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1	102	M2	1	
5	Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	2	Ea		
6	Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	1			
7	Paint ceilings one coat universal undercoat and two coats pva white code M3701600	40	M2		
8	Strip and remove floor covering chip floor apply fro grip to floor fit new porcelain floor tiles 300x200mm code THEMIS JOHNSON complete with dove gray grouting and 100mm tile skirting and projection cover at doors and skirting and steps and tiles on concrete lintels)	40	m²		
9	Remove and replace glass	2	Ea		
10	Supply and fit asst. no.02NH096A	1	Ea		
11	Paint all pipes one coat universal undercoat and one coat high gloss enamer which	1	Job		
12	Remove and replace Loor lock	1	Ea		
13	Remove and replace EV/B door	1	Ea		
14	Repair wooden door frame	1	job		
15	Build 115 nm brick wall and plaster (4/ 0.80m high x 0.80m we for table)	3	m²		
16	Supply and ht concrete lintels on brick wall (0.80m wide x 1.97m long)	2	m²		
17	Supply and fit flat bare 25mm x 5mm at steel windows for B/bars (4/ 1m long)	1	job		
	Electrical				
18	Remove heater and make electrical connections safe	1	Job		
19	Red light to be connected to a ceiling mounted pull switch and the circuit must be in EGA trunking and plugged into the socket outlet	1	Job		
			EL&P	TOTAL	R
		<u>GROSS T</u> <u>14%V.A.</u> R	<u>т.</u>		
		AMOUNT R			

	2013-2014 Ermelo Renovate Infra Store 02NH007A	Qty	<u>Unit</u>	<u>Price</u>	Amount
L	Paint G.I. roof primer NS4 and two coats white heat reflective paint	40	m²		
2	Paint walls ext.one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1	66	m²		
3	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	4	Ea		
1	Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1	66	M²	11	
5	Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	1	Ea	7	
5	Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	1			
7	Paint ceilings one coat universal undercoat and two coats pva white code M3701600	40	M2		
3	Supply and fit flat bare 25mm x 5mm at steel windows for B/bars (4/ 1m long)		Job		
)	Remove and replace glass	2	Ea		
10	Supply and fit asst. no.02NH005A	1	Ea		
1	Repair wooden door frame	1	Job		
12	Remove and replace door lock	1	Ea		
.3	Remove and replace F/L/B door	1	Ea		
4	Supply and fit new security does complete	1	Ea		
		GROSS TOTAL R			

	SCHEDULE OF WO 2013-2014 Ermelo Renovate Infra	Qty	Unit	Price	Amount
	Store 03HH009A	ענא		FILE	Amount
1	Paint G.I. roof primer NS4 and two coats white heat reflective paint	40	m²		
2	Paint walls ext.one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1	66	m²		
3	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	4	Ea		
4	Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1	66	M²		
5	Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	1	Ea	1	
6	Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	1	Ea		
7	Paint ceilings one coat universal undercoat and two coats pva white code M3701600	40	M2		
8	Supply and fit flat bare 25mm x 5mm at steel windows for B/bars (4/ 1m long)	1	dof		
9	Remove and replace glass	2	Ea		
10	Supply and fit asst. no.03HH009A	1	Ea		
11	Repair wooden door frame	1	Job		
12	Remove and replace door lock	1	Ea		
13	Remove and replace F/L/B door	1	Ea		
		GROSS	TOTAL		
		R			
		<u>14%V.</u>	<u>A.T.</u>		
		R			
		AMOUN	TDUE		
		R			

	SCHEDULE OF WORK AND PRICES						
	2013-2014 Ermelo Renovate Office 02AH149A	Qty	<u>Unit</u>	Price	Amount		
1	Paint purlins one coat universal undercoat and one coat high gloss enamel white	32	М				
2	Paint sprockets one coat universal undercoat and one coat high gloss enamel white	22	Ea				
3	Paint walls ext. one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1	88	m²				
4	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	5	Ea				
5	Paint windows sills one coat dura 65 white and two coats weather guard barely beige code 3H1/1	10	М				
6	Remove old gutters	1	Job				
7	Supply and fit seamless gutters 125mmx100mm color white	18	М				
8	Supply and fit seamless down pipes color white 100mm x 75mm	4	Ea				
9	Remove and replace glass	8	Ea				
10	Paint facias and barge boards one coat universal undercoat and one coat high gloss enamel white	26					
11	Paint ceilings one coat universal undercoat and two coats PVA white code M3701600	10	m²				
12	Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige ode 3H1/1	99	m²				
13	Paint doors and frames one coat universal undercoat and two coat dulux peakinglo lockness coat 3L1/5	3	Ea				
14	Paint security gate and frames the coar universal undercoat and two coat calux peakiglo lockness coat 3L1/5	2	Ea				
15	Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm cove THENIS JOHNSON complete with dove grey youting and 100mm tile skirting and protection cover at doors and skirting and steps	47	m²				
16	Remove all pipes from building	1	Job				
17	Supply and fit asst. no.02AH149A	1	Ea				
18	Paint facias and barge boards one coat universal undercoat and one coat high gloss enamel white	12	m				
19	Supply and fit vertical blinds to windows colour plain fawn in window 0.60m drop x 0.97m wide 1.18m drop x 0.97m wide 1.50m drop x 0.99m wide	1 1 3	Ea Ea ea				
20	Remove all wooden skirting and make wall good	1	job				
21	Remove and replace roof sheet with chromadek .roof sheet corrugated iron 0.3mm full length and full hard colour white complete	82	m ²				
22	Remove and replace putty at windows	1	Job				
23	Remove and replace door lock	3	ea				
24	Remove and replace Barge board with nutec	26	m				

25	Remove old sink complete	1	job		
26	Repair wooden door frame	1	Job		
			CIVIL	TOTAL	R
	ELECTRICAL				
27	Supply wire and install 4 x 4FT TPA double open channel luminaries complete with electronic switch gear and OSRAM tubes	1	Job		
28	Supply wire and install from the D/board feeding from 1 x 15Amp single phase circuit breaker and wires with 2,5mm 3 core surflex 4 x new CRABTREE double socket outlets complete with covers and steel 4x4 extension boxes all exposed wires to be in EGA trunking and entire installation must be surface mount	1	Job		
29	Supply wire and install 1 x 4FT TPA double open channel luminaries complete with electronic switch gear and OSRAM tubes with a day and night switch on the veranda	1	Job	1	
			E'.&P	TOTAL	R
	2013-2014 Ermelo Renovate store 02PH179A				
30	Paint G.I. roof primer NS4 and two coats white heat reflective paint	47	m²		
31	Paint purlins one coat universal undercoat and one coat high gloss enamel white	22	М		
32	Paint sprockets one coat universal underceat an one coat high gloss enamel white	32	Ea		
33	Paint walls ext. one coat Dura 65 white two coats Weather guard Barely Beige code 311/1	8	m²		
34	Paint window frames one crat universal undercoat and two coat dulux peakglo ockress coat 3L1/5	4	Ea		
35	Paint windows sills one cost cara 65 white and two coats weather guard barry beige code 3H1/1	4	М		
36	Seal roof with flash harry	10	m²		
37	Remove and replice bose roofing screws 63mm posy drive crews	250	Ea		
38	Remove on gutters	1	Job		
39	Supply and fit seamless gutters 125mmx100mm color white	25	М		
40	Supply and fit seamless down pipes color white 100mm x 75mm	4	Ea		
41	Remove and replace glass	3	Ea		
42	Supply and fit asst. no.02PH179A	1	Ea		
43	Paint ceilings one coat universal undercoat and two coats PVA white code M3701600	30	m²		
44	Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1	60	m²		
45	Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	1	Ea		
46	Paint security gate and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	1	Ea		

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 28 of 71

47	Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles	30	m²				
	300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting						
	and protection cover at doors and skirting and						
40	steps	1	Jah				
48	Remove old board at window and replace with nutec 6mm board complete (2/ 1m x 0.62m)	1	Job				
49	Remove and replace door lock	1	Ea				
50	Remove all pipes from building	1	Job				
51	Supply and fit new ceiling complete with nutec board and one trap door	30	m²				
52	Supply and fit new security gate complete	1	ea				
			CIVIL	TOTAL	R		
	ELECTRICAL						
53	Supply wire and install 1 x new 4FT TPA double						
	florescent luminaire complete with electronic switch gear and OSRAM tubes and a surface	1	Job				
	mount light switch all exposed wires to be in EGA	1					
	trunking						
54	Supply wire and install 2 x new CRABTREE double						
	socket outlets complete with a 15Amp single						
	phase circuit breaker and wired with 2,5mm 3 core surflex all exposed wires to be installed in	1	Job				
	EGA trunking complete with covers and steel 44						
	extension boxes entire installation must be						
	surface mount						
	<u>, </u>		EL&K	TOTAL	R		
		GROSS	TOTAL				
		R					
		<u>14%V.A.T.</u>					
		R					
		AMOUNTDUE					
	$\Delta \mathbf{V}$	R					
		`` <u> </u>					

	SCHEDULE OF W	ORK A	ND PRI	CES	
	2013-2014 Ermelo Renovate Trolley Shed 03RH010A	Qty	<u>Unit</u>	<u>Price</u>	Amount
1	Paint steel sprockets one coat universal undercoat and one coat high gloss enamel white	16	Ea		
2	Paint steel purlins one coat universal undercoat and one coat high gloss enamel white	222	М		
3	Paint steel beams one coat universal undercoat and one coat high gloss enamel white	117	М		
4	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5	12	Ea		
5	Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5	2	Ea		
6	Remove and replace loose roofing screws 63mm posy drive screws	50	Ea	1	
7	Paint concrete floor Black and Yellow strips	1	job		
8	Fit steel plate on door (1/ 0.90m x 1.00m)	1	ea 🛌		
9	Cut corrugated iron fit steel and make good (0. 30 m high x 2.30m long)	1	job		
10	Cast concrete ramp (25 m p a) with wood float finish and nosing 200mm thick [4. 20m wide x 2m long]	1	jð		
11	Remove corrugated iron doors	2	еа		
12	Fabricate store room with steel construction and corrugated iron sheet with door and roof, with only two walls to be affixed to standing building walls in corner (Corrugated iron doors in point)11 to be used) : Door size : 4,19m x 2n x 2,2m high		job		
13	Supply and fit Industrial Roll up doors (manually operated) to suit opening of : 1 20m m h x 4,14m wide	2	еа		
	2013-2014 Erm Jo Renovate Trolley Office 05ZM001A				
14	Paint G.I. rook primer NS4 and two coats white heat reflection paint	36	M2		
15	Paint facials and barge boards one coat universal under coat and one coat high gloss enamel white	17	М		
16	Paint put ins one coat universal undercoat and one coat high gloss enamel white	18	М		
17	Paint sprockets one coat universal undercoat and one coat high gloss enamel white	6	Ea		
18	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5	3	Ea		
19	Paint windows sills one coat dura 65 white and two coats weatherguard barely beige code 3H1/1	3	М		
20	Paint all pipes one coat universal undercoat and one coat high gloss enamel white and steel at carport	1	Job		
21	Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5	3	Ea		
22	Paint security gates one coat universal undercoat and and two coat dulux pearlglo lockness coad 3L1/5	5	Ea		

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 30 of 71

22		26			
23	Paint ceilings one coat universal undercoat and two coats pva white code M3701600	36	M ²		
24	Paint walls int.one coat universal undercoat and	4	M2		
	one coat eggshell enamel barely beige code				
	3H1/1				
25	Supply and fit seamless gutters 125mmx100mm	6	М		
	colour white				
26	Supply and fit seamless down pipes colour white	1	Ea		
	100mm x 75mm				
27	Remove and replace wall tiles white 200x300mm	3	M2		
	complete with white grouting and protection				
	covers at edge kit.				
28	Supply and fit floor unit with white melamine	1	Job		
	interior and red oak ext. and with granite top				
	color moss grey and back splash 100mm complete				
	with locks 1.40m long and signal sink with mixer				
	cold and hot water complete				
29	Strip and remove floor covering chip floor apply	40	m²		
	pro grip to floor fit new porcelain floor tiles				
	300x300mm code THEMIS JOHNSON complete				
	with dove grey grouting and 100mm tile skirting				
	and protection cover at doors and skirting and				
	steps				
30	Supply and fit floor cupboard with white melamine	3	Ea		
	interior and red oak ext. with three draws				
21	450mm wide x 800mm high x 600mm deep)	X —			
31	Supply and fit post formed kitchen top colour	1	Job		
	moss grey on floor cupboards complete (top 530				
32	x 600mm) Supply and fit a security steel frame with a	1	Job		
52		T	JOD		
	security gate in (1/1.13m x 2.50m height)				
22	complete as wall Supply and fit a security steel have (1/1.56m x				
33	2.50m height) complete a wall				
		1	job		
34	Supply and fit a security steel frame (1/1.56m x	_	job		
Ът	1.13m) complete a celling (roof)	1 1	JOD		
35	Supply and fit vertical blinds to windows colour				
	plain fawn in win ow				
	0.63 m drom x = 47 m wide	1	ea		
36	Remore and replace brass sliding stays	1	Ea		
<u> </u>			1	1	
		GROSS			
		R			
		<u>14%V.</u>	<u>A.T.</u>		
		R			
		AMOUN			
		к			

Delivery Lead-Time from date of purchase order : ______[days/weeks]

Notes to Pricing:

c) All Prices must be quoted in South African Rand, exclusive of VAT

RENTEN

d) To facilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.


e) Please note that should you have offered a discounted principal transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 32 of 71

22 NATIONAL RAILWAY SAFETY REGULATOR ACT

In compliance with the National Railway Safety Regulator Act, 16 of 2002, the successful Respondent (**the Service Provider**) shall ensure that the Services to be supplied to Transnet, under the terms and conditions of a contract between the parties, comply fully with the specifications as set forth in this RFQ, and shall thereby adhere to railway safety requirements and/or regulations [as applicable]. Permission for the engagement of a subcontractor by the Service Provider, as applicable, both initially and during the course of a contract, shall be subject to a review of the capability of the proposed subcontractor to comply with the specified railway safety requirements and/or regulations. The Service Provider and/or its subcontractor shall grant Transnet access, during the term of the contract, to review any safety-related activities, including the coordination of such activities across all parts of the organisation.

Accepted:



23 SERVICE LEVELS

- 23.1 An experienced national account representative(s) is required to work with Transnet's sourcing/procurement department. [No sales representatives are needed for individual department/locations]. Additionally, there shall be a minimal number of people, fully informed and accountable for this agreement.
- 23.2 Transnet will have quarterly reviews with the Service Provider's account representative on an on-going basis.
- 23.4 Transnet reserves the right to request that any member of the Service Provider's team involved on the Transnet account be replaced if deemed not to be adding value for Transnet.
- 23.5 The Service Provider guarantees that in will a nieve a 95% service level on the following measures. If the Service Provider does not achieve this level as an average over each quarter, Transnet will receive a 1.5% rebate on quarterly sales payable in the next quarter:
 - a)
 - b)
 - c) on time deliverables
- 23.6 Service Provider must provide a telephone number for customer service calls.

23.7 Failur of the Service Provider to comply with stated service level requirements will give Transnet the right to ance the contract in whole, without penalty to Transnet, giving 30 [thirty] days' notice to the Service Provider.

Acceptance of Service Levels:


YES

NO

24 RISK

Respondents must elaborate on the control measures put in place by their entity, which would mitigate the risk to Transnet pertaining to potential non-performance by a Service Provider, in relation to:

24.1 Quality of Services required:



Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 34 of 71

Section 3

STANDARD TERMS AND CONDITIONS FOR THE SUPPLY OF GOODS OR SERVICES TO TRANSNET

A Supplier/Service Provider shall be obliged to adhere to the Standard Terms and Conditions for the Supply of Goods and Services to Transnet as expressed hereunder. Should the Respondent find any condition(s) unacceptable, it should indicate which condition(s) is/are unacceptable and offer an alternative(s). A Quotation submitted by a Respondent will be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by Transnet's Legal Counsel, prior to consideration for an award of business.

1 SOLE AGREEMENT

Unless otherwise agreed in writing, these terms [**Terms** and each **Term**] and **Transnet**'s purchase order(s) [**Order** or **Orders**] represent the only conditions upon which Transnet SOC **Lee (Transnet**] procures goods [**the Goods**] or services [**the Services**] specified in the Order from the person to whom the Order is addressed [**the Supplier/Service Provider**]. Transnet does not eccept any other conditions which the Supplier/Service Provider may specify, unless otherwise agreed to by Transnet in writing. In the event of any inconsistency between these Terms and any Order, these Terms shall take precedence.

2 CONFORMITY WITH ORDER

Goods/Services shall conform strictly with the order. The Supplier/Service Provider shall not vary the quantities specified and/or the specification, if any, tip lated in the Order, without the prior written consent of Transnet. The Supplier/Service Provider warrants that the Goods/Services shall be fit for their purpose and of satisfactory quality.

3 DELIVERY AND TITLE

- 3.1 The delivery dates and addresses are those in the Order. Time shall be of the essence in respect of the Supplier's/Service Provider's obligations under the Order.
- 3.2 The Supplier/Service Provider will not be excused for delay in delivery or performance except due to circu estances outside its control and then only subject to the Supplier/Service Provider having notified Transnet in writing on becoming aware of such circumstances. Transnet may terminate an Order, in whole or in part, without incurring any liability to the Supplier/Service Provider if such a delay becomes, in Transnet's absolute opinion, significant.
- 3.3 If on delivery, the Goods/Services do not conform to the Order, Transnet may reject the Goods/Services and the Supplier/Service Provider shall promptly rectify any defects or in Transnet's opinion, supply appropriate replacement Goods/Services at the Supplier's/Service Provider's expense within the specified delivery times, without any liability due by Transnet.

4 PRICE AND PAYMENT

- 4.1 Prices specified in an Order cannot be increased. Payment for the Goods/Services shall be made by Transnet against an original undisputed invoice(s) [a Tax Invoice], supporting documentation and month-end statement from the Supplier/Service Provider. Tax Invoices plus supporting documentation shall be posted to the address shown in the Order.
- 4.2 Payment of the Supplier's/Service Provider's valid Tax Invoice(s) will be made by Transnet in the South African currency and on the terms stated in the Order, the standard payment terms being 30 [thirty]

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 35 of 71

days from date of receipt by Transnet of a month-end statement, unless otherwise agreed to in writing. Transnet shall arrange for payment of such Tax Invoices and any pre-authorised additional expenses incurred, provided that the authorised expenses are supported by acceptable documentary proof of expenditure incurred [where this is available]. Any amounts due in terms of these Terms shall be paid to the Supplier/Service Provider, taking into account any deduction or set-off and bank charges.

5 **PROPRIETARY RIGHTS LIABILITY**

If any allegations should be made or any claim asserted against Transnet that ownership of, or any act or omission by Transnet in relation to Goods/Services or any written material provided to Transnet relating to any Goods/Services or pursuant to an Order being a violation or infringement of any third party's contractual, industrial, commercial or intellectual property rights including but not limited to any patent, registered design, design right, trade mark, copyright or service mark on any application thereof, the Supplier/Service Provider hereby indemnifies Transnet against and hold it harmless from any and all forces, liabilities, costs, claims, damages and expenses [including any legal fees] arising directly or indirectly from such allegation or claim provided that this indemnity shall not apply where the allegation or claim access solely as a result of the Supplier/Service Provider following a design or process originated and furnished by Transnet. The Supplier/Service Provider shall either

- a) procure for Transnet the right to continue using the infringing Goods; or
- b) modify or replace the Goods/Servic s so that they become non-infringing,

provided that in both cases the Goods/Services shall continue to meet Transnet's requirements and any specifications stipulated in the Order. Should neither option be possible, the Supplier/Service Provider may remove, with Transnet's prior written content, such Goods/Services and will pay to Transnet a sum equivalent to the purchase price. If Transnet refuses to give such consent, the Supplier/Service Provider shall have no liability in respect of any continuet use of the infringing Goods/Services after Supplier's/Service Provider's prior written request to remove the same.

6 PROPRIETARY INFORMATION

All information which Transnet has divulged or may divulge to the Supplier/Service Provider and any information reating to Transnet's business which may have come into the Supplier's/Service Provider's possession whilst carrying out an Order, and the existence of the Order, shall be treated by the Supplier/Service Provider as confidential information and shall not, without Transnet's prior written consent, be disclosed to any third party, or be used or copied for any purposes other than to perform the Order. This clause does not apply to information which is public knowledge or available from other sources other than by breach of this Term. Upon request by Transnet, the Supplier/Service Provider shall return all materials issued pursuant to the Order and, pending this, shall protect Transnet's rights in any such materials. Such confidential information shall at all material times be the property of Transnet.

7 PUBLICITY

The Supplier/Service Provider shall not name Transnet or use its trademarks, service marks [whether registered or not] or Goods in connection with any publicity without Transnet's prior written consent.

8 TERMINATION OF ORDER

8.1 Transnet may cancel an Order in whole or in part at any time upon at least 7 [seven] days' written notice to the Supplier/Service Provider, or when there is a change in control of the Supplier/Service

Provider or the Supplier/Service Provider commits any serious breach or any repeated or continued material breach of its obligations under these Terms and/or Order or shall have been guilty of conduct tending to bring itself into disrepute, on written notice to the Supplier/Service Provider when such work on the Order shall stop.

- 8.2 Transnet shall pay the Supplier/Service Provider a fair and reasonable price for justified work in progress, where such price reflects only those costs not otherwise recoverable by the Supplier/Service Provider, at the time of termination, and the Supplier/Service Provider shall give Transnet full assistance to check the extent of such work in progress. Payment of such price shall be in full and final satisfaction of any claims arising out of such termination and upon such payment the Supplier/Service Provider shall deliver to Transnet all work, including any materials, completed or in progress. The sum payable to the Supplier/Service Provider under this clube will not in any event exceed the total amount that would have been payable to the Supplier/Service Provider had the Order not been terminated.
- 8.3 In the event of termination the Supplier/Service Provider must submit all claims within 2 [two] months of termination after which time claims will only be me in what Transnet considers exceptional circumstances.
- 8.4 If the Goods or Services are not provided in accurdance with an Order, the Order shall be deemed terminated and the Supplier/Service Provider stat compensate Transnet for any costs incurred in obtaining substitute Goods or any damage caused due to the failure or delay in the delivery.

9 ACCESS

The Supplier/Service Provider shall be lable for the acts, omissions and defaults of its personnel or agents who, for the purposes of the Order shall be reated as if they are the Supplier's/Service Provider's employees. The Supplier/Service Provider shall ensure that any such personnel or agents, whilst on Transnet's premises, shall comply with Transnet's neutral and safety, security and system security rules and procedures as and where required.

10 WARRANTY

The Supplied Service Provider warrants that it is competent to supply the Goods/Services in accordance with these Terms to the reasonable satisfaction of Transnet and that all Goods/Services delivered under the Order: (a) conform and comply in all relevant legislation, standards, directives and orders related to *[inter alia]* the Goods/Services in force at the time of delivery, and to any specifications referred to in the Order; (b) will not cause any deterioration in the functionality of any Transnet equipment; and (c) do not infringe any third party rights of any kind. The Supplier/Service Provider hereby indemnifies Transnet against all losses, liabilities, costs, claims, damages, expenses and awards of any kinds incurred or made against Transnet in connection with any breach of this warranty.

11 INSOLVENCY

If the Supplier/Service Provider shall have a receiver, manager, administrator, liquidator or like person appointed over all or any part of its assets or if the Supplier/Service Provider compounds with its creditors or passes a resolution for the writing up or administration of the Supplier/Service Provider, Transnet is at liberty to terminate the Order or Orders forthwith, or at its option, to seek performance by any such appointed person.

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 37 of 71

12 ASSIGNMENT

The Supplier/Service Provider shall not assign its obligations under an Order without Transnet's prior written consent, which consent shall not be unreasonably withheld or delayed.

13 NOTICES

Notices under these Terms shall be delivered by hand to the relevant addresses of the parties in the Order or may be served by facsimile or by email, in which event notice shall be deemed served on acknowledgement of receipt by the recipient.

14 LAW

Orders shall be governed by and interpreted in accordance with South African law and any disputes arising herein shall be subject to South African arbitration under the rules of the Arbitration Foundation of South Africa, which rules are deemed incorporated by reference in this clause. The reference to arbitration shall not prevent Transnet referring the matter to any South African courts, chaving julisdiction, to which the Supplier/Service Provider hereby irrevocably submits but without, prejudice to Transnet's right to take proceedings against the Supplier/Service Provider in other jurisdiction and/or obtaining interim relief on an urgent basis from a court of competent jurisdiction pending the decision in other courts or from instituting in any court of competent jurisdiction any proceedings for an interdict or any other injunctive relief. If the Supplier/Service Provider does not have a registered one of the South Africa it will at all times maintain an agent for service of process in South Africa and scall ove Transnet the name and address of such agent as such may be amended, in writing, from time to time

15 GENERAL

Completion or termination of an Order shall be without prejudice to any Term herein which by its nature would be deemed to continue after completion or termination. If any Term herein be held illegal or unenforceable, the validity or enforceability of their emaining Terms shall not be affected. No failure or delay by Transnet to enforce any rights under these Terms will operate as a waiver thereof by Transnet. All rights and remedies available to either party under these Terms shall be in addition to, not to the exclusion of, rights otherwise available at law.

16 COLVIERPARTS

These Terms and conditions may be signed in any number of counterparts, all of which taken together shall constitute one and the same instrument. Any party may enter into this agreement by signing any such counterpart. Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 38 of 71

By signing this RFQ document, the Respondent is deemed to acknowledge that he/she has made himself/herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet SOC Ltd will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed to properly take it into account for the purpose of calculating quoted prices or otherwise.

//////////////////////////////////////	on this day of	20
IGNATURE OF RESPONDENT'S	AUTHORISED REPRESENTATIVE	
DESIGNATION:		
REGISTERED NAME OF COMPAN	IY:	
PHYSICAL ADDRESS:		
	$-O_{\mathbf{x}}$	
Respondent's contact perso	n: [Please complete]	
Respondent's contact person Name :		
	n: ¡Please complete]	
Name :		
Name : Designation :		
Name : Designation : Telephone :		
Name : Designation : Telephone : Cell Phone :		

Transnet urges its clients, suppliers and the general public to report any fraud or corruption toTIP-OFFS ANONYMOUS : 0800 003 056

Section 4 VENDOR APPLICATION FORM

Respondents are to furnish the following documentation and complete the Vendor Application Form below:

- 1. **Original** cancelled cheque **OR** letter from the Respondent's bank verifying banking details [with bank stamp]
- Certified copy of Identity Document(s) of Shareholders/Directors/Members [where applicable]
- 3. Certified copy of Certificate of Incorporation, CM29 / CM9 [name change
- 4. Certified copy of Share Certificates [CK1/CK2 if CC]
- 5. A letter on the company's letterhead confirm physical and postal addresses
- 6. **Original** valid SARS Tax Clearance Certificate
- 7. Certified copy of VAT Registration Certificate

RENTEN

- 8. **Certified copy** of valid Company Registration Certificate [if applicable]
- 9. A signed letter from your auditor or accountant confirming most recent annual turnover figures

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 40 of 71

Vendor Application Form

Company	v trading name						
Company re	gistered name						
Company R	egistration Num	ber or ID Nur	nber if a Sole P	roprietor			
Form of entity [$$] CC	Trust	Pty Ltd	Limite	d Partner	ship Sole Prop	rietor
VAT number	[if registered]						
Company tele	phone number						
Compa	ny fax number					1	
Company	email address						
Company w	ebsite address						
Bank name			В	ranch &	Branch a l'e		
Account holder			B	ank cco	oun number		
Postal address							
			0			Code	
Physical Address			\sim				
,		(Code	
Contact person							
Designation		\mathbf{N}					
Telephone							
Email							
Annual turnove	er rante [la.†fin	ancial year]	< R5 m	ı	R5 - 35 m	> R35 m	ı
<	Does your comp	any provide	Products	5	Services	Both	ı
	Area	a of delivery	Nationa	I	Provincial	Loca	I
	Is your	company a p	ublic or private	entity	Public	Private	2
Loes your	company have a	a Tax Directiv	e or IRP30 Cert	ificate	Yes	No	
Ма	ain product or se	ervices [e.g. S	stationery/Cons	ulting]			

Complete B-BBEE Ownership Details:



If you are an existing Vendor with Transnet please complete the following:

Transnet contact person

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 41 of 71

Contact number

Transnet Operating Division

Duly authorised to sign for and on behalf of Company / Organisation:

Name	Designation	
Signature	Date	
< X		

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 42 of 71

Section 6: SIGNING POWER – RESOLUTION OF BOARD OF DIRECTORS

	ng of the Board of Directors held on	
FULL NAME(S)	CAPACITY	SIGNATURE
	ated above is/are hereby authon ed to enter in stations and/or Agreements for the supply of S	
FULL NAME	, CO.	
	SIGNATURE CHA	AIRMAN
FULL NAME	SIGNATURE SEC	RETARY
R		
X		

Section 7: CERTIFICATE OF ACQUAINTANCE WITH RFQ DOCUMENTS

NAME OF ENTITY:

allegation that I/we overlooked any RFQ/contract conditioner failed to take it into account for purpose of calculating my/our offered prices or otherwse.	hereby certify that I/we acquainted myself/ourselves w	vith all the documentation comprising this RFQ
I/We furthermore agree that Transnet SOC Ltd shall recognise no claim from me/us for relief based of allegation that I/we overlooked any RFQ/contract condition failed to take it into account for purpose of calculating my/our offered prices or otherwise. SIGNED at on this day of201:	all conditions contained therein, as laid down by Trans	snet SOC Ltd for the carving out of the prop
SIGNED at on this day of2013	supply/service/works for which I/we submitted my/our	response.
purpose of calculating my/our offered prices or otherwise. SIGNED at on this day of201:	I/We furthermore agree that Transnet SOC Ltd shall re	cognise no taim from me/us for relief based o
SIGNED at on this day of2013	allegation that I/we overlooked any RFQ/contract	ondition failed to take it into account for
	purpose of calculating my/our offered prices or other	г е.
	SIGNED at on this	a day of2012

)

Section 8: GENERAL BID CONDITIONS - SERVICES

Refer General Bid Conditions attached heree

Section 9: STANDARD TERMS AND CONDITIONS OF CONTRACT FOR THE PROVISION OF SERVICES TO TRANSNET

Refer Form ST&C attached hereto.

Respondents should note the obligations as set out in clause 20 *[Terms and Conditions of Did]* of the General Bid Conditions [RFQ Section 3] which reads as follows:

"The Service Provider shall adhere to the Standard Terms and Conditions of Contract as set out in Form ST&C – Services, a copy of which is attached hereto. Should the Respondent find any conditions unacceptable, if should indicate which conditions are unacceptable and offer alternatives. Any such submission shall be subject to review by Transnet's Legal Counsel who shall determine whether the proposed alternative(s) are acceptable or otherwise, as the case may be."

REN

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 46 of 71

Section 10: RFQ DECLARATION FORM

	NAME OF ENTITY:	
	We	_ do hereby certify that:
1.	Transnet has supplied and we have received appropriate responses to any which were submitted by ourselves for bid clarification purposes;	questions [as applicable]
2.	we have received all information we deemed necessary for the completion of [RFQ];	this Request for Quotation
3.	at no stage have we received additional information relating to the subject Transnet sources, other than information formally received from the designal nominated in the RFQ documents;	-
4.	we are satisfied, insofar as our entity is concerned, that the processes an Transnet in issuing this RFQ and the requirement requested from bidders in re- been conducted in a fair and transparent manne; and	
5.	furthermore, we declare that a family, bisiness and/or social relationship of <i>[delete as applicable]</i> between an owner / member / director / partner / share employee or board member of the Transnet Group. If such a relationship exists, respondent is to complete the following section:	
	FULL NAME OF OWNER/MEMBER/DIRECTOR/ PARTNER/CHARLHOLDER: ADD	RESS:
2	Indicate nature of relationship with Transnet:	

[Failure to furnish complete and accurate information in this regard may lead to the disqualification of a response and may preclude a Respondent from doing future business with Transnet]

- 6. We declare, to the extent that we are aware or become aware of any relationship between ourselves and Transnet [other than any existing and appropriate business relationship with Transnet] which could unfairly advantage our entity in the forthcoming adjudication process, we shall notify Transnet immediately in writing of such circumstances.
- 7. We accept that any dispute pertaining to this bid will be resolved through the Ombudsman process and will be subject to the Terms of Reference of the Ombudsman. The Ombudsman process must first be exhausted before judicial review of a decision is sought. *[Refer "Important Notice to Respondents" overleaf*].
- 8. We further accept that Transnet reserves the right to reverse an award of business or decision based on the recommendations of the Ombudsman without having to follow a formal court process to have such award or decision set aside.

	J			
_ da	ay of		20)12
AS V	WITNE	SS:		
Nam	me:			
Posi	sition:			
Sign	nature:			

IMPORTANT NOTICE TO RESPONDENTS

- Transnet has appointed a Procurement Ombudsman to investigate any <u>material complaint</u> in respect of RFQs exceeding R5, 000,000.00 [five million S.A. Rand] in value. Should a Respondent have any material concern regarding an RFQ process which meets this value threshold, a complaint may be lodged with Transnet's Procurement Ombudsman for further investigation.
- > It is incumbent on the Respondent to familiarise himself/herself with the Terms of Reference for the Transnet Procurement Ombudsman, details of which are available for review at Transnet's website <u>www.transnet.net</u>.
- An official complaint form may be downloaded from this website and submitted, together with any supporting documentation, within the prescribed pend to procurement.ombud@transnet.net
- For transactions below the R5,000,000.00 [five nillion S.A. Rand] threshold, a complaint may be lodged with the Chief Procurement Officer of the relevant Transnet Operating Division.
- All Respondents should note that a comparint must be made in good faith. If a complaint is made in bad faith, Transnet reserves the right to place such a bidder on its List of Excluded Bidders.

RENE

Section 11: BREACH OF LAW

NA	ME OF ENTITY:				
I/\	Ne				
	_				
do	hereby certify that <i>I/we have/h</i>	ave not been	found guilty during t	eceding 5 [five] ye	ars of a
se	rious breach of law, including but r	not limited to a	breach of the Connet	ition Act, 89 of 1998, by	a court
of	law, tribunal or other administra	tive body. The	type of breach that	e Respondent is requ	uired to
dis	close excludes relatively minor offe	ences or misder	neanour , q. traffic	offences.	
W	here found guilty of such a serious	breach, please	a.sclose:		
NA	ATURE OF BREACH:	Š,	·		
	— _N				
DA	ATE OF BREACH:				
Fu	rthermore I/we acknowledge tha	t Transnet SOC	C Ltd reserves the rig	ht to exclude any Res	pondent
	om the bidding process, should tha				
tri	ound on regulatory obligation.				
Q					
SI	GNED at	on this	day of	20	

SIGNATURE OF WITNESS

SIGNATURE OF RESPONDENT

Section 12: BID CLARIFICATION REQUEST FORM

RFQ No: MMC NV00029-011390

RFQ deadline for questions / bid clarifications: Before 12:00 3 days prior to closing date

ATTENTION:	The Secretary, Transnet Acquisition Council [TAC]
EMAIL	prudence.nkabinde@transnet.net
DATE:	
FROM:	
RFO Bid Clarific	ation No [to be inserted by Transnet]
	REQUEST FOR BID CLARIFICATION

Section 13: SERVICE PROVIDER CODE OF CONDUCT

Transnet aims to achieve the best value for money when buying or selling Services and obtaining services. This however must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any Service Provider dealing with Transnet must understand and support. These are:

The Transnet Procurement Procedures Manual [PPM];

Section 217 of the Constitution - the five pillars of Public PSCM [Procurement and Supply Chain

Management]: fair, equitable, transparent, competitive and cost effective

The Public Finance Management Act [PFMA];

The Broad Based Black Economic Empowerment Act [B-BBEE], and

The Prevention and Combating of Corrupt Activities Act.

This Code of Conduct has been included in this RFC to formally apprise prospective Transnet Service Providers of Transnet's expectations regarding behavious and conduct of its Service Providers.

Prohibition of Bribes, Kickbacks, Un awful Payments, and Other Corrupt Practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Company [SOC], actively competing in the logistics inceary. Our aim is to become a world class, profitable, logistics organisation. As such, our carriformation is focused on adopting a performance culture and to adopt behaviours that will evable the transformation.

1. Transfect will not participate in corrupt practices and therefore expects its Service Providers to actime similar manner.

Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions with and payments to our Service Providers.

Employees must not accept or request money or anything of value, directly or indirectly, to:

- illegally influence their judgement or conduct or to ensure the desired outcome of a sourcing activity;
- win or retain business or to influence any act or decision of any decision stakeholders involved in sourcing decisions; or
- gain an improper advantage.

There may be times when a Service Provider is confronted with fraudulent or corrupt behaviour of Transnet employees. We expect our Service Providers to use our "Tip-offs Anonymous" Hot line to report these acts [0800 003 056].

2. Transnet is firmly committed to the ideas of free and competitive enterprise.

Service Providers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust.

Transnet does not engage with non-value adding agents or representatives solely for the purpose of increasing B-BBEE spend [fronting].

3. Transnet's relationship with Service Providers requires us to clearly define requirements, exchange information and share mutual benefits.

Generally, Service Providers have their own business standards and regulations. Although Transnet cannot control the actions of our Service Providers, we will not tolerate any illegal activities. These include, but are not limited to:

- misrepresentation of their product [e.g. origin of munufacture, specifications, intellectual property rights];
- collusion;
- failure to disclose accurate information required ouring the sourcing activity [e.g. ownership, financial situation, B-BBEE statu];
- corrupt activities listed above; and
- harassment, intimidation or other aggressive actions towards Transnet employees.

Service Providers must be evaluated and approved before any materials, components,

products or services are purchased from them. Rigorous due diligence is conducted and the Service Provider is expected to participate in an honest and straight forward manner.

Service Providers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

Conflicts of Interer

A conflict of interest arises when personal interests or activities influence [or appear to influence] the ability to act in the back interests of Transnet.

oing susiness with family members

ing a financial interest in another company in our industry

Section 14: CERTIFICATE OF ATTENDANCE OF SITE MEETING / RFQ BRIEFING

It is hereby certified that -

2	— "N
Representative(s) of	[name of Catity]
attended the site meeting / RFQ briefi	ng in respect of the proposed Services to be supplied in
this RFQ on	
TRANSNET'S REPRESENTATIVE	RESPONDENT'S REPRESENTATIVE
DATE	DATE
A Y	

Section 15: NON-DISCLOSURE AGREEMENT [NDA]


Complete and sign the Non-Disclosure Agreement attracted hereto

Section 17: E4B – MINIMUM COMMUNAL HEALTH REQUIREMENTS

MINIMUM COMMUNAL HEALTH REQUIREMENTS IN AREAS OUTSIDE THE JURISDICTION OF A LOCAL AUTHORITY: TEMPORARY FACILITIES FOR CONTRACTOR'S PERSONNEL

1. **CAMPS**

- 1.1 Prior to the erection of any camp, the Contractor shall submit to the Technical Officer, for his approval, details of his Quotations as to the site, water supply, santation, and size and type of buildings. Where the site is on private land, the Contractor shall submit the written approval for the use of the site of the relevant statutory authority and of the owner and occupier of the land (as applicable).
- 1.2 Camps must not be erected on land infested with field stand
- 1.3 Adequate drainage shall be provided to carry off form no waste water.
- 1.4 Buildings shall be built to a neat and orderly pattern
- 1.5 All buildings shall have smooth, hard, imperious floors, graded to provide effective drainage and to permit washing.
- 1.6 Camps shall be maintained by the Contractor at his own expense in a clean and tidy condition. The Contractor shall take such steps as the Technical Officer and landowner/occupier may demand to prevent the creation of a nuisance.
- 1.7 When so instructed by the Technical Officer, the Contractor shall, at his own expense, erect suitable screeces between the camp and any public road, thoroughfare or railway line.
- 1.8 After remover of a camp, the Contractor shall, at his own expense, restore the site to its original condition to use satisfaction of the Technical Officer and of the landowner and occupier where the site is on private land.



- 2.2 Dimensions of living rooms shall be sufficient to allow 3.5 square metres of floor area and 11 cubic metres of air space for each person over the age of 10 years. The floor area of any living room shall not be less than 7,8 square metres.
- 2.3 Flat-roofed quarters shall have a minimum roof height of 3 metres above floor level. For quarters with pitched roofs, the wall height shall be not less than 2,6 metres above the floor with a minimum height above floor of 3 metres at the top of the pitch.
- 2.4 Doors shall not be less than 2m x 0,75m and must be halved.
- 2.5 Windows of each living room shall have an area not less than one twelfth of the floor area and shall be capable of opening to at least half their full area.
- 2.6 In areas where malaria is prevalent, doors and windows must be fitted with gauze screens.

- 2.7 Cooking shelters shall comprise roofed structures, three sides of which shall be enclosed by a weatherproof material, approved by the Technical Officer to a height of at least **1m** above ground level.
 - 2.7.1 Sleeping quarters shall not accommodate more than 8 persons per room.
 - 2.7.2 Pegboards shall be carried on metal or concrete supports and shall be separated by partitions not less than 0,4 metres high extending to within 150mm of the end of the bunk. Pegboards shall be removable for cleaning.

3. WATER SUPPLY AND ABLUTION FACILITIES

- 3.1 The Contractor shall ensure that an adequate and conveniently situated supply of potable water is provided.
- 3.2 Separate buildings for ablution facilities shall be provided. Where approval has been obtained for the housing of both males and females, separate facilities for each sex shall be provided. The proportion shall be 1 cubicle for 20 persons.
- 3.3 Waste water shall be hygienically disposed

4. **SANITATION**

4.2

4.1 Separate buildings for latrine vacilities shall be provided. Where housing are provided for both males and females, separate facilities for each sex shall be provided. The proportions shall be at least one squatting seat for each 15 persons or less in the case of pit latrines, or one for every 10 persons or less in case of pail latrines.

Latrines shall be incoroof and sited at least 10 metres from any other building, and shall not face on any public road, thoroughfare, railway line or residential property. Pits shall not be less than 2,5 hetre, deep and sited not less than 120 metres from nearest underground water source.

Lating shall be so constructed, situated and maintained, and night soil so disposed of as to prevent access by animals, breeding of flies, pollution of streams and domestic water supplies, and other nuisances. Where a night soil removal service is operated by a competent authority, use of such service shall be obligatory, and the use of pit latrines and atria pits will not be permitted.

- 4.3 At least one refuse bin of adequate size with close fitting lid shall be provided for each building. Refuse bins shall be emptied and cleaned out daily.
- 4.4 Labour shall be employed on camp sanitation duties on the following basis:-
 - 4.4.1 Where the number of persons living at the camp is 20 or less one unit.
 - 4.4.2 For additional numbers over 20 living at the camp one unit per 100 or part thereof.
- 4.5 Unless refuse is removed by a competent authority, it shall be disposed of in pits and covered over daily with a layer of earth or ash of sufficient thickness to prevent depredations by rodents and the breeding of flies.

- 4.6 Adequate measures shall be taken against all vermin and insects responsible for the spread of disease. Any instructions of a competent health authority shall be carried out promptly and implicitly.
- 4.7 Buildings and bedboards shall be treated whenever necessary with an approved insecticide.
- 4.8 The Contractor shall permit and facilitate inspection of the camp and structures on the site by the staff of Transnet or any other competent authority, and shall comply with any reasonable request by such staff or any other competent authority to eliminate any unsanitary condition.
- 4.9 Any outbreak of infectious disease shall immediately be reported telephonically and confirmed in writing to the Technical Officer.
- 4.10 The keeping of animals of any sort is not permitted.

RENN

4.11 The Contractor shall have on hand at the camp the necessary tools, disinfectants and cleaning materials to maintain and clean the sanitary facilities.

5. **<u>RATIONS</u>**

Rations, where supplied by the Contractor, shall be stored in a suitable and rodent proof building with sufficient shelving.

Section 18: E4E – SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE (ACT 85 OF 1993) AND APPLICABLE REGULATIONS

1. General

- 1.1 The Contractor and Transnet Limited (hereinafter referred to as "Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Contractor and Technical Officer or his deputy shall at all times, co-operate in respect of the nealth and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the Works.
- 1.5 In the event of p, discrepancies between any legislation and this specification, the applicable legislation wit take precedence.

2. Definitions

21

Regulations, shall have the meaning so assigned to it, unless the context otherwise indicates: -

The work included in this Contract shall for the purposes of compliance with the Act be deemed to be "**Construction Work**", which, in terms of the Construction Regulations, 2003 means any work in connection with: -

- (a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;
- (b) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
- (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
- (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;
- 2.3 **"competent person"** in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate

qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;

- 2.4 **"Contractor"** means principal contractor and "subcontractor" means contractor as defined by the Construction Regulations, 2003.
- 2.5 **"fall protection plan"** means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;
- 2.6 **"health and safety file"** means a file, or other record in permanent form, containing the information required to be kept on site in accordance with the Act and applicable Regulation;
- 2.7 **"Health and Safety Plan**" means a documented plan which addresses the hazards identified and include safe work procedures to mitigate, reduce or control the hazards identified;
- 2.8 **"Risk Assessment"** means a programme to determine any risk as orated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;
- 2.9 "**the Act**" means the Occupational Health and Safetr Act No. 85 of 1993.

3. Procedural Compliance

- 3.1 The Contractor who intends to carry out any construction work shall, before carrying out such work, notify the Provincial Director in witing if the construction work:-
 - (a) includes the demolition of a structure exceeding a height of 3 metres; or
 - (b) includes the use of explosities to perform construction work; or
 - (c) includes be dismanding of fixed plant at a height greater than 3m,

and shall also notive the Physincial Director in writing when the construction work exceeds 30 days or will involve more than 3.0 person days of construction work and if the construction work:-

(a) includes excavation work deeper than 1m; or

includes working at a height greater than 3 metres above ground or a landing.

he notification to the Provincial Director shall be on a form similar to Annexure A of the Construction Regulations, 2003, also shown in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, Technical Officer or employee.

- 3.3 The Contractor shall, in accordance with the Act and applicable Regulations, make all the necessary appointments of competent persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Technical Officer. Copies should also be retained on the health and safety file.
- 3.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the Technical Officer.
- 3.5 In the case of a self-employed Contractor or any subcontractor who has the appropriate competencies and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case

5)

execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.

- 3.6 The Contractor shall, before commencing any work, obtain from the Technical Officer an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Transnet's safety requirements and procedures.

4. Special Permits

Where special permits are required before work may be earned out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Technical Officer or the relevant authority for such permits to be issued. The contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of: -
 - (i) The provision, as the as is reasonably practical, of a working environment that is safe and without isk with health of his employees and subcontractors in terms of section 8 of the Act;
 - (ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the
 Act that persons other than those in the Contractor's employment, who may be directly affected
 by the contract work are not thereby exposed to hazards to their health and safety;



Suring, as far as is reasonably practical, in terms of section 37 of the Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.

- 5.2 The Contractor's Health and Safety Programme shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.
- 5.3 The Contractor shall cause a risk assessment contemplated in clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall form part of the Health and Safety programme to be applied on the site and shall include at least the following:
 - (a) The identification of the risks and hazards that persons may be exposed to;
 - (b) the analysis and evaluation of the hazards identified;

- (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified;
- (*d*) a monitoring and review plan.
- 5.4 The Health and Safety Plan shall include full particulars in respect of: -
 - (a) The safety management structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of pafety committees where applicable;
 - (b) the safe working methods and procedures to be implemented to the sure the work is performed

in

compliance with the Act and Regulations;

- (c) the safety equipment, devices and clothing to be had, available by the Contractor to his employees;
- (d) the site access control measures pertaining to health and safety to be implemented;
- (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Technical Officer with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and
- (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored for the stration of the Contract.
- 5.4.1 The Health and Satzty programme shall be subject to the Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements an opposed res be implemented and maintained by the Contractor or that different working methods or suffay equipment be used or safety clothes be issued which, in the Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.
- 5.5 The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between the them, but at least once every month.
- 5.6 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.
- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.

- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.10 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the Risk Assessment before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.11 The Contractor shall ensure that all visitors to a construction site undergoes health and safety induction pertaining to the hazards prevalent on the site and shall be provided with the necessary personal protective equipment.

6. Fall Protection Plan

of a

- 6.1 In the event of the risk and hazard identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working from an elevated position the contractor shall cause the designation
 - competent person, responsible for the preparation of a fall protection plan;
- 6.2 The Contractor shall implement, motion and monitor the fall protection plan for the duration of Contract.

The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.

- 6.3 The fall protection shall include:-
 - (a) A Risk Assessment of all work carried out from an elevated position;

the predures and methods to address all the identified risks per location;

- the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
 - the training of employees working from elevated positions; and
- the procedure addressing the inspection, testing and maintenance of all fall protection equipment.

7. Hazards and Potential Hazardous Situations

The Contractor and the Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

8. Health and Safety File

(P)

- 8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Technical Officer, or subcontractor upon request.
- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Technical Officer.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.

87'

Respondent's Signature

ANNEXURE 1

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Regulation 3(1) of the Construction Regulations

NOTIFICATION OF CONSTRUCTION WORK

1	(a)	Name and postal address of principal contractor:
	(b)	Name and tel. no of principal contractor's contact person:
2.	Princip	bal contractor's compensation registration number:
3.	(a)	Name and postal address of client:
	(b)	Name and tel no of client's contact person or agent:
4.	(a)	Name and postal address of designer(s) for the project:
	(b)	Name anoto: no of designer(s) contact person:
5.		and telephone number of principal contractor's construction supervisor on site appointed in terms what on 6(1).
	X	
6.		e/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of ation 6(2).

- 7. Exact physical address of the construction site or site office:
- 8. Nature of the construction work:

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 65 of 71

9.	Expected commencement date:
<i>J</i> .	

10.	Expected com	pletion date:	

11. Estimated maximum number of persons on the construction site:

12. Planned number of contractors on the construction site accountable to the principle contractor:

Name(s) of contractors already chosen.		
	OL.	
	2	
	OX	
3.2 Principal Contractor	Date	
3.3 Client	 Date	
S.S Circit	Date	
	DED TO THE OFFICE OF THE DEPARTMENT OF LABOU	JR <u>P</u>
TECOMMENCEMENT OF WORK ON S	SITE.	

ALL PRINCIPAL CONTRACTORS THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE SAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK. Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 66 of 71

ANNEXURE 2

(COMPANY LETTER HEAD)

REQUIRED COMPETENCY:		
In terms of	I,	Nº
representing the Employer) do hereby	/ appoint	
as the Competent Person on the		N
remises at	(
physical address) to assist in complia 'our designated area/s is/are as follow	A	e applicable Regulations.
Date : Signature :- Designation :-	<u> </u>	

do hereby accept this Designation and acknowledge that I

understand the requirements of this appointment.

Date :

Signature :-

Designation :-

ANNEXURE 3

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993) :

DECLARATION

	-L"	
In terms of the above Act I,	am pe the duti	ersonally assuming es
and obligations as Chief Executiv will, as far as is reasonably p		
Signature :-		T the Employer as
Date :	 	
R		

Transnet Request for Quotation No MMC ERAC-FDT-011380 - The Renovation of Assets in Ermelo Stores (02NH007A Store, 02NH006A Store, 03NHH009A Office, 02AH149A Trolley Shed & 03RH010A) Page 68 of 71

ANNEXURE 4

(LETTER HEAD OF BUSINESS DIVISION OR UNIT OF TRANSNET LIMITED) SITE ACCESS CERTIFICATE

Access to :	(Area)
Name of Contractor/Builder :-	
Contract/Order No.:	
The contract works site/area de	scribed above are made available to you for the carrying out of
associated works	
In terms of your contract/order wit	h j
(company)	
	\sim
Kindly note that you are at all tin	s responsible for the control and safety of the Works Site, and for
persons under your control having	access to the site.
	responsible for compliance with the requirements of the Occupational
	35 of 1993) as amended, and all conditions of the Contract pertaining
	and demarcated in the contract documents including the plans of the
site or woncereas forming part the	reof.
Signed :	Date :
TECHNICAL OFFICER	

ACKNOWLEDGEMENT OF RECEIPT

Name	of	
Contractor/E	Builder :-	
		do hereby acknowledge and accept
		the duties
and obligation	ons in respect of the Safety of the	site/area of Work in terms of the Occupational
Health and S	afety Act; Act 85 of 1993.	
		, O`
Name :		gnation :
Signature :	Date	:
•	\mathbf{N}	
	7,	

Section 19: BBD8210 VERSION 1 – E7/1 – SPECIFICATION TO GENERAL WORK AND WORKS ON, OVER, UNDER OR ADJACENT TO RAILWAY LINES AND NEAR HIGH VOLTAGE EQUIPMENT

form hereto Refer t RENTER

Section: 20 - SCHEDULE OF PLANT AND EQUIPMENT

RFQ NUMBER MMC ERAC-FDT-012098

SCHEDULE OF PLANT

Schedule of major plant and equipment to be used in the execution of this contract in terms of the Contract Conditions and specifications. The respondent must state which plant is immediately available and which will have to be acquired.

(i)	Plant immediately available for work tendered for:
(ii)	Plant on order and which will be available for work tendered for:
(1)	Place to be acquired for the work tendered for:
K	▼