

TRANSNET FRAIGHT RAIL, a division of

TRANSNET SOC LTD

Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ] No MMC ERAC-FDT-012098

RENOVATION OF ASSETS IN FAUL PLETERSBURG INFRA DEPOT (01AF407 & 02AF112A)

FOR THE: RENOVATION OF ASSETS IN PAUL PIETERSBURG INFRA DEPOT

BRIEFING SESSION: 09 OCTOBER 2013

PLACE: THE BRIEFING WILL START AT PIET RETIEF

TRANSNET STATION

AND THEREAFTER PROCEED TO PAUL PIETERSBURG

STATION, WHICH IS ±50KM FROM PIET RETIEF

CONTACT PERSON: BENNY STRYDOM Cell: 083 704 1728

Bus: 012 315 3244

TIME: 12:00

ISSUE DATE: 03 October 2013

CLOSING DATE: 17 October 2013

CLOSING TIME: 10:00

VALIDITY DATE: 31 January 2014

Section 1 NOTICE TO BIDDERS

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD: [Submit physically]

CLOSING VENUE: [Transnet Freight Rail Tender Advice Centre, Inyanda House 1, Ground Floor,

21 Wellington road, Parktown, Johannesburg]

1 Responses to RFQ

Responses to this RFQ [**Quotations**] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

On or after **03 October 2013**, the RFQ documents may be inspected at, and are obtainable from the office of Transnet Freight Rail Tender Advice Centre, Inyanda House Ground Floor, 21 Wellington road, Parktown, Johannesburg, on payment of an amount of **R200,00** (inclusive of VAT) pet set. Payment is to be made as follows:

Bank: Standard Bank

Account Number: 203158598

Branch: Braamfontein

Branch code: 004805

Account Name: Transnet Limited Head Office

Reference: MMC EBAC DT-012098

NOTES -

- a) This amount is not refundable.
- b) receipt for such payment made must be presented when collecting the RFQ documents and omitted with your Quotation.
- FQ locaments will only be available until 15h00 Tuesday, 08 October 2013

Any additional information or clarification will be faxed or emailed to all Respondents, if necessary.

2 FORMAL BRIEFING

A compulsory information briefing will start at Piet Retief Transnet Station and thereafter proceed to Paul Pietersburg station, which is ± 50 km from Piet Retief on Wednesday, 09th October 2013, at 12h00 for a period of \pm 1 - 2 hours

[Respondent to provide own PPE, transportation and accommodation].

Contact person: Benny Strydom on

2.1 A Certificate of Attendance in the form set out in Section 14 hereto must be completed and submitted with your Quotation.

- 2.2 Respondents failing to attend the compulsory site meeting and/or RFQ briefing will be disqualified.
- 2.3 Respondents without a valid RFQ document in their possession will not be allowed to attend the site meeting and/or RFQ briefing.
- THE BRIEFING SESSION WILL START PUNCTUALLY AT 12H00 AND INFORMATION WILL NOT BE REPEATED FOR THE BENEFIT OF RESPONDENTS ARRIVING LATE.

4 Broad-Based Black Economic Empowerment [B-BBEE]

Transnet fully endorses and supports the Government's Broad-Based Black Conomic Empowerment Programme and it would therefore prefer to do business with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies to provide a valid B-BBEE Verification Certificate. All procurement transactions will be evaluated accordingly.

4.1 B-BBEE Scorecard and Rating

As prescribed in terms of the Preferential Procurement Policy framework Act (PPPFA), Act 5 of 2000 and its Regulations, Respondents are to note the following:

- Functionality is included at a pre-qualification dage with a prescribed percentage threshold of 60 (Sixty points).
- Proposals will be evaluated on price which will be allocated 80 or 90 points and preference which will be allocated 20 or 10 points, coperagnt on the value of the Goods or Services.
- The 80/20 preference point system applies where the acquisition of the Goods or Services will be less than R1 000 000.00
- If the 80/20 preference point system is stipulated and all Bids received exceed R1 000 000.00, the RFQ will be arcelled.
- The 90/10 preference point system applies where acquisition of the Goods or Services will exceed pd 000.00
- 15 the 90/10 preference point system is stipulated and all Bids received are equal to or below R1 900 000.00, the RFQ will be cancelled.
- In this RFQ, Transnet will **80/20** preference point system prescribed in the PPPFA.

In compliance with the Government Gazette No 34612, Notice No. 754 dated 23 September 2011, as from 1 October 2011 valid B-BBEE Verification Certificates must be issued by:

- (i) Verification Agencies accredited by the South African National Accreditation System [SANAS]; or
- (ii) Registered Auditors approved by the Independent Regulatory Board of Auditors [IRBA], in accordance with the approval granted by the Department of Trade and Industry.
- Enterprises will be rated by such agencies based on the following:

a) Large Enterprises [i.e. annual turnover greater than R35 million]:

Rating level based on all seven elements of the B-BBEE scorecard

b) Qualifying Small Enterprises – QSE [i.e. annual turnover between R5 million and R35 million]:

Rating based on any four of the elements of the B-BBEE scorecard

c) Exempted Micro Enterprises – EME [i.e. annual turnover less than R5 million]:

In accordance with B-BBEE Codes of Good Practice [Statement 000, Section 4], any enterprise with an annual total revenue of R 5 million or less qualifies as an EME.

- Automatic rating of B-BBEE Level 4 irrespective of race or ownership
- Black ownership greater than 50% or Black Women ownership greater than 50% automatically qualify as B-BBEE Level 3

Sufficient evidence to qualify as an EME would be a certificate (which may be in the form of a letter) from an auditor or accounting officer or a certificate from a Verification Agency a credited by SANAS. The certificate must confirm the company's turnover, black ownership / black female cynership, B-BBEE status level and validity date.

Respondents are required to furnish proof of the above to Transfet. [i.e. a valid detailed scorecard as stipulated above in respect of Large Enterprises and QSEs or a valid certificate in respect of EMEs].

Transnet will accordingly allocate a maximum of 1 /20 [ten/twenty] points in accordance with the 80/20 / 90/10 preference point system prescribed in the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulation to the Respondent's final score based on an entity's B-BBEE scorecard rating. [Refer Annexure A-13-BBEE Preference Points Claim Form for further details].

N.B. Failure to submit a B-BBEE certificate, which is valid as at the Closing Date of this RFP, will result in a score of zero being allocated for B-BLEE.

5 Communication

- a) Respondents are washed that a response will be liable for disqualification should any attempt be made by a respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of the RFQ between the closing date and the date of the award of the business.
- b) A respondent may, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name: **Prudence Nkabinde**

Email: prudence.nkabinde@transnet.net

c) Respondents may also, at any time after the closing date of the RFQ, communicate with

Matete Madisha on any matter relating to its RFQ response:

Telephone 013 656 4254

Email Matete.Madisha@transnet.net

6 Tax Clearance

The Respondent's original valid Tax Clearance Certificate must accompany the Quotation. Failure to provide this document with the RFQ submission will result in disqualification.

7	VAT	Registration
---	-----	--------------

The valid VAT registration number must be stated here:	[if applicable].
--	------------------

8 Legal Compliance

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

9 Changes to Quotations

Changes by the Respondent to its submission will not be considered after the closing date and time.

10 Pricing

All prices must be quoted in South African Rand on a fixed price basis, excluding AT.

11 Prices Subject to Confirmation

Prices quoted which are subject to confirmation will not be considere

12 Negotiations

Transnet reserves the right to undertake post-tender neal tiations with selected Respondents or any number of short-listed Respondents.

13 Binding Offer

Any Quotation furnished pursuant to his Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically seacated.

14 Disclaimers

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in restons to it. Please note that Transnet reserves the right to:

- modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- rejection, Quotation which does not conform to instructions and specifications which are detailed tere n;
- disqualify Quotations submitted after the stated submission deadline;
- not necessarily accept the lowest priced Quotation;
- reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;
- award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all.

Transnet reserves the right to lower the threshold for Technical by **60%** [sixty percent] if no Bidders pass the predetermined minimum threshold or if only one bidder passes the threshold. This right will be exercised in Transnet's sole discretion.

In addition, Transnet reserves the right to exclude any Respondent from the bidding process who has been convicted of a serious breach of law during the preceding 5 [five] years, including but not limited to breaches

15 Evaluation Criteria

Transnet will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

- Administrative responsiveness (Phase 1) Completeness of response and returnable documents
- Substantive responsiveness (Phase 2) Prequalification criteria, if any, must be met
- **Technical threshold** of 60 % **(Phase 2)**: Compliance to specification / quality, previous performance, delivery lead-time

Weighted evaluation based on 80/20 preference point system (Phase 3)

The evaluation will have a 3 Phases approach.

Phase 1 will be a disqualifying phase and Administrative Responsivene's determining phase to proceed to phase 2 and those that comply, will progress to be competitively evaluated in phase 3.

Minimum criteria for progressing from phase 1 to phase 2 is a tailed below: (Transnet will apply the following criteria; not necessarily in this order, phase 1 of the evaluation)

• Red Electrical Certificate or similar

PHASE 2 – FUNCTIONAL EVALUATION

- Delivery Period [20]
- Relevent experience similar to project
- Submitted Risk (Safety Plan to be employed taking into consideration the scope of work and deliveralles and management of the contract
- Technical Capacity/Resources including Plant and Equipment relevant to performing the project

HA E 3

The bidders that have successfully progressed through to Phase 3 will be evaluated in accordance with the **80/20 preference point system** contemplated in the Preferential Procurement Policy Framework Act (Act 5 of 2011)

Weighted evaluation based on 80/20 preference point system:

Pricing

Pricing will be calculated using the lowest price quoted as the baseline, thus the lowest price
quoted will achieve full marks, while all other quotes will achieve a weighted average mark based
on the lowest price.

Pricing and price basis [firm] - whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts¹ will be critical

Transnet will utilise the following formula in its evaluation of Price:

$$PS = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

Ps = Score for the Bid under consideration
Pt = Price of Bid under consideration
Pmin = Price of lowest acceptable Bid

- B-BBEE status of company

Preference points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	10
4	<u> </u>
5	8
6	6
7	4
8	2
Non-compliant contributor	0

Description	Total
Price	80
BBBEE	20
Total	100

16 Validity Period

Transnet desires a validity period of **90 [ninety] days** from the closing date of this RFQ. **This RFQ is valid until 31 January 2014**.

17 Banking Details

BANK:	
BRANCH NAME / CODE: _	
ACCOUNT HOLDER:	

¹ Only unconditional discounts will be taken into account during evaluation. A discount which has been offered conditionally will, despite not being taken into account for evaluation purposes, be implemented when payment is effected.

	ACCOUNT NUMBER:
18	Company Registration
	Registration number of company / C.C.
	Registered name of company / C.C.
19	Disclosure of Prices Quoted
	Respondents must indicate here whether Transnet may disclose their quoted prices and conditions to other
	Respondents:
	YES NO NO

20 Returnable Documents

PENIL

Returnable Documents means all the documents, Sections and Anne are as as asted in the tables below.

a) Respondents are required to submit with their Quotations the **nandatory Returnable Documents**, as detailed below.

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Documents are returned with their Quotations.

All Sections, as indicated in the foote of each page, must be signed, stamped and dated by the Respondent. Please confirm subhission of these mandatory Returnable Documents by so indicating [Yes or No] in the table below:

Returnable Documents	Submitted [Yes or No]
SECTION 2 : Quotation Form	
- Original valid Tax Clearance Certificate [Consortia / Joint Ventures / Sub- contractors must submit a separate Tax Clearance Certificate for each party]	
ANNEXURE: : Technical Submission/Questionnaire	

b) In addition to the requirements of section (a) above, Respondents are further required to submit with their Quotations the following **essential Returnable Documents** as detailed below.

Failure to provide all these Returnable Documents have result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these documents are returned with their Quotations.

All Sections, as indicated in the footer of each pige, must be signed, stamped and dated by the Respondent. Please confirm submission of the case tial Returnable Documents by so indicating [Yes or No] in the table below:

Returnable Dosuments				
SE				
-	Valid B-BBEE Verification Cartificate [RSA Large Enterprises and QSEs] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tindar win result in an automatic score of zero being allocated for B-BLEE store card			
-	Valid B-BBEE celtificate from auditor, accounting officer or SANAS accredited Verification Agesty [RSA EMEs] Note: fair to provide a valid B-BBEE Verification Certificate at the closing date and those of the tender will result in an automatic score of zero being affect ten for B-BBEE scorecard			
1	To the case of Joint Ventures, a copy of the Joint Venture Agreement or writen confirmation of the intention to enter into a Joint Venture Agreement			
-	SECTION 3 : Standard Terms and Conditions of Contract for the Supply of Goods or Services to Transnet			
SE	CTION 4 : Vendor Application Form			
-	Original cancelled cheque or bank verification of banking details			
-	Certified copies of IDs of shareholder/directors/members [as applicable]			
-	Certified copy of Certificate of Incorporation [CM29/CM9 name change]			
-	Certified copy of share certificates [CK1/CK2 if C.C.]			
-	Entity's letterhead			
-	Certified copy of VAT Registration Certificate [RSA entities only]			
	Certified copy of valid Company Registration Certificate [if applicable]			

Returnable Documents	Submitted [Yes or No]
- A signed letter from Respondent's auditor or accountant confirming most recent annual turnover figures	
ANNEXURE A – B-BBEE Preference Points Claim Form	
SECTION 6 : Signing Power - Resolution of Board of Directors	
SECTION 7 : Certificate of Acquaintance with RFQ Documents	
SECTION 8 : General Bid Conditions – Services	
SECTION 9 : STANDARD TERMS AND CONDITIONS OF CONTRACT	
SECTION 10 : RFQ Declaration Form	
SECTION 11 : Breach of Law	
SECTION 12 : Bid Clarification Request Form	
SECTION 13 : Service Provider Code of Conduct	
SECTION 14: Certificate of attendance of Site Meeting / RFO Briefing	
SECTION 15: NON-DISCLOSURE AGREEMENT [NDA]	
SECTION 17: E4B – Minimum Communal Health Requirements	
SECTION 18: E4E – Safety arrangements and Procedural compliance	
SECTION 19 : BBD8210 Version $1-E7/1$ Sp cification to general work and works on, over, under or adjacent to failway mes and near high voltage equipment	
SECTION 20: SCHEDULE OF PLANT AND EQUIPMENT	
Risk and safety plan	
List of plant and methods of operation to be used	

Failure to provide all the above-referenced returnable documents listed will result in a Respondent's disqualification. Add as are therefore urged to ensure that <u>all</u> these documents are returned with their Quetations.

20.1 CONTINUED VALIDITY OF RETURNABLE DOCUMENTS

The successful Respondent will be required to ensure the validity of all returnable documents, including but not limited to its Tax Clearance Certificate and B-BBEE Accreditation Certificate, for the duration of any contract emanating from this RFQ. Should the Respondent be awarded the contract [the **Agreement**] and fail to present Transnet with such renewals as and when they become due, Transnet shall be entitled, in addition to any other rights and remedies that it may have in terms of the eventual Agreement, to terminate the Agreement forthwith without any liability and without prejudice to any claims which Transnet may have for damages against the Respondent.

Section 2 QUOTATION FORM

I/We_

Hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

REVIEW

- the Standard Terms and Conditions for the Supply of Goods and Services to Transnet [available on request]; and
- any other standard or special conditions mentioned and/or embodied in this Request for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform in a/us this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence, the other with Transnet's acceptance thereof shall constitute a binding contract between Transnet and means.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the deliver lea l-time quoted, Transnet may, without prejudice to any other legal remedy which it may have, cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations afresh and/or having to accept any less favourable offer.

2 REFERENCES

Please indicate below the company names and contact details of existing customers whom Transnet may contact to seek third party evaluations of your current service levels:

Company Name	Nature of work	Value of work	Contact	Contact details	Year
			person		completed
			•		
			13.		
			()		
	7 y .				

3 SCOPE OF REQUIREMENTS

1. <u>SPECIFICATIONS -2013 – 2014 PAUL PIETERSBURG RENOVATE MESS. AND ABLUTION 02AF112A</u>

Act 85

- 1. Repair, Clean, Treat and Paint Asbestos Roof and undersides sealer and two coats cottage white paint Du Lux Roof Guard.
- 2. Paint window frames one coat universal undercoat and two coat Dulux pearlglo lockness coat 3L1/5.
- 3. Paint windows sills one coat Dura 65 white and two coats weather guard barely beige code 3H1/1.
- 4. Paint all pipes one coat universal undercoat and one coat high gloss enamel white Seal roof with flash harry.
- 5. Remove and replace loose roofing screws 63mm posy drive screws.
- 6. Paint doors and frames one coat universal undercoat and two coat Dulux pearlglo lockness coad 3L1/5.
- 7. Paint security gates one coat universal undercoat and two coat Dulux pearlglo lockness coat 3L1/5.
- 8. Paint ceilings one coat universal undercoat and two coats PVA white code M3701600.
- 9. Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1.
- 10. Supply and fit new mirror 500x500mm.
- 11. Remove and replace glass.
- 12. Remove and replace wall tiles white 200x300 complete with white grouting and protection covers at edge.
- 13. Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps
- 14. Remove and replace fit new W/H/B. complete with waste and hot and cold water and bottle trap
- 15. Supply and fit steel toilet paper holders two rolls
- 16. Supply and fit towel rail
- 17. Remove old shower completed
- 18. Remove and replace to let complete
- 19. Supply and fit ant. no 02 F112
- 20. Supply and fit ertial binds to windows colour plain fawn
- 21. Drop1.20m × 1. 9m wide
- 22. Drop1 10m x 2.2 m wide
- 23. Drop1.4% in x 0.80m wide
- 24. Stoply and it toilet men and women sign
- 25 n. ve and replace marante door complete
- 20 Remove and replace ceiling with 4mm netec board complete with trap door
- 27. Build 114mm brick wall plaster both sides
- 28. Supply and fit urinal wall mounted with flush master and to sewer complete
- 29. Remove and replace door lock complete

Respondent's Signature

2. SPECIFICATION - 2013 – 2014 PAUL PIETERSBURG RENOVATE OFFICE 01AF407A

Paint G.I. roof primer NS4 and two coats white heat reflective paint

Paint facias and barge boards one coat universal undercoat and one coat high gloss enamel white

Paint purlins one coat universal undercoat and one coat high gloss enamel white

Paint sprockets one coat universal undercoat and one coat high gloss enamel white

Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Paint windows sills one coat dura 65 white and two coats weatherquard barely beige code 3H1/1

Paint all pipes one coat universal undercoat and one coat high gloss enamel white

Seal roof with flash harry

Remove and replace loose roofing screws 63mm posy drive screws

Paint walls ext. one coat Dura 65 white .two coats Weatherguard Baren Beige code 3H1/1

Paint doors and frames one coat universal undercoat and two coat during pearlglo lockness coat 3L1/5

Paint security gates one coat universal undercoat and two coat a large pearly lockness coad 3L1/5

Paint ceilings one coat universal undercoat and two coats pva. white code M3701600

Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1

Supply and fit new mirror 500x500mm

Remove and replace glass

Remove and replace wall tiles white 200000 complete with white grouting and protection covers at edge

Supply and fit seamless gutters 125 nmx100mm colour white

Supply and fit seamless down sipes colour white 100mm x 75mm

Remove old gutters

Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS 10HNSCN complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps

Remove and replace fit new W/H/B. complete with waste and hot and cold water and bottle trap anti-

Supply and fit steel toilet paper holders two rolls

Supply and fit towel rail

Remove old shower complete walls and floor make floor and wall good in office

Remove and replace toilet complete

Supply and fit asst. no. 01AF407

Clean O/B gutters

Supply and fit vertical blinds to windows colour plain fawn

Drop1.20m x 1.96m wide

Drop0.60m x 0.98m wide

Drop1.20m x 1.46m wide

Remove wall tiles and plaster wall at kit.

Remove old sink complete and seal off

Supply and fit toilet men and women sign

Remove and replace marante door complete

Remove and replace ceiling with 4mm netec board complete in total building with trap door

Build one brick wall plaster both sides

Supply and fit urinal wall mounted with flush master and to sewer complete

Remove and replace door lock complete

Remove wall in O/B make wall and floor good

Remove toilet, w/h/b, shower and urinal complete and seal off

Remove geyser complete and seal off

Remove steel window build in new steel door frame complete

Build step 1.2 m long complete

Fit new marante F/L/B door complete

Repair floor concrete

Supply and fit security gates complete

Remove and replace concrete slaps at fencing complet

Remove and replace concrete post

Supply and fit B/bars on steel windows 25mm x 5mm flat bar 1.2m long

Cast concrete with wood float finish and nosing 100mm thick

Supply and fit hand rail at steps complete

REVIE

Respondent's Signature

Date & Company Stamp

MAINTENANCE STANDARDS PROPERTY MANAGEMENT TECHNICAL

ITEM	MATERIAL DESCRIPTION					
	CIVIL					
Paint ceiling	Two coats DURA 65 WHITE,					
	•					
Paint cornices and cover strips	Two coats DURA 65 WHITE,					
Suspended ceiling	Don Shield SUSPENDED ceiling,					
Acoustic tiles	SUPPLIED ON SPECIAL REQUEST. Paint walls two coats Dulux Wash Wea Silk, Barely Beige code - 3H1-					
	1 paint windows one coat white universal under coat and two coats					
	Dulux Pearlglo Lockness code 3L1-5 Paint door frames one coat					
	white Du Lux universal yarder coat and two coats Dulux Pearlglo					
	Lockness code - 3L1-5 wir dows int. and ext., door frames and doors					
	included) (Wash walls vit heavy duty detergent. Use 100Grid to sand					
Wall paint (inside) *	paper walls, dust thoroughly, and apply crack filler, sand paper again. Dust walls) Print windows					
	300 x 300mm cerapic wall tiles from Ferreira's code -arc 0162 JC					
Wall Tiles (inside)	colour-white with 3mm spacing and white grouting.					
	Johns N's FWC-4 200 x 200mm Gloss white wall tiles available from Tile					
	Afner fixed with TAL professional adhesive and flush pointed with TAL Surger white fine grout.					
Wall Tiles	Su el wate fille grout.					
Wall Tiles	Painted surface (ENAMEL) - Two coats Dura 65 white. Two coats Dulux					
	ggshell enamel, Barely Beige code 3H1-1. (Wash walls with heavy duty					
	detergent. Use 100Grid to sand paper walls, dust thoroughly, and apply					
Wall paint (inside)	crack filler, sand paper again. Dust walls)					
	Painted surface (PVA or ENAMEL)-One coat Dura 65 white. Two coats WEATHERGUARD, Barely Beige code (Wash walls with heavy duty					
	detergent. Use 100Grid to sand paper walls, dust					
	Thoroughly, and apply crack filler, sand paper again. Dust walls) 3H1-1.					
	(Wash walls with heavy duty detergent. Use 100Grid to sand paper					
	walls, dust thoroughly, and apply crack filler, sand paper again. Dust					
Wall paint(external)(Painted)	walls)					
	Raw walls. One coat Dura 65 white .Two coats WEATHERGUARD,Barely					
Wall paint(external) (raw walls)	Beige code 3HI-1					
Wall paint (external) face brick	Two coats clear brick dressing.					
Wall paper (inside)	WALLPAPER.DESIGN SYNDICATE (DS)PAPER RANGE.MORANO.REF NR.MW5210 or similar					
The paper (maide)	Lay 600x600mm, LS (LX) Super White Nano porcelain floor tiles. Apply					
	super bond adhesive progrip (EZAD103) with progrip water proof grout					
	(EZGR559) and 100mm tiled skirting (similar to floor tiles) with plastic					
Floor tiles	edge cover strip to match floor tile. Tiles obtainable at CTM store.					

	FINISH ANEXUS CARPET.RANGE WESTMINSTER.colour.COAL
	CITY.FINISH BNEXUS CARPET.RANGE; WESTMINSTER. Colour BLACK
Carpets	CITY. FINISH CNEXUS CARPET.RANGE; WESTMINSTER.colour BERRY.
	FINISH ABERBERPOINT 920 NexBac colour CHARCOAL
	size.500x500mm FINISH BBERBERPOINT 920 NexBac colour.
	SENEGAL size.500 x 500mm FINISH CBERBERPOINT 920 NexBac
Carpets	colour. LAVA size.500 x 500mm.
Paint Floor	Paint Floor one coat APOXY floor paint; colour; DARK GREY.
	Skirting sanded, One coat Pink primer, Two coats Dulux code 3H1-1
Wood skirting's (painted)	colour Barley Beige.
	100mm tiled skirting (similar to floor tiles) with white plastic edge cover
Tiled skirting's	strip
	75mm ANODIZED ALUMINIUM SKIRTING AROUND COLUMNS AND ON
Skirting-	NEW DRYWALL PARTITIONING.
Door to toilet cubicle.	Indicator lock to door (chrome finish)
	19 x 75mm maranti skirting .Sand and apply two coats Dulux Woodgard
Skirting (wood)	timber varnish
Toilet (Low water volume and	Low level Veel Dettern per with a sent to realist statement
pressure areas)	Low level Vaal Pottery pan with separate porcelain cistern
Toilet (High water volume and	Low level Veel Dettern pen with Thick Master
pressure areas)	Low level Vaal Pottery par with Flush Master
Toilet seat	White heavy duty plastic Liono 32
Toilet paper holder	Three roll lockable toilet paper dispenser attached to wall/partition.
Shower taps	Cobra under tile s opcod star type
Shower rose	Cobra, chrome swivel with swan neck extension
Shower door	Aluminium Pi ot obscure safety glass
Shower P - trap	Brass deep sear vian chrome grid
WHB	450 x 530 nm Vaal porcelain on wall mounted fixing brackets, with chrome outer, plug and chain. Cobra heavy duty pillar taps star type.
WHB	420 x 30 x 185 mm Oval A basin from FRANKE - FSA Code - 357456, th chrome outlet, plugs and chain.
	45 x 600mm silver mirror, mounted flush with tiles using double sided
Mirror	Epe above wash hand basins at eye level.
WHB taps	Cobra pillar, push button self closing taps
WHB P - trap	Anti vac plastic bottle trap
Urinal (wall moun ed)	Flat back Lavetera with Flush Master
	305 X 245 X 420 mm Barron Bowl urinal Model TE top entry flush - FSA
Urinal (wall mo unted)	CODE- 333250
Bathroom extractor fan	300mm Expel air
Kitchen Cabinet complete	1200mm steel cabinet unit with hinged doors and s/s sink.
	Kombo1800. Above full length of sink provide two rows of 300 X 300mm
Kitchen Cohinat assertate	ceramic wall tiles from Ferreira's code- ARC 0162 JC colour - white as
Kitchen Cabinet complete	splash-back. (Seal unit to tiles with clear silicon sealant.
	Cherry wood melamine with drop- in -sink and grey/pink granite post
Vitabon auphoards and sink	form top. Bottom skirting to be manufactured from a waterproof
Kitchen cupboards and sink	material.
Taps kitchen	Cobra mixer star type
Wall tiles above sink Sink P - trap	150 x 150mm white Johnson with 3mm spacing, white grout filling PVC bottle trap
Pressure control valve	Cobra 600Kpa with close off valve
	Dia 40mm to 50mm PVC colour WHITE.
Waste pipes Sewer pipes	Dia 100mm PVC above ground, heavy duty coloured underground
Fit new gutters and down pipes	Fit white Chromadek continuous gutters 125x80mm. Fit white
The new guiters and down pipes	The white Chromater Continuous gutters 123x00111111. Fit white

	chromadek down pipes 100x75mm
Paint purling/rafters/sprocket ends	Painted surface - Dulux universal white undercoat. Primer on wood/steel - Pink primer (wood) NS4 (steel). Two coats White Dulux high gloss
Fascias, gutters /down pipes and barge boards.	ONE Coat primer suitable for surfaces where applicable One coat universal undercoat and Two coats high gloss enamel -colour white. Fascia boards two coats Dulux Dura 65
Painting new gutters/down pipes.	Wash with "Spick and Span gal. Iron cleaner (GIP) and then rinse with clean water, One coat Galvogrip Metal primer(GIP), left for 24-72 hours to dry. Finish-One coat universal undercoat and Two coats high gloss enamel-colour white.
Roof	Primer - NS4 grey (GI roofs only) Two coats cottage white heat reflective paint Du Lux Roof Guard
Window sills and plinths	Painted surface - Two coats Dura 65 white. Two loats Weather guard, Barely Beige code3H1-1.
Veranda floor paint	Dulux stoop red
Window frames inside/outside	(Painted) One coat white universal under coat and two coats Dulux Pearlglo Lockness code - 3L1-5 Paint buylar pars One coat universal undercoat, one coat Dulux high glass en mel. Colour -white
Door frames inside/outside	Paint door frames one coat white Ou Li k universal under coat and Two coats Dulux Pearlglo Lockness code - 3L1-5
Door frames(wood finish)	Sand frame, Two coats clear trnish (satin) finish
Doors (wood finish)	Sand door, Two coats (ea) varnish (satin) finish
	Paint doors two sides, One coat white universal under coat and two
Doors(inside)	coats Dulux Pearl to Lot mess code - 3L1-5
Doors(outside)	Paint doors two sides. One coat white universal under coat and two coats Dulux Fearlglo Lockness code - 3L1-5
Outside pipes paint all dia.	One coat white universal undercoat and two coats Dulux Pearlglo Lockness code - 3L1-5
Door closer	Dorma TSS (silver finish.)
Door locks	A level ortical type lockset, satin chrome finish, with two keys
Steel burglar bars/ security gates	the Coat primer suitable for steel surfaces, One coat undercoat, Two coas Dulux high gloss enamel. Colour -white.
Wood cupboards/shelves	wo coats clear varnish (satin) finish.
Window panes	Reflective film to fixed and opening window sections
Vertical Blinds	Colour Plain Fawn with aluminium top rail. Blinds inside window recesses.
Water pipes (cate in)	Pipes to be lagged in cold areas
Washing line(inside court yard)	2m Dia Wendy DRY (Galvanised or powder coated white) with 7mm nylon cord wash- line.
Court yard	4m x 4m x 1.8m high precast wall (unpainted) court yard for washing line and rubbish bin
Gravel (25mm)	One metre wide strip around building
Paving	One metre wide strip around building, colour grey (concrete)
Pathways. concrete slabs	One metre wide strip around building
Vegetation: 10 m strip	Cut grass and vegetation. Remove trees closer than 2 m to building
Symbolic signage	Standard symbolic safety signs to be fitted/displayed.eg smoking areas, male/female toilets,reception,boardrooms,escape routes, fire fighting equipment fire hydrants etc.
Dignt trace	Plant trees suitable to area, 3 m away from building. One tree per
Plant trees	building

ELECTRICAL	
Wall plugs.	Crabtree Flush/Surface mounted 16A three pin
Light switches.	Crabtree Flush/Surface mounted 5A three pin
Isolators	Crabtree Flush/Surface mounted 30A & 60A Triple & Double Pole
Fluorescent Light Fittings	Semi Decorative Fit. 1.5m Double Tube Thorn Tech. Electronic
Fluorescent Light Fittings	Anti-corrosive Fit. 1.5m Double Tube Thorn Tech. Electronic
Fluorescent Light Fittings	Industrial Type Fit. 600mm & 1.5m Double Tube Thorn Tech. Electronic
Fluorescent Light Fittings	Recess Decorative Fit. 1.5m Four & Triple Tube Thorn Tech. Electronic
Light Fittings	2D / 16W Energy Saving Luminaries Slim line PVC
Light Fittings	2D / 16W Energy Saving Luminaries Industrial Type
Light Fittings	Ceiling Mount Double Round Tube Decorative Fit. (Nectronic)
Lamps	Osram & Phillips Fluorescent Type 36W, 40W, 58W & 65W
Lamps	Osram & Phillips Fluorescent Type 2D / 16W, 20W & 48W
Lamps	ES & BC Energy Saving lamps
Lamps	50W / 12V Dicrobic (Closed)
Hydro boil	Kwik Boil from Kwikot 7.5 litre Hydro boli placed over sink with own isolator
Heaters	Wall mounted with 2 hour timers with epoxy coated finish
electrical geyser horizontal/vertical	150 litres, 600 kpa Kwik t, with drip tray, outlet and blanket. Provide vacuum breakers and close off valve. Provide earthing strap to geyser and earthing spike
Air conditioners	LG Split Unit / Wil dow (leating & Cooling)
Air conditioners	LG Gazette / Under Colling (Heating & Cooling)
	Heinemann McB's //L Relays, Isolators, Lightning Arresters, Timers,

Price Schedule

I/We quote as follows for the goods required, on a "delivered nominated destination" basis, excluding VAT:

	SCHEDULE O	F WORK	AND PRICE	S	
	2013 – 2014 Paul Pietersburg Renovate mess. and ablution 02AF112A	Qty	<u>Unit</u>	<u>Price</u>	Amount
1	Preliminary and General	1	sum	•	
2	Act 85	1	sum		
3	Repair, Clean, Treat and Paint Asbestos Roof and undersides sealer and two coats cottage white paint Du Lux Roof Guard	324	M²	`	
4	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	15	Ea		
5	Paint windows sills one coat dura 65 white and two coats weather guard barely beige code 3H1/1		М		
6	Paint all pipes one coat universal undercoat and one coat high gloss enamel white),	job		
7	Seal roof with flash harry	2	M²		
8	Remove and replace loose cofing screws 63mm posy drive screws	50	Ea		
9	Paint doors and figures one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5	12	Ea		
10	Paint security gate, one coat universal undercoat and two coat dulux pearlots lockness coat 3L1/5	8	Ea		
11	Paint cilings one coat universal unide cost and two coats pva white cost M3701600	115	M²		
12	Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1	56	M²		
13	Supply and fit new mirror 500x500mm	2	Ea		
14	Remove and replace glass	6	Ea		
15	Remove and replace wall tiles white 200x300mm complete with white grouting and protection covers at edge	188	M²		
16	Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps	60	M²		
17	Remove and replace fit new W/H/B.	2	Ea		

	complete with waste and hot and cold				
	water and bottle trap anti vac		_		
18	Supply and fit steel toilet paper holders two rolls	3	Ea		
19	Supply and fit towel rail	2	Ea		
20	Remove old shower complete	1	job		
21	Remove and replace toilet complete	2	Ea		
22	Supply and fit asst. no. 02AF112	1	Ea		
23	Supply and fit vertical blinds to windows colour plain fawn Drop1.20m x 1.69m wide Drop1.10m x 2.20m wide	1 1	Ea Ea		
	Drop1.40m x 0.80m wide	6	ea		
24	Supply and fit toilet men and women sign	2	ea	7	
25	Remove and replace marante door complete	5	ea		
26	Remove and replace ceiling with 4mm netec board complete with trap door	52	M		
27	Build 114mm brick wall plaster both sides	17	M²		
28	Supply and fit urinal wall mounted with flush master and to sewer complete	1	ea		
29	Remove and replace door lock complete	5	ea		
30	Remove wall in toilets make wall and floor good	D	M²		
31	Remove and replace concrete slaps at fencing complete	50	ea		
32	Remove and replace concrete past	6	ea		
33	Cast concrete with wood float finish and nosing 100mm thick 3/7m x 9m for stores = 189 M N	195	M²		
34	All water pipes in vali	1	job		
35	Supply and it lew shower door aluminium pivot obscure safety glass	3	ea		
36	Supply and fit mosaic shower tiles as floor lie	6	M²		
37	cor a taps and rose with hot and cold water 15mm copper pipe	3	ea		
38	Supply and fit concrete with outlet complete for showers 100mm thick and connect to sewerage	6	M²		
39	Supply and fit soap dish	3	ea		
40	Supply and fit new toilet complete and connect to sewerage	1	job		
41	Make opening in wall and build in steel door frame compete	3	ea		
42	Remove door frame and build close	1	job		
43	Remove concrete tops two (4m long) and make wall good	1	job		
44	Supply and fit floor unit with white melamine interior and red oak ext. and with granite top color moss grey and back splash 100mm complete with	1	ea		

ı		1			1
	locks 2.00m long and double sink with mixer complete				
45	Supply and fit floor unit with white melamine interior and red oak ext. and with granite top colour moss grey and back splash 100mm complete with locks 2.00m long complete	1	ea		
46	Supply and fit wall unit with white melamine interior and red oak ext. with locks 2.00m long complete	1	ea		
47	Remove old sink	1	job		
48	Install 7.5 litre kwikot Hydro boil above sink complete with chrome ball stop valve and connect to power supply in kitchen.	1	ea	111	
49	Remove and replace steel window handles	3	ea		
50	Remove old geyser and replace with a 200 l/t geyser complete	1	job		
51	Remove and replace brick lintel (2 m long)	1	JOA		
52	Supply and fit canopy complete at door (2m x 1m)	1	3-6		
53	Supply and fit shelf's (2m long)at B/room		ea		
			CIVIL	TOTAL	R
	ELCTRICAL				
54	On both sides of the house sulply install and wire with 2,5mm 3 consurflex and a day and night switch feeding from D/board 2 x 15% single phase circuit breakers and exceptee in an enclosure a 220% of contactor connecting 2 x KLSFLISE RL737-226 floodlight complete with 2 x OSRAM 26watt CFL langes.	1	Job		
55	Boardroom: Make safe and remove the wall mounted heater – cover hole	1	Job		
56 57	Kitchen: Supply wire and chase 2 x (RALTIFE double socket outlets complete with wall boxes and covers wire with 2,5mm 3 core surflex feeding from the D/board form a 15Amp single phase circuit breaker and a single CRABTREE double socket outlets complete with wall box and a cover wired with 2,5mm 3 core surflex feeding from the D/board form a 15Amp single phase circuit breaker for the Hydro boil and a CRABTREE single lever light switch complete with cover and relocated Kitchen: Supply wire and install 1 x	1	Job		
5/	new 4FT TPA open channel luminaire complete with OSRAM tubes and electronic switch gear (Ballast) wired with 1,5mm 3 core surflex	1	Job		
58	In front of toilets: Supply wire and				

	install 2 x REEFLITE LUNA bulk head complete with 2 PL9 OSRAM tubes and 1 x CRABTREE single lever light switch with a 2x4 white extension box and 20mm PVC tubing wired from the D/board with 1,5mm 3 core surflex feeding from a 5A single phase circuit breaker	1	Job		
59	Ladies toilets: Supply wire and install 1 x new 4FT splash proof luminaire complete with OSRAM tubes wired with 1,5mm 3 core surflex and a CRBTREE single lever light switch and cover and a new CX 10 Xpelair ceiling mounted extractor fan connected to the light circuit	1	Job	J "	
60	Men's toilets: Supply wire and install 2 x new 4FT splash proof luminaire complete with OSRAM tubes wired with 1,5mm 3 core surflex and a CRBTREE single lever light switch and cover and a new CX 10 Xpelair ceiling mounted extractor fan connected to the light circuit	1	J		
61	Guard room: Supply wire and install 1 x new 4FT TPA open channel luminaire complete with OSRAM tubes and electronic switch gear (Ballast) wired with 1,5mm 3 core surflex	ÒS	Job		
		GROSS TOT 14% V.A.T. AMOUNT DU	R		

SCH	HEDULE OF WORK AND PRICES				
	2013 - 2014 Paul Pietersburg Renovate	Quan	<u>Unit</u>	<u>Price</u>	<u>Amount</u>
	Office 01AF407A	tity		•	
1	Paint G.I. roof primer NS4 and two coats white heat reflective paint	302	M ²		
2	Paint facias and barge boards one coat universal undercoat and one coat high gloss enamel white	12	m	1	
3	Paint purlins one coat universal undercoat and one coat high gloss enamel white	72	m		
4	Paint sprockets one coat universal undercoat and one coat high gloss enamel white	66	ea		
5	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coad 3L1/5	14			
6	Paint windows sills one coat dura 65 white aptwo coats weatherguard barely beige code 3H1/1	28	m		
7	Paint all pipes one coat universal undercoat and one coat high gloss enamel white	1	job		
8	Seal roof with flash harry	10	M ²		
9	Remove and replace loose roofing screw 33mm posy drive screws	150	ea		
10	Paint walls ext. one coat Dura 65 wit e .two coats Weatherguard Barely Beige code H1/1	177	M ²		
11	Paint doors and frames one coat universal undercoat and two coat delax pearlglo lockness coad 3L1/5	10	ea		
12	Paint security gates she coat universal undercoat and two coat draw pearlglo lockness coad 3L1/5	4	ea		
13	Paint ceilings one coat universal undercoat and two coats two white code M3701600	162	M ²		
14	Paint wills let. one coat universal undercoat and one cat eggshell enamel barely beige code 3H1/1	497	M ²		
15	Supply and fit new mirror 500x500mm	1	Ea		
16	Remove and replace glass	16	ea		
17	Remove and replace wall tiles white 200x300mm complete with white grouting and protection covers at edge	32	M ²		
18	Supply and fit seamless gutters 125mmx100mm color white	50	m		
19	Supply and fit seamless down pipes color white 100mm x 75mm	6	ea		
20	Remove old gutters	1	job		
21	Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete	30	M ²		

	with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps				
22	Remove and replace fit new W/H/B. complete with waste and hot and cold water and bottle trap anti vac	1	Ea		
23	Supply and fit steel toilet paper holders two rolls	1	ea		
24	Supply and fit towel rail	1	ea		
25	Remove old shower complete walls and floor make floor and wall good in office	1	job		
26	Remove and replace toilet complete	1	ea		
27	Supply and fit asst. no. 01AF407	1	ea		
28	Clean O/B gutters	1	job		
30	Supply and fit vertical blinds to windows colour plain fawn	_			
	Drop1.20m x 1.96m wide Drop0.60m x 0.98m wide	2	Ea		
	Drop1.20m x 1.46m wide	3	ea		
31	Remove wall tiles and plaster wall at kit.	4	M2		
32	Remove old sink complete and seal off	1	job		
33	Supply and fit toilet men and women sign	2	ea		
34	Remove and replace marante door complet	1	ea		
35	Remove and replace ceiling with 4 nm etal board complete with trap door	5	M ²		
36	Build one brick wall plaster both sitles	2	M ²		
37	Supply and fit urinal wall mounted with flush master and to sewer complete.	1	ea		
38	Remove and replace door lock complete	9	ea		
39	Remove wall in O/B make war and floor good	12	M ²		
40	Remove toiler, w/h/b, shower and urinal complete and seal off	1	job		
41	Remove gevse complete and seal off	1	job		
42	Remove tech window build in new steel door france of mplate	1	job		
43	Bund s ep 1.2 m long complete	1	job		
44	Fit new marante F/L/B door complete	1	ea		
45	Repair floor concrete	3	M ²		
46	Supply and fit security gates complete	1	ea		
47	Remove and replace concrete slaps at fencing complete	30	ea		
48	Remove and replace concrete post	4	ea		
49	Supply and fit B/bars on steel windows 25mm x 5mm flat bar 1.2m long	12	ea		
50	Cast concrete with wood float finish and nosing 100mm thick	126	M ²		
51	Supply and fit hand rail at steps complete	2	ea		
			CIV IL	TOTAL	R

	ELECTRICAL				
52	On both sides of the house supply install and wire with 2,5mm 3 core surflex and a day and night switch feeding from D/board 2 x 15A single phase circuit breakers and complete in an enclosure a 220Volt contactor connecting 2 x REEFLITE RL737-226 floodlight complete with 2 x OSRAM 26watt CFL lamps.	1	Job		
53	Room 4: Supply and install from the D/board feeding from a 15A single phase circuit breaker wired with 2,5mm 3 core surflex and chased into the wall 4 x CRABTREE double socket outlets complete with 4x4 steel wall boxes and plug covers.	1	Job	.11	
54	Supply wire and replace all bowl and galleries with 4FT TPA open channel double fluorescent luminaries complete with electronic switch gear (ballast) and OSRAM tubes (entire house)	1	Job	17	
55	Make safe disconnect and move entire D/board to the passage. Supply wire and install a 23 way white steel flush mount D/board with door and all switch gear and protections – all circuit breakers must be labeled and supply a Legend card and all light switches and plugs must be labeled from where it is feeding. Chase all pipes in wall and make good Supply a valid C.O.C. on completion of the work		Job		
56	Strip all circuits and rewire with correct size wires (rewire entire house)	1	Job		
57	Store 1 & 2: Remove and supply 2 x 4FT TPA open channel double fluoristent luminaries complete with electronic switch year (ballast) and OSRAM tubes per sore complete with a CRABTREE single level light switch and cover with 2x4 steel white wall box and 20mm PVC tubing wire with 1,5mm 2 core surflex.	1	Job		
			ELE	TOTAL	R
			СТ		
	* Q *	R	.A.T.		
		AMOUNTDUE R			

Delivery Lead-Time from date of purchase order	: [days/weeks
---	---------------

Notes to Pricing:

- c) All Prices must be quoted in South African Rand, exclusive of VAT
- d) To facilitate like-for-like comparison bidders must submit pricing strictly in ccordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.
- e) Please note that should you have offered a discounted price(s), hansnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

22 NATIONAL RAILWAY SAFETY REGULATOR CO

In compliance with the National Railway Safety, Degulator Act, 16 of 2002, the successful Respondent (**the Service Provider**) shall ensure that the Services to be supplied to Transnet, under the terms and conditions of a contract between the parties, comply fully with the specifications as set forth in this RFQ, and shall thereby adhere to railway safety requirements and/or regulations [as applicable]. Permission for the engagement of a subcontractor by the Service Provider, as applicable, both initially and during the course of a contract, shall be subject to a review of the capability of the proposed subcontractor to comply with the specified railway safety requirements and/or regulations. The Service Provider and/or its subcontractor shall grant Transnet access, during the term of the contract, to review any safety-related activities, including the coordination of such activities across all parts of the organisation.

Ac Te, fed:

YES NO

23 SERVICE LEVELS

- 23.1 An experienced national account representative(s) is required to work with Transnet's sourcing/procurement department. [No sales representatives are needed for individual department/locations]. Additionally, there shall be a minimal number of people, fully informed and accountable for this agreement.
- 23.2 Transnet will have quarterly reviews with the Service Provider's account representative on an on-going basis.
- 23.4 Transnet reserves the right to request that any member of the Service Provider's team involved on the Transnet account be replaced if deemed not to be adding value for Transnet.
- 23.5 The Service Provider guarantees that it will achieve a 95% service level on the following measures. If the Service Provider does not achieve this level as an average over each quarter, Transnet will receive a 1.5% rebate on quarterly sales payable in the next quarter:

	b)						
	c)	on time delive	erables				
3.6	Service P	rovider must prov	ide a telephone nu	umber for custor	mer service calls		
23.7		the Service Provi e contract in wh					
	Accepta	nce of Service L	evels:				
		YES			NO	1,,	
24	RISK			•	ON		
	Responde	ents must elabora	te on the control	measures pri ir	place by their	entity, which wo	ould mitigate the
	risk to Tra	ansnet pertaining	to potential non-p	erforman e by	Service Provide	er, in relation to:	
	24.1	Quality of Serv	vices required:				
	_						
	_		111				
		Continuity of	ina Tuotou ol	laves 6.0 of Form	CT0 C1:		
	24.2	Continuity or s	vices [refer cl	ause 6.9 of Forn	1 ST&CJ:		
	_						
	Oz						
	_						-
	24.3	Compliance w	ith the Occupat	ional Health a	nd Safety Act.	85 of 1993 [re	efer clause 8.1(f)
	of Form S		от				,, e., e.a.a.e e.=(//
	_						
	_						
	_				-		

Respondent's Signature

a)

.....

24.4	Compliance with the National Railway Safety Regulator Act, 16 of 2002 [refer paragraph
0 above]:	
_	
	.

PREVIEW

Section 3

STANDARD TERMS AND CONDITIONS FOR THE SUPPLY OF GOODS OR SERVICES TO TRANSNET

A Supplier/Service Provider shall be obliged to adhere to the Standard Terms and Conditions for the Supply of Goods and Services to Transnet as expressed hereunder. Should the Respondent find any condition(s) unacceptable, it should indicate which condition(s) is/are unacceptable and offer an alternative(s). A Quotation submitted by a Respondent will be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by Transnet's Legal Counsel, prior to consideration for an award of business.

1 SOLE AGREEMENT

Unless otherwise agreed in writing, these terms [**Terms** and each **Term**] and **Transnet**'s purchase order(s) [**Order** or **Orders**] represent the only conditions upon which Transnet SOC Ltd [**Transnet**] procures goods [**the Goods**] or services [**the Services**] specified in the Order from the person to whom the Order is addressed [**the Supplier/Service Provider**]. Transnet does not accept any other conditions which the Supplier/Service Provider may specify, unless otherwise agreed to by transnet in writing. In the event of any inconsistency between these Terms and any Order, these Terms shall take precedence.

2 CONFORMITY WITH ORDER

Goods/Services shall conform strictly with the Ord. The Supplier/Service Provider shall not vary the quantities specified and/or the specification, it any, stipulated in the Order, without the prior written consent of Transnet. The Supplier/Service Provider varrants and the Goods/Services shall be fit for their purpose and of satisfactory quality.

3 DELIVERY AND TITLE

- 3.1 The delivery dates and addresses are those in the Order. Time shall be of the essence in respect of the Supplier's/Se vice Provider's obligations under the Order.
- The Sypplier Service Provider will not be excused for delay in delivery or performance except due to circumstances outside its control and then only subject to the Supplier/Service Provider having notified Transpet in writing on becoming aware of such circumstances. Transpet may terminate an Order, in whose or in part, without incurring any liability to the Supplier/Service Provider if such a delay becomes, in Transpet's absolute opinion, significant.
- 3.3 If on delivery, the Goods/Services do not conform to the Order, Transnet may reject the Goods/Services and the Supplier/Service Provider shall promptly rectify any defects or in Transnet's opinion, supply appropriate replacement Goods/Services at the Supplier's/Service Provider's expense within the specified delivery times, without any liability due by Transnet.

4 PRICE AND PAYMENT

4.1 Prices specified in an Order cannot be increased. Payment for the Goods/Services shall be made by Transnet against an original undisputed invoice(s) [a Tax Invoice], supporting documentation and month-end statement from the Supplier/Service Provider. Tax Invoices plus supporting documentation shall be posted to the address shown in the Order.

4.2 Payment of the Supplier's/Service Provider's valid Tax Invoice(s) will be made by Transnet in the South African currency and on the terms stated in the Order, the standard payment terms being 30 [thirty] days from date of receipt by Transnet of a month-end statement, unless otherwise agreed to in writing. Transnet shall arrange for payment of such Tax Invoices and any pre-authorised additional expenses incurred, provided that the authorised expenses are supported by acceptable documentary proof of expenditure incurred [where this is available]. Any amounts due in terms of these Terms shall be paid to the Supplier/Service Provider, taking into account any deduction or set-off and bank charges.

5 PROPRIETARY RIGHTS LIABILITY

If any allegations should be made or any claim asserted against Transnet that ownership of, or any act or omission by Transnet in relation to Goods/Services or any written material provided to Transnet relating to any Goods/Services or pursuant to an Order being a violation or infringement of any third party's contractual, industrial, commercial or intellectual property rights including but not limited to any patent, registered design, design right, trade mark, copyright or service mark on any application thereof, the Supplier/Service Provider hereby indemnifies Transnet against and hold it harmless from any and allosses, liabilities, costs, claims, damages and expenses [including any legal fees] arising directly or addrectly from such allegation or claim provided that this indemnity shall not apply where the allegation or claim arises solely as a result of the Supplier/Service Provider following a design or process originated and furnished by Transnet. The Supplier/Service Provider shall either

- a) procure for Transnet the right to continue using the infringing Goods; or
- b) modify or replace the Golds/Services so that they become non-infringing,

provided that in both cases the Goods/Services shall continue to meet Transnet's requirements and any specifications stipulated in the Green Should neither option be possible, the Supplier/Service Provider may remove, with Transnet's paior watten consent, such Goods/Services and will pay to Transnet a sum equivalent to the purchase price. It transnet refuses to give such consent, the Supplier/Service Provider shall have no liability in respect of any continued use of the infringing Goods/Services after Supplier's/Service Provider's prior written request to time we the same.

6 PROTRITAL YINFORMATION

All imprination which Transnet has divulged or may divulge to the Supplier/Service Provider and any information relating to Transnet's business which may have come into the Supplier's/Service Provider's possession whilst carrying out an Order, and the existence of the Order, shall be treated by the Supplier/Service Provider as confidential information and shall not, without Transnet's prior written consent, be disclosed to any third party, or be used or copied for any purposes other than to perform the Order. This clause does not apply to information which is public knowledge or available from other sources other than by breach of this Term. Upon request by Transnet, the Supplier/Service Provider shall return all materials issued pursuant to the Order and, pending this, shall protect Transnet's rights in any such materials. Such confidential information shall at all material times be the property of Transnet.

7 PUBLICITY

The Supplier/Service Provider shall not name Transnet or use its trademarks, service marks [whether registered or not] or Goods in connection with any publicity without Transnet's prior written consent.

8 TERMINATION OF ORDER

- 8.1 Transnet may cancel an Order in whole or in part at any time upon at least 7 [seven] days' written notice to the Supplier/Service Provider, or when there is a change in control of the Supplier/Service Provider or the Supplier/Service Provider commits any serious breach or any repeated or continued material breach of its obligations under these Terms and/or Order or shall have been guilty of conduct tending to bring itself into disrepute, on written notice to the Supplier/Service Provider when such work on the Order shall stop.
- Transnet shall pay the Supplier/Service Provider a fair and reasonable price for justified work in progress, where such price reflects only those costs not otherwise recoverable by the Supplier/Service Provider, at the time of termination, and the Supplier/Service Provider shall give Transnet full assistance to check the extent of such work in progress. Payment of such price shall be in full and final satisfaction of any claims arising out of such termination and upon such payment the Supplier/Service Provider shall deliver to Transnet all work, including any materials, completed or in progress. The sum payable to the Supplier/Service Provider under the clause will not in any event exceed the total amount that would have been payable to the Supplier/Service Provider had the Order not been terminated.
- 8.3 In the event of termination the Supplier/Service Provider must submit all claims within 2 [two] months of termination after which time claims will only be met in what Transnet considers exceptional circumstances.
- 8.4 If the Goods or Services are not provided in accordance with an Order, the Order shall be deemed terminated and the Supplier/Service Provider shall compensate Transnet for any costs incurred in obtaining substitute Goods or any large ge caused due to the failure or delay in the delivery.

9 ACCESS

The Supplier/Service Provider shall be liable for the acts, omissions and defaults of its personnel or agents who, for the purposes of the Order, shall be treated as if they are the Supplier's/Service Provider's employees. The Supplier/Service Provider shall ensure that any such personnel or agents, whilst on Transnet's premises, shall comply with Transnet's health and safety, security and system security rules and procedures as and where reactives.

10 VAFRANTY

The Soplier/Service Provider warrants that it is competent to supply the Goods/Services in accordance with these Terms to the reasonable satisfaction of Transnet and that all Goods/Services delivered under the Order: (a) conform and comply in all relevant legislation, standards, directives and orders related to [inter alia] the Goods/Services in force at the time of delivery, and to any specifications referred to in the Order; (b) will not cause any deterioration in the functionality of any Transnet equipment; and (c) do not infringe any third party rights of any kind. The Supplier/Service Provider hereby indemnifies Transnet against all losses, liabilities, costs, claims, damages, expenses and awards of any kinds incurred or made against Transnet in connection with any breach of this warranty.

11 INSOLVENCY

If the Supplier/Service Provider shall have a receiver, manager, administrator, liquidator or like person appointed over all or any part of its assets or if the Supplier/Service Provider compounds with its creditors or passes a resolution for the writing up or administration of the Supplier/Service Provider, Transnet is at liberty

to terminate the Order or Orders forthwith, or at its option, to seek performance by any such appointed person.

12 ASSIGNMENT

The Supplier/Service Provider shall not assign its obligations under an Order without Transnet's prior written consent, which consent shall not be unreasonably withheld or delayed.

13 NOTICES

Notices under these Terms shall be delivered by hand to the relevant addresses of the parties in the Order or may be served by facsimile or by email, in which event notice shall be deemed served on acknowledgement of receipt by the recipient.

14 LAW

Orders shall be governed by and interpreted in accordance with South Ahrican law and any disputes arising herein shall be subject to South African arbitration under the ruler of the Abstration Foundation of South Africa, which rules are deemed incorporated by reference in this place. The reference to arbitration shall not prevent Transnet referring the matter to any South African courts, having jurisdiction, to which the Supplier/Service Provider hereby irrevocably submits but without prejudice to Transnet's right to take proceedings against the Supplier/Service Provider in other jurisdictions and/or obtaining interim relief on an urgent basis from a court of competent jurisdiction pending the decision in other courts or from instituting in any court of competent jurisdiction any proceedings for an interdict or any other injunctive relief. If the Supplier/Service Provider does not have a registered office in the South Africa it will at all times maintain an agent for service of process in South Africa and shall give Transnet the name and address of such agent as such may be amended, in writing, from time to time.

15 GENERAL

Completion or termination of an order shall be without prejudice to any Term herein which by its nature would be deemed to continue accer completion or termination. If any Term herein be held illegal or unenforceable, the validity of enforce bility of the remaining Terms shall not be affected. No failure or delay by Transnet to enforce any points under these Terms will operate as a waiver thereof by Transnet. All rights and remedies available to either party under these Terms shall be in addition to, not to the exclusion of, rights otherwise available at law.

16 COUNTERPARTS

These Terms and conditions may be signed in any number of counterparts, all of which taken together shall constitute one and the same instrument. Any party may enter into this agreement by signing any such counterpart.

By signing this RFQ document, the Respondent is deemed to acknowledge that he/she has made himself/herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet SOC Ltd will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed to properly take it into account for the purpose of calculating quoted prices or otherwise.

SIGNED at	on this day of	20
		11
		1
SIGNATURE OF RESPONDENT'S AUTH		
NAME:		
DESIGNATION:		
	, 🔾	
REGISTERED NAME OF COMPANY:		
PHYSICAL ADDRESS:		
	~O'	
Respondent's contact person.	ease complete]	
Name :		
Designation		
Telephone :		
Cells hone		
Fac (mile):		
Fmail :		
Website :		

Transnet urges its clients, suppliers and the general public to report any fraud or corruption toTIP-OFFS ANONYMOUS: 0800 003 056

Section 4 VENDOR APPLICATION FORM

Respondents are to furnish the following documentation and complete the Vendor Application Form below:

- Original cancelled cheque OR letter from the Respondent's bank verifying banking details
 [with bank stamp]
- 2. **Certified** copy of Identity Document(s) of Shareholders/Directors/Members [where applicable]
- 3. **Certified** copy of Certificate of Incorporation, CM29 / CM9 [name change
- 4. **Certified** copy of Share Certificates [CK1/CK2 if CC]
- 5. A letter on the company's letterhead confirm physical and postal addresses
- 6. Original valid SARS Tax Clearance Certificate
- 7. **Certified copy** of VAT Registration Certificate
- 8. **Certified copy** of valid Company Registration Certificate [if applicable]
- 9. A signed letter from your auditor or accountant confirming most recent annual turnover figures

Vendor Application Form

Company trading name								
Company registered name								
Company Re	ber or ID Nui	mber if a Sole	Proprietor					
Form of entity $[\sqrt{\ }]$	CC	Trust	Pty Ltd	Limite	d Partner	ship	Sole Proprie	etor
VAT number	[if registered]							
Company telep	ohone number							
Compar	ny fax number					1,		
Company	email address							
Company we	ebsite address							
Bank name				Branch	Lanch code			
Account holder				Bank a co	number			
Postal address				1				
i Ostai addi CSS							Code	
Physical Address								
Thysical Address							Code	
Contact person								
Designation								
Telephone	Telephone							
Email								
Annual turnov	er lang [last fir	nancial year]	< R5	m	R5 - 35 m		> R35 m	
	oes your comp	any provide	Produc	ets	Services		Both	
	Are	a of delivery	Nation	ial	Provincial		Local	
301	Is your	company a p	oublic or privat	e entity	Public		Private	
Does your	company have a	a Tax Directiv	e or IRP30 Ce	ertificate	Yes		No	
Ma	nin product or se	ervices [e.g. S	Stationery/Con	sulting]				
Complete B-BBEE O	Ownership Detail	ls:						
% Black ownership		% BI	ack women ownership		% Disabled	Black	ownership	
Does	your company h	nave a B-BBE	E certificate	Yes			No	
W	What is your B-BBEE status [Level 1 to 9 / Unknown]							
How ma	oes the firm	employ Pe	ermanent		Pa	rt time		

If you are an existing Vendor with Transnet please complete the following:

Transnet contact person	
Contact number	
Transnet Operating Division	

Duly authorised to sign for and on behalf of Company / Organisation:

Name	Designation	
Signature	Date	N .

Section 6: SIGNING POWER - RESOLUTION OF BOARD OF DIRECTORS

NAME OF ENTITY:		
It was resolved at a meeting	ng of the Board of Directors held on	that
FULL NAME(S)	CAPACITY	SIGNATURE
		3
	ated above is/are nereby authorised to tations and/or Agreements for the sup	o enter into, sign, execute and complete any pply of Services.
FULL NAME	SIGNATU	JRE CHAIRMAN
FULL NAME	SIGNATU	JRE SECRETARY


RFQ FOR RENOVATION OF ASSET IN PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A)

Section 7: CERTIFICATE OF ACQUAINTANCE WITH RFQ DOCUMENTS

NAME OF ENTITY:		
I/We		do
hereby certify that I/we acquainted myself/ourselv	es with all the pecua	entation comprising this RFQ and
all conditions contained therein, as laid down by		
supply/service/works for which I/we submitted my	our response.	
I/We furthermore agree that Transnet SOC Lt sha	recognise no claim	from me/us for relief based on an
allegation that I/we overlooked any RF2/co tra	t condition or failed	I to take it into account for the
purpose of calculating my/our offered prices or Jth	erwise.	
SIGNED at on	this day of	2012
SICVATURE OF WITNESS	 SIGNA	TURE OF RESPONDENT
CONTONE OF WITHESS	SIGNA	TORE OF RESPONDENT

PREVIEW

Section 8: GENERAL BID CONDITIONS - SERVICES



RFQ RENOVATION OF ASSET IN PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A))

Section 9: STANDARD TERMS AND CONDITIONS OF CONTRACT FOR THE PROVISION OF SERVICES TO TRANSNET

Refer Form ST&C attached hereto.

Respondents should note the obligations as set out in clause 20 [Terms and Colditions of Bid]

of the General Bid Conditions [RFQ Section 2] which reads as follows:

"The Service Provider shall adhere to the Standard Terms and Conditions of Contract as set out in Form ST&C — Services, a opy or much is attached hereto. Should the Respondent find any conditions unacceptable, it should indicate which conditions are unacceptable and offer alternatives. Any such submission shall be subject to review by Transnet's Legal Counsel who shall determine whether the proposed alternative(s) are acceptable or otherwise, as the case may be."

Respondent's Signature

Date & Company Stamp

RFQ FOR RENOVATION OF ASSET IN PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A) Section 10: RFQ DECLARATION FORM

1.

2.

3.

5.

NAME OF ENTITY:
We hereby certify that:
Transnet has supplied and we have received appropriate responses to any/alrequestions [as applicable which were submitted by ourselves for bid clarification purposes;
we have received all information we deemed necessary for the completion of this Request for Quotation [RFQ];
Transnet sources, other than information formally received from the designated Transnet contact(s) anominated in the RFQ documents;
we are satisfied, insofar as our entity is concerned, that the processes and procedures adopted by Transnet in issuing this RFQ and the requirements requested from bidders in responding to this RFQ has been conducted in a fair and transparent pranner; and
furthermore, we declare that a family, business and/or social relationship exists / does not exist
If such a relationship exists, Respondent is to complete the following section:
FULL NAME OF OWNER/MEMBER/DIRECTOR/ PARTNEL SHAREHOLDER: ADDRESS:
Indicate nature of relationship with Transnet:
Failure to furnish complete and accurate information in this regard may lead to the disqualification of

Respondent's Signature Date & Company Stamp

response and may preclude a Respondent from doing future business with Transnet]

- 6. We declare, to the extent that we are aware or become aware of any relationship between ourselves and Transnet [other than any existing and appropriate business relationship with Transnet] which could unfairly advantage our entity in the forthcoming adjudication process, we shall notify Transnet immediately in writing of such circumstances.
- 7. We accept that any dispute pertaining to this bid will be resolved through the Ombudsman process and will be subject to the Terms of Reference of the Ombudsman. The Ombudsman process must first be exhausted before judicial review of a decision is sought. [Refer "Important Notice to Respondents" overleaf].
- 8. We further accept that Transnet reserves the right to reverse an award of business or decision based on the recommendations of the Ombudsman without having to follow a formal court process to have such award or decision set aside.

SIGNED at	on this 📘 da	ay of 2012

For and on behalf of	AS WITNESS:
duly authorised hereto	
Name:	Name:
Position:	Position:
Signature:	Signature:
Date	
ac.	

Respondent's Signature

IMPORTANT NOTICE TO RESPONDENTS

- Transnet has appointed a Procurement Ombudsman to investigate any <u>material complaint</u> in respect of RFQs exceeding R5, 000,000.00 [five million S.A. Rand] in value. Should a Respondent have any material concern regarding an RFQ process which meets this value threshold, a complaint may be lodged with Transnet's Procurement Ombudsman for further investigation.
- > It is incumbent on the Respondent to familiarise himself/herself with the Terms of Reference for the Transnet Procurement Ombudsman, details of which are available for review at Transnet's website www.transnet.net.
- An official complaint form may be downloaded from this website and submitted, together with any supporting documentation, within the prescribed period to procurement.ombud@transnet.net
- For transactions below the R5,000,000.00 [five million 5.Å. Rand] threshold, a complaint may be lodged with the Chief Procurement Officer of the relevant Transnet Operating Division.
- All Respondents should note that a comparint must be made in good faith. If a complaint is made in bad faith, Transnet reserves the right to place such a bidder on its List of Excluded Bidders.

REVIEW

RFQ FOR RENOVATION OF ASSET IN PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A)

Section 11: BREACH OF LAW

NAME OF ENTITY:			
I/We_			
			1
do hereby certify that I/we have	/ have not been fo	ound quilty during the p	eceding 5 [five] years of a
serious breach of law, including bu			
of law, tribunal or other adminis	trative body. The t	ype of breach that the	Respondent is required to
disclose excludes relatively minor of	offences or misdeme	eanours e.g. tramooffe	nces.
Where found guilty of such a serio	ous breach, please d	sclose:	
NATURE OF BREACH:	R		
	7		
— N			
DATE OF BREACH:			
Furthermore, I/ve admowledge to			
from the bidding crocess, should t	that person or entity	have been found guilty	of a serious breach of law
tribunal corregulatory obligation.			
7			
SIGNED at	on this	day of	20
SIGNATURE OF WITNESS		SIGNATURE	OF RESPONDENT
STOLATIONS OF MALLINESS		SIGNATURE	OI INEST CINDEINT

Section 12: BID CLARIFICATION REQUEST FORM

RFQ No: MMC E	RAC-FDT-012098
RFQ deadline for	questions / bid clarifications: Before 12:00 3 days prior to closing date
TO:	Transnet SOC Ltd
ATTENTION:	The Secretary, Transnet Acquisition Council [TAC]
EMAIL	prudence.nkabinde@transnet.net
DATE:	
FROM:	
RFQ Bid Clarifica	tion No [to be inserted by Transnet]
	REQUEST FOR PID CLARIFICATION
	<u> </u>
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
) 	

RFQ FOR RENOVATION OF PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A)

Section 13: SERVICE PROVIDER CODE OF CONDUCT

Transnet aims to achieve the best value for money when buying or selling Services and obtaining services. This however must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any Service Provider dealing with Transnet must understand and support. These are:

The Transnet Procurement Procedures Manual [PPM];

Section 217 of the Constitution - the five pillars of Public PSCM [Procurement and Supply Chain Management]: fair, equitable, transparent, competitive and cost energy;

The Public Finance Management Act [**PFMA**];

The Broad Based Black Economic Empowerment Act [B-BBEE]

The Prevention and Combating of Corrupt Activities Act.

This Code of Conduct has been included in this RFL to formally apprise prospective Transnet Service Providers of Transnet's expectations regarding behavior and conduct of its Service Providers.

Prohibition of Bribes, Kickbacks, Un awfu Payments, and Other Corrupt Practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Company [SOC], actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. As such, out transformation is focused on adopting a performance culture and to adopt behaviours that will epain, this transformation.

1. Transpet will not participate in corrupt practices and therefore expects its Service Providers to comparison a similar manner.

Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions with and payments to our Service Providers.

Employees must not accept or request money or anything of value, directly or indirectly, to:

- illegally influence their judgement or conduct or to ensure the desired outcome of a sourcing activity;
- win or retain business or to influence any act or decision of any decision stakeholders involved in sourcing decisions; or
- gain an improper advantage.

There may be times when a Service Provider is confronted with fraudulent or corrupt behaviour of Transnet employees. We expect our Service Providers to use our "Tip-offs Anonymous" Hot line to report these acts [0800 003 056].

2. Transnet is firmly committed to the ideas of free and competitive enterprise.

Service Providers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust.

Transnet does not engage with non-value adding agents or representatives solely for the purpose of increasing B-BBEE spend [fronting].

- 3. Transnet's relationship with Service Providers requires us to clearly define requirements, exchange information and share mutual benefits.
 - Generally, Service Providers have their own business standards and regulations. Although Transnet cannot control the actions of our Service Providers, we will not tolerate any illegal activities. These include, but are not limited to:
 - misrepresentation of their product [e.g. origin of minifacture, specifications, intellectual property rights];
 - collusion;
 - failure to disclose accurate information required during the sourcing activity [e.g. ownership, financial situation, B-BBEF etatu];
 - corrupt activities listed above; and
 - harassment, intimidation or other aggressive actions towards Transnet employees.

Service Providers must be evaluated and approved before any materials, components, products or services are probability from them. Rigorous due diligence is conducted and the Service Provider is expected to participate in an honest and straight forward manner.

Service Providers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

Conflicts of Interes

A conflict of interest arises when personal interests or activities influence [or appear to influence] the ability to act in the best interests of Transnet.

Poing susiness with family members

Wing a financial interest in another company in our industry

RFQ FOR RENOVATION OF ASSET IN PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A)

Section 14: CERTIFICATE OF ATTENDANCE OF SITE MEETING / RFQ BRIEFING

It is hereby certified that –	
1	
2	
Representative(s) of	[Lome of entity]
attended the site meeting / RFQ briefing in respect	of the propo ea Services to be supplied in terms of
this RFQ on2012	, O
TRANSNET'S REPRESENTATIVE	RESPONDENT'S REPRESENTATIVE
DATE	DATE

RFQ FOR RENOVATION OF ASSET IN PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A)

Section 15: NON-DISCLOSURE AGREEMENT [NDA]

Complete and sign the Non-Disclosure Agreement attached hereto

Section 17: E4B - MINIMUM COMMUNAL HEALTH REQUIREMENTS

MINIMUM COMMUNAL HEALTH REQUIREMENTS IN AREAS OUTSIDE THE JURISDICTION OF A LOCAL AUTHORITY: TEMPORARY FACILITIES FOR CONTRACTOR'S PERSONNEL

1. CAMPS

- Prior to the erection of any camp, the Contractor shall submit to the Technical Officer, for his approval, details of his Quotations as to the site, water supply, san tation, and size and type of buildings. Where the site is on private land, the Contractor shall submit the written approval for the use of the site of the relevant statutory authority and of the owner and occupier of the land (as applicable).
- 1.2 Camps must not be erected on land infested with field class.
- 1.3 Adequate drainage shall be provided to carry off form and waste water.
- 1.4 Buildings shall be built to a neat and orderly pattern
- 1.5 All buildings shall have smooth, hard, imperious floors, graded to provide effective drainage and to permit washing.
- 1.6 Camps shall be maintained by the Contractor at his own expense in a clean and tidy condition.

 The Contractor shall take such steps as the Technical Officer and landowner/occupier may demand to prevent the contractor.
- 1.7 When so instructed by the Technical Officer, the Contractor shall, at his own expense, erect suitable screeks between the camp and any public road, thoroughfare or railway line.
- 1.8 After removal of a camp, the Contractor shall, at his own expense, restore the site to its original condition to the satisfaction of the Technical Officer and of the landowner and occupier where the site is on private land.

2. **40 SIN**

- Every living room shall have cross ventilation, both constant and occasional. Where only one window is provided, it shall not be in the same wall as the door.
- 2.2 Dimensions of living rooms shall be sufficient to allow 3.5 square metres of floor area and 11 cubic metres of air space for each person over the age of 10 years. The floor area of any living room shall not be less than 7,8 square metres.
- 2.3 Flat-roofed quarters shall have a minimum roof height of 3 metres above floor level. For quarters with pitched roofs, the wall height shall be not less than 2,6 metres above the floor with a minimum height above floor of 3 metres at the top of the pitch.
- 2.4 Doors shall not be less than 2m x 0,75m and must be halved.
- 2.5 Windows of each living room shall have an area not less than one twelfth of the floor area and shall be capable of opening to at least half their full area.
- 2.6 In areas where malaria is prevalent, doors and windows must be fitted with gauze screens.

- 2.7 Cooking shelters shall comprise roofed structures, three sides of which shall be enclosed by a weatherproof material, approved by the Technical Officer to a height of at least 1m above ground level.
 - 2.7.1 Sleeping guarters shall not accommodate more than 8 persons per room.
 - 2.7.2 Pegboards shall be carried on metal or concrete supports and shall be separated by partitions not less than 0,4 metres high extending to within 150mm of the end of the bunk. Pegboards shall be removable for cleaning.

3. WATER SUPPLY AND ABLUTION FACILITIES

- The Contractor shall ensure that an adequate and conveniently situated supply of potable water 3.1 is provided.
- 3.2 Separate buildings for ablution facilities shall be provided. ere approval has been obtained for each sex shall be provided. for the housing of both males and females, separate The proportion shall be 1 cubicle for 20 persons.
- 3.3 Waste water shall be hygienically disposed (

4. **SANITATION**

- acilities shall be provided. Where housing are provided for both 4.1 Separate buildings for latripe males and females, separate facilities for each sex shall be provided. The proportions shall be at least one squatting seat for very 15 persons or less in the case of pit latrines, or one for every in case of pail latrines. 10 persons or les
 - proof and sited at least 10 metres from any other building, and shall not face Latrines shall be on any put c road, thoroughfare, railway line or residential property. Pits shall not be less than 2,5 Netre deep and sited not less than 120 metres from nearest underground water source.
- shall be so constructed, situated and maintained, and night soil so disposed of as to prevent access by animals, breeding of flies, pollution of streams and domestic water supplies, and other nuisances. Where a night soil removal service is operated by a competent authority, use of such service shall be obligatory, and the use of pit latrines and atria pits will not be permitted.
- At least one refuse bin of adequate size with close fitting lid shall be provided for each building. 4.3 Refuse bins shall be emptied and cleaned out daily.
- Labour shall be employed on camp sanitation duties on the following basis:-4.4
 - Where the number of persons living at the camp is 20 or less one unit. 4.4.1
 - 4.4.2 For additional numbers over 20 living at the camp - one unit per 100 or part thereof.
- 4.5 Unless refuse is removed by a competent authority, it shall be disposed of in pits and covered over daily with a layer of earth or ash of sufficient thickness to prevent depredations by rodents and the breeding of flies.

Respondent's Signature

- 4.6 Adequate measures shall be taken against all vermin and insects responsible for the spread of disease. Any instructions of a competent health authority shall be carried out promptly and implicitly.
- 4.7 Buildings and bedboards shall be treated whenever necessary with an approved insecticide.
- 4.8 The Contractor shall permit and facilitate inspection of the camp and structures on the site by the staff of Transnet or any other competent authority, and shall comply with any reasonable request by such staff or any other competent authority to eliminate any unsanitary condition.
- 4.9 Any outbreak of infectious disease shall immediately be reported telephonically and confirmed in writing to the Technical Officer.
- 4.10 The keeping of animals of any sort is not permitted.

4.11 The Contractor shall have on hand at the camp the necessary tools, disinfectants and cleaning materials to maintain and clean the sanitary facilities.

5. **RATIONS**

Rations, where supplied by the Contractor, shall be stored in a suitable and rodent proof building with sufficient shelving.

RFQ FOR RENOVATION OF PAUL PIETERSBURG INFRA DEPOT (01AF407 & 02AF112A) Section 18: E4E – SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE (ACT 85 OF 1993) AND APPLICABLE REGULATIONS

1. General

- 1.1 The Contractor and Transnet Limited (hereinafter referred to as "Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site of place of mork, and the Contractor and Technical Officer or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the Works.
- 1.5 In the even of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

2. efficitions

- In this Specification any word or expression to which a meaning has been assigned in the Construction Regulations, shall have the meaning so assigned to it, unless the context otherwise indicates: -
- 2.2 The work included in this Contract shall for the purposes of compliance with the Act be deemed to be "Construction Work", which, in terms of the Construction Regulations, 2003 means any work in connection with: -
 - (a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;
 - (b) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
 - (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
 - (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;

- 2.3 "competent person" in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;
- 2.4 **"Contractor"** means principal contractor and "subcontractor" means contractor as defined by the Construction Regulations, 2003.
- 2.5 **"fall protection plan"** means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;
- 2.6 **"health and safety file"** means a file, or other record in permanent form containing the information required to be kept on site in accordance with the Act and applicable Regulations;
- 2.7 **"Health and Safety Plan"** means a documented plan which addresse the hazards identified and include safe work procedures to mitigate, reduce or control the lazard identified;
- 2.8 **"Risk Assessment"** means a programme to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;
- 2.9 "the Act" means the Occupational Health and Serety Act No. 85 of 1993.

3. Procedural Compliance

- 3.1 The Contractor who intends to carry out any construction work shall, before carrying out such work, notify the Provincial Director in writing if the construction work:-
 - (a) includes the dimolition of a structure exceeding a height of 3 metres; or
 - (b) includes the use of explosives to perform construction work; or
 - (c) includes the dismantling of fixed plant at a height greater than 3m,

and shall so notify the Provincial Director in writing when the construction work exceeds 30 days or will involve more by 300 person days of construction work and if the construction work:-

- a) includes excavation work deeper than 1m; or
- (b) includes working at a height greater than 3 metres above ground or a landing.
- 3.2 The notification to the Provincial Director shall be on a form similar to Annexure A of the Construction Regulations, 2003, also shown in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, Technical Officer or employee.
- 3.3 The Contractor shall, in accordance with the Act and applicable Regulations, make all the necessary appointments of competent persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Technical Officer. Copies should also be retained on the health and safety file.
- 3.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the Technical Officer.
- 3.5 In the case of a self-employed Contractor or any subcontractor who has the appropriate competencies

and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.

- 3.6 The Contractor shall, before commencing any work, obtain from the Technical Officer an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Technical Cificer with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Transnet's safety requirements and procedures.

4. Special Permits

Where special permits are required before work may be carried out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Technical Officer or the relevant authority for such permits to be issed. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tunder, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of: -
 - (i) The provision as far as is reasonably practical, of a working environment that is safe and without lisk to the health of his employees and subcontractors in terms of section 8 of the Act;
 - (ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
 - ensuring, as far as is reasonably practical, in terms of section 37 of the Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- 5.2 The Contractor's Health and Safety Programme shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.
- 5.3 The Contractor shall cause a risk assessment contemplated in clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall form part of the Health and Safety programme to be applied on the site and shall include at least the following:

- (a) The identification of the risks and hazards that persons may be exposed to;
- (b) the analysis and evaluation of the hazards identified;
- (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified;
- (d) a monitoring and review plan.
- 5.4 The Health and Safety Plan shall include full particulars in respect of: -
 - (a) The safety management structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of safety committees where applicable;
 - (b) the safe working methods and procedures to be implemented to ensure the work is performed in compliance with the Act and Regulations;
 - (c) the safety equipment, devices and clething to be made available by the Contractor to his employees;
 - (d) the site access control measures per tailing to health and safety to be implemented;
 - (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Technical Officer with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and
 - (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored or the duration of the Contract.
- 5.4.1 The Hear C and Safety programme shall be subject to the Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.
- The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between the them, but at least once every month.
- 5.6 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.

- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.
- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk ssessment.
- 5.10 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the Risk Assessment before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.11 The Contractor shall ensure that all visitors to a construction site undergoes health and safety induction pertaining to the hazards prevalent on the site and shall be provided with the necessary personal protective equipment.

6. Fall Protection Plan

of a

- In the event of the risk and hazar identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working numan elevated position the contractor shall cause the designation
- competent person, responsible for the preparation of a fall protection plan;
- 6.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of Contract.

The Contractor half also take such steps to ensure the continued adherence to the fall protection plan.

- 6.3 The fall protection plan shall include:-
 - A Risk Assessment of all work carried out from an elevated position;
 - (b) the procedures and methods to address all the identified risks per location;
 - (c) the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
 - (d) the training of employees working from elevated positions; and
 - (e) the procedure addressing the inspection, testing and maintenance of all fall protection equipment.

7. Hazards and Potential Hazardous Situations

The Contractor and the Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

8. Health and Safety File

- 8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Technical Officer, or subcontractor upon request.
- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Technical Officer.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

$\label{eq:Regulation 3 1} \textbf{Regulation 3 (1) of the Construction Regulations}$

NOTIFICATION OF CONSTRUCTION WORK

	(a)	Name and postal address of principal contractor:
	(b)	Name and tel. no of principal contractor's contact person:
ı	Princip	pal contractor's compensation registration number:
ı	(a)	Name and postal address of client:
	(b)	Name and tel no of client's contact person or agent:
	(a)	Name and postal address of designer(s) for the project:
	(b)	Name and to no of designer(s) contact person:
<		e and telephone number of principal contractor's construction supervisor on site appointed in terms gulation 6(1).
Ì		
		e/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of ation 6(2).
	Exact	physical address of the construction site or site office:
	Nature	e of the construction work:

Respondent's Signature

Ex	xpected commencement date:	
Е	xpected completion date:	
Es	stimated maximum number of persons on the construction site:	
Pla	anned number of contractors on the construction site accountable to th	ne principle contractor:
Na —	ame(s) of contractors already chosen.	7
_		
3.2	Principal Contractor	Date
3.3	3 Client	Date

* DOCUMENT IS TO BE FORWARDED TO THE OFFICE OF THE DEPARTMENT OF LABOUR **PRIOR**IN COMMENCEMENT OF WORK ON SITE.

* ALL PRINCIPAL CONTRACTORS THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE SAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK.

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

REQUIRED COMP	ETENCY:				-	
In terms of		I,		111		
representing the Em	ployer) do hereby app	ooint		1		
As the Competent Pe	erson on the					
premises at						
(physical address) to	assist in compliance v	with the Act a	nd the applicable	Regulations.		
Your designated are	a/s is/are as follows :-	R				
Date : Signature :- Designation (2)						
5/-	ACCEP	TANCE OF D	<u>ESIGNATION</u>			
		do	hereby acc	ept this	Designation	and
		acı	knowledge tha	t I		
understand the re	equirements of this a	appointment				
Date :						
Signature :-						
Designation :-						

Respondent's Signature

(COMPANY LETTER HEAD) OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

DECLARATION

		1"	
In terms of the above Act I,		am personally assur	ming
and obligations as Chief Executive	e Officer, defined in Sect. n 1 o	the Act and in terms of Section 16(2	1),]
will, as far as is reasonably pr	acticable, ensure that the out	ies and obligations of the Employe	er as
contemplated in the above Act ar	e properly discharged.		
	cO,		
Signature :-			
Date :			
5/L			

(LETTER HEAD OF BUSINESS DIVISION OR UNIT OF TRANSNET LIMITED) SITE ACCESS CERTIFICATE

Access to:	(Area)
Name of Contractor/Builder :-	
Contract/Order No.:	
The contract works site/area des	scribed above are made available to you for the carrying out of
associated works	cribed above are made at about to violatic earlying out of
In terms of your contract/order with	
(company)	
persons under your control having a	responsible for the control and safety of the Works Site, and for a cess to the site.
	5 of 1993) as amended, and all conditions of the Contract pertaining
to the site of the works as defined site or work areas forming part then	and demarcated in the contract documents including the plans of the reof.
Signed :	Date :
TECHNICAL OFFICER	

ACKNOWLEDGEMENT OF RECEIPT

Name Contractor/E	of Builder :-	
,		do hereby act powledge and accept
and obligation	ons in respect of the Safety of the s	_ site/area of Work in terms of the Occupational
Health and S	afety Act; Act 85 of 1993.	
Name :	Posig	netion :
Signature :	Date	·
. PRE		

Section 19: BBD8210 VERSION 1 – E7/1 – SPECIFICATION TO GENERAL WORK AND WORKS ON, OVER, UNDER OR ADJACENT TO RAILWAY LINES AND NEAR HIGH VOLTAGE EQUIPMENT



Section: 20 - SCHEDULE OF PLANT AND EQUIPMENT

RFQ NUMBER MMC ERAC-FDT-012098

RFQ FOR RENOVATION OF ASSET IN PAUL PIETERSBURG INFRA DEPOT (01AF407& 02AF112A)

SCHEDULE OF PLANT

Schedule of major plant and equipment to be used in the execution of this contract in terms of the Contract Conditions and specifications. The respondent must state which plant is immediately available and which will have to be acquired.

(i)	Plant immediately available for work tendere for:
(ii)	Plant on order and which will be available for work tendered for:
` ,	
(iii)	Plant to be acquired for the work tendered for:

Respondent's Signature