TRANSNET FRAIGHT RAIL, a division of

TRANSNET SOC LTD

Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ] No MMC-ERAC-WGO-012186

RENOVATION AT WITBANK OFFICE AND WORKSHOP 02BY215P

FOR THE: RENOVATION AT WITBANK OFFICE AND WORKSHOP 02BY215P

BRIEFING SESSION: 25 OCTOBER 2013

PLACE:

MAIN ROAD

RAILWAY STATION

WITBANK

CONTACT PERSON: BENNY STRYDOM Cell: 083 704 1728

Bus: 012 315 3244

ME: 10:00

ISSUE DATE: 22 October 2013

CLOSING DATE: 31 October 2013

CLOSING TIME: 10:00

VALIDITY DATE: 31 January 2014

Section 1 **NOTICE TO BIDDERS**

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD:

[Submit physically]

CLOSING VENUE:

[Transnet Freight Rail Tender Advice Centre, Inyanda House 1, Ground Floor,

21 Wellington road, Parktown, Johannesburg]

1 Responses to RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

On or after 24 October 2013, the RFQ documents may be inspected at, and are obtainable from the office of Transnet Freight Rail Tender Advice Centre, Inyanda House 1, Ground Floor, 21 Wellington road, Parktown, Johannesburg, on payment of an amount of R100,00 (inclusive of VAT) pet set. Payment is to be made as follows:

Bank:

Standard Bank

Account Number: 203158598

Branch:

Braamfontein

Branch code:

004805

Account Name:

Transnet Limited Head Office

Reference:

ERAC-WGO-012186

NOTES -

- This amount is not refundable a)
- A receipt for such payment made must be presented when collecting the RFQ documents and submitted b) with your Quotation.

RFQ documents will only be available until 15h00 Thursday, 24 October 2013

Any additional information or clarification will be faxed or emailed to all Respondents, if necessary.

FORMAL BRIEFING 2

A compulsory information briefing will be conducted at Main Road, Railway Station Witbank on Friday, 25^{TH} October 2013 at 10h00 for a period of \pm 1 - 2 hours.

[Respondent to provide own PPE, transportation and accommodation].

Contact person: Benny Strydom on 083 704 1728

- 2.1 A Certificate of Attendance in the form set out in Section 14 hereto must be completed and submitted with your Quotation.
- 2.2 Respondents failing to attend the compulsory site meeting and/or RFQ briefing will be disqualified.
- 2.3 Respondents without a valid RFQ document in their possession will not be allowed to attend the site meeting and/or RFQ briefing.
- THE BRIEFING SESSION WILL START PUNCTUALLY AT 10H00 AND INFORMATION WILL NOT BE REPEATED FOR THE BENEFIT OF RESPONDENTS ARRIVING LATE.
- 4 Broad-Based Black Economic Empowerment [B-BBEE]

Transnet fully endorses and supports the Government's Broad-Based Black Economic Empowerment Programme and it would therefore prefer to do business with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies who provide a valid B-BBEE Verification Certificate. All procurement transactions will be evaluated accordingly.

4.1 B-BBEE Scorecard and Rating

As prescribed in terms of the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulations, Respondents are to note the following:

- Functionality is included at a pre-qualification stage with a prescribed percentage threshold of 60 (Sixty points).
- Proposals will be evaluated on price which will be allocated 80 or 90 points and preference which will be allocated 20 or 10 points, dependent on the value of the Goods or Services.
- The 80/20 preference point system applies where the acquisition of the Goods or Services will be less than R1 000 000,00.
- If the 80/20 preference point system is stipulated and all Bids received exceed R1 000 000.00, the RFQ will be cancelled.
- The 90/10 preference point system applies where acquisition of the Goods or Services will exceed R1 000 000.00
- If the 90/10 preference point system is stipulated and all Bids received are equal to or below R1 000 000.00, the RFQ will be cancelled.
 - In this RFQ, Transnet will 80/20 preference point system prescribed in the PPPFA.

In compliance with the Government Gazette No 34612, Notice No. 754 dated 23 September 2011, as from 1 October 2011 valid B-BBEE Verification Certificates must be issued by:

- (i) Verification Agencies accredited by the South African National Accreditation System [SANAS]; or
- (ii) Registered Auditors approved by the Independent Regulatory Board of Auditors [IRBA], in accordance with the approval granted by the Department of Trade and Industry.
- Enterprises will be rated by such agencies based on the following:

.

a) Large Enterprises [i.e. annual turnover greater than R35 million]:

Rating level based on all seven elements of the B-BBEE scorecard

b) Qualifying Small Enterprises – QSE [i.e. annual turnover between R5 million and R35 million]:

Rating based on any four of the elements of the B-BBEE scorecard

c) Exempted Micro Enterprises – EME [i.e. annual turnover less than R5 million]:

In accordance with B-BBEE Codes of Good Practice [Statement 000, Section 4], any enterprise with an annual total revenue of R 5 million or less qualifies as an EME.

- Automatic rating of B-BBEE Level 4 irrespective of race or ownership
- Black ownership greater than 50% or Black Women ownership greater than 50% automatically qualify as B-BBEE Level 3

Sufficient evidence to qualify as an EME would be a certificate (which may be in the form of a letter) from an auditor or accounting officer or a certificate from a Verification Agency accredited by SANAS. The certificate must confirm the company's turnover, black ownership / black female ownership, B-BBEE status level and validity date.

Respondents are required to furnish proof of the above to Transnet. [i.e. a valid detailed scorecard as stipulated above in respect of Large Enterprises and QSEs, or a valid certificate in respect of EMEs].

Transnet will accordingly allocate a maximum of 10/20 [ten/twenty] points in accordance with the 80/20 / 90/10 preference point system prescribed in the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Regulations to the Respondent's final score based on an entity's B-BBEE scorecard rating. [Refer Annexure A-B-BBEE Preference Points Claim Form for further details].

N.B. Failure to submit a B-BBEE certificate, which is valid as at the Closing Date of this RFP, will result in a score of zero being allocated for B-BBEE.

5 Communication

- a) Respondents are warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the business.
- b) A Respondent may, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name:

Prudence Nkabinde

Email:

prudence.nkabinde@transnet.net

c) Respondents may also, at any time after the closing date of the RFQ, communicate with

Matete Madisha on any matter relating to its RFQ response:

Telephone

013 656 4254

Email

Matete.Madisha@transnet.net

6 Tax Clearance

The Respondent's original valid Tax Clearance Certificate must accompany the Quotation. Failure to provide this document with the RFQ submission will result in disqualification.

7 VAT Registration

The valid VAT registration number must be stated here: ______ [if applicable].

8 Legal Compliance

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

9 Changes to Quotations

Changes by the Respondent to its submission will not be considered after the closing date and time.

10 Pricing

All prices must be quoted in South African Rand on a fixed price basis, excluding VAT.

11 Prices Subject to Confirmation

Prices quoted which are subject to confirmation will not be considered.

12 Negotiations

Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents.

13 Binding Offer

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

14 Disclaimers

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that Transnet reserves the right to:

- modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- disqualify Quotations submitted after the stated submission deadline;
- not necessarily accept the lowest priced Quotation;
- · reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;
- award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all.

MMC -ERAC-WGO-012186 Renovation At Witbank Office And Workshop 02BY215P Page 6 of 62

Transnet reserves the right to lower the threshold for Technical by **60%** [sixty percent] if no Bidders pass the predetermined minimum threshold or if only one bidder passes the threshold. This right will be exercised in Transnet's sole discretion.

In addition, Transnet reserves the right to exclude any Respondent from the bidding process who has been
convicted of a serious breach of law during the preceding 5 [five] years, including but not limited to breaches
of the Competition Act 89 of 1998. Respondents are required to indicate below whether or not they have
been found guilty of a serious breach of law during the past 5 [five] years:
I/We do hereby certify that I/we
have/have not been found guilty during the preceding 5 [five] years of a serious breach of law, including
but not limited to a breach of the Competition Act, 89 of 1998, by a court of law, tribunal or other
administrative body. The type of breach that the Respondent is required to disclose excludes relatively minor
offences or misdemeanours, e.g. traffic offences.
Where found guilty of such a serious breach, please disclose:
NATURE OF BREACH:
DATE OF BREACH:

Furthermore, I/we acknowledge that Transnet SOC Ltd reserves the right to exclude any Respondent from the bidding process, should that person or entity have been found guilty of a serious breach of law, tribunal or regulatory obligation.

15 Evaluation Criteria

Transnet will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

- Administrative responsiveness (Phase 1) Completeness of response and returnable documents
- Substantive responsiveness (Phase 2) Prequalification criteria, if any, must be met
- Technical threshold of 60 % (Phase 2): Compliance to specification / quality, previous performance, delivery lead-time

Weighted evaluation based on 80/20 preference point system (Phase 3)

The evaluation will have a 3 Phases approach.

Phase 1 will be an Administrative Responsiveness determining phase to proceed to phase 2 and those that comply, will progress to be competitively evaluated in phase 3.

Minimum criteria for progressing from phase 1 to phase 2 is detailed below: (Transnet will apply the following criteria; not necessarily in this order, phase 1 of the evaluation)

PHASE 2 - FUNCTIONAL EVALUATION

- Local Supplier (within a 10-100 kilometer radius)
- Similar Experience To Undertake Similar Projects
- Red Seal Electrical Certificate Or Similar
- Submitted Risk/Safety Plan For The Project
- Technical Capacity/Resources Including Plant And Equipment

PHASE 3

The bidders that have successfully progressed through to Phase 3 will be evaluated in accordance with the 80/20 preference point system contemplated in the Preferential Procurement Policy Framework Act (Act 5 of 2011)

Weighted evaluation based on 80/20 preference point system:

Pricing

Pricing will be calculated using the lowest price quoted as the baseline, thus the lowest price
quoted will achieve full marks, while all other quotes will achieve a weighted average mark based
on the lowest price.

Pricing and price basis [firm] - whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts¹ will be critical

Transnet will utilise the following formula in its evaluation of Price:

$$PS = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

Ps = Score for the Bid under consideration
Pt = Price of Bid under consideration
Pmin = Price of lowest acceptable Bid

- B-BBEE status of company

Preference points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

Description	Total	
Price	80	
BBBEE	20	
Total	100	

16 Validity Period

Transnet desires a validity period of **90** [ninety] days from the closing date of this RFQ. This RFQ is valid until **31** January **2014**.

Respondent's Signature

¹ Only unconditional discounts will be taken into account during evaluation. A discount which has been offered conditionally will, despite not being taken into account for evaluation purposes, be implemented when payment is effected.

Panking Dataila

L/	balikilig Details	
	BANK:	
	BRANCH NAME / CODE:	
	ACCOUNT HOLDER:	
	ACCOUNT NUMBER:	
18	Company Registration	
	Registration number of company / C.C.	
	Registered name of company / C.C.	
19	Disclosure of Prices Quoted	
	Respondents must indicate here whether Transnet may disclose their quoted prices and conditions	to other
	Respondents:	
	YES NO NO	

20 Returnable Documents

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below.

a) Respondents are required to submit with their Quotations the <u>mandatory Returnable Documents</u>, as detailed below.

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Documents are returned with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these mandatory Returnable Documents by so indicating [Yes or No] in the table below:

Returnable Documents	Submitted [Yes or No]
SECTION 2 : Quotation Form	
- Original valid Tax Clearance Certificate [Consortia / Joint Ventures / Sub- contractors must submit a separate Tax Clearance Certificate for each party]	
ANNEXURE : Technical Submission/Questionnaire	

In addition to the requirements of section (a) above, Respondents are further required to submit with their Quotations the following **essential Returnable Documents** as detailed below.

Failure to provide all these Returnable Documents may result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these documents are returned with their Quotations.

All Sections, as indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Please confirm submission of these essential Returnable Documents by so indicating [Yes or No] in the table below:


	Returnable Documents	Submitted [Yes or No]			
SEC	TION 1: Notice to Bidders				
*	 Valid B-BBEE Verification Certificate [RSA Large Enterprises and QSEs] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard 				
900	Valid B-BBEE certificate from auditor, accounting officer or SANAS accredited Verification Agency [RSA EMEs] Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the tender will result in an automatic score of zero being allocated for B-BBEE scorecard				
ā	In the case of Joint Ventures, a copy of the Joint Venture Agreement or written confirmation of the intention to enter into a Joint Venture Agreement				
*	SECTION 3: Standard Terms and Conditions of Contract for the Supply of Goods or Services to Transnet				
SE	CTION 4: Vendor Application Form				
-	Original cancelled cheque or bank verification of banking details				
æ	Certified copies of IDs of shareholder/directors/members [as applicable]				
=	Certified copy of Certificate of Incorporation [CM29/CM9 name change]				
:-	Certified copy of share certificates [CK1/CK2 if C.C.]				
2	Entity's letterhead				
=	Certified copy of VAT Registration Certificate [RSA entities only]				
5	Certified copy of valid Company Registration Certificate [if applicable]				
# #	A signed letter from Respondent's auditor or accountant confirming most recent annual turnover figures				
ΑN	NEXURE A – B-BBEE Preference Points Claim Form				
SE	CTION 6: Signing Power - Resolution of Board of Directors				
SE	CTION 7: Certificate of Acquaintance with RFQ Documents				
SE	CTION 8 : General Bid Conditions – Services				
SE	CTION 9 : STANDARD TERMS AND CONDITIONS OF CONTRACT				
SE	CTION 10 : RFQ Declaration Form				
SE	SECTION 11 : Breach of Law				
SECTION 12 : Bid Clarification Request Form					
SE	SECTION 13 : Service Provider Code of Conduct				
SE	CTION 14: Certificate of attendance of Site Meeting / RFQ Briefing				
SE	CTION 15 : NON-DISCLOSURE AGREEMENT [NDA]				
SE	CTION 17: E4B - Minimum Communal Health Requirements				
SE	SECTION 18: E4E – Safety arrangements and Procedural compliance				

Returnable Documents	Submitted [Yes or No]
SECTION 19 : BBD8210 Version $1-E7/1-S$ pecification to general work and works on, over, under or adjacent to railway lines and near high voltage equipment	
SECTION 20: SCHEDULE OF PLANT AND EQUIPMENT	
Risk and safety plan	
List of plant and methods of operation to be used	

Failure to provide all the above-referenced returnable documents listed will result in a Respondent's disqualification. Bidders are therefore urged to ensure that <u>all</u> these documents are returned with their Quotations.

20.1 CONTINUED VALIDITY OF RETURNABLE DOCUMENTS

The successful Respondent will be required to ensure the validity of all returnable documents, including but not limited to its Tax Clearance Certificate and B-BBEE Accreditation Certificate, for the duration of any contract emanating from this RFQ. Should the Respondent be awarded the contract [the **Agreement]** and fail to present Transnet with such renewals as and when they become due, Transnet shall be entitled, in addition to any other rights and remedies that it may have in terms of the eventual Agreement, to terminate the Agreement forthwith without any liability and without prejudice to any claims which Transnet may have for damages against the Respondent.



Section 2 OUOTATION FORM

I/\	We				

Hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

- the Standard Terms and Conditions for the Supply of Goods and Services to Transnet [available on request]; and
- any other standard or special conditions mentioned and/or embodied in this Request for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform me/us, this Quotation [and, if any, its covering letter and any subsequent exchange of correspondence], together with Transnet's acceptance thereof shall constitute a binding contract between Transnet and me/us.

I/We further agree that if, after I/we have been notified of the acceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery lead-time quoted, Transnet may, without prejudice to any other legal remedy which it may have, cancel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations afresh and/or having to accept any less favourable offer.



1 REFERENCES

Please indicate below the company names and contact details of existing customers whom Transnet may contact to seek third party evaluations of your current service levels:

Company Name	Nature of work	Value of work	Contact person	Contact details	Year completed
		Q			

espondent's Signature	Date & Company Stamp

2 SCOPE OF REQUIREMENTS

SPECIFICATIONS

Paint G.I. roof primer NS4 and two coats white heat reflective paint

Paint purlins one coat universal undercoat and one coat high gloss enamel white

Paint sprockets one coat universal undercoat and one coat high gloss enamel white

Paint facial and barge boards one coat universal undercoat and one coat high gloss enamel white

Paint walls ext. one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1

Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Paint windows sills one coat dura 65 white and two coats weather guard barely beige code 3H1/1

Paint all pipes one coat universal undercoat and one coat high gloss enamel white

Paint ceilings one coat universal undercoat and two coats PVA white code M3701600

Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1

Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Paint security gate one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Paint security B/bars one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Paint Floor one coat APOXY floor paint; colour; DARK GREY.

Paint palisade 1.8m high one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5

Remove and replace glass

Supply and fit toilet men and women sign

Supply and fit steel toilet paper holders two rolls

Remove and replace toilet complete

Remove W/H/B complete and seal off

Remove toilet complete and seal off

Remove urinal complete and seal off make wall good

Fit new W/H/B. complete with waste and hot and cold water and bottle trap anti vac and connect to sewerage

Supply and fit new toilet complete and connect to sewerage

Supply and fit new mirror 500x500mm

Install 7.5 litre kwikot Hydro boil above sink complete with chrome ball stop valve and connect to power supply in kitchen.

Supply and fit floor unit with white melamine interior and red oak ext. and with granite top color moss grey and back splash 100mm complete with locks 2.00m long and double sink with mixer complete and connect to sewerage Cast concrete with wood float finish 100mm thick for ramp $(1/4m \log \times 0.30m \text{ wide})$

Remove and replace ceiling with 4mm netec board complete with trap door (inside and stoop)

Remove and replace marante door complete with lock

Supply and fit asst. no. 02BY215P

Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps at toilets

Fit new wall tiles white 200x300mm complete with white grouting and protection covers at edge

Remove wall tiles and plaster walls complete

Seal roof with flash harry

Remove and replace loose roofing screws 63mm posy drive screws

Supply and fit seamless gutters 125mmx100mm color white

Supply and fit seamless down pipes color white 100mm x 75mm (7m Long)

Remove old gutters

Remove brick wall complete and make wall and floor good

Remove door and doorframe complete

Remove door and doorframe make wall and floor good at old toilet

Remove Roll up windows (2ea) and Roll up garage door (1ea) and Steel Window (6ea) and opening (4ea) and door (1ea) and build close plaster both sides complete

Remove and replace steel doorframe complete ext.

Build in new steel door frame complete

Supply and new F/L/B marante door complete with lock

Build new 114mm brick wall plaster both sides at toilets

Supply and fit new security gate in frame with lock complete

Supply and fit new security B/bars in windows

2.44m x 1.49m

0.51m x 0.65m

2.50m x 0.95m

2.00m x 1.30m

2.53m x 1.25m

1.03m x 0.67m 2.53m x 0.95m

1.46m x 1.20m

Remove and replace corrugated iron sheets 0.30mm Remove and replace nutec barge board complete

Remove and replace wooden fascia board complete at stoop

Remove paint from glass

Remove and replace plaster int. and ext.

Repair brick work complete

Supply and fit new security sliding gate 1.80m high complete and 4m long

Remove rails 1m high complete and make good

Repair cracks in brick wall

Remove B / bars at opening

Remove roll up garage door and make wall good

Supply and fit Industrial Roll up doors (manually operated) to suit opening of

2.47m wide x 2.17m high

1.44m wide x 2.12m high

Clean sewerage complete

Remove all not working water and sewerage pipes and seal of and gulley and make wall good Supply and fit new 20mm polycop pipe to water points (50m)

Strip and remove floor covering and make floor good for paint

MAINTENANCE STANDARDS PROPERTY MANAGEMENT TECHNICAL

ITEM	MATERIAL DESCRIPTION	
Civil		
Paint Ceiling	Two Coats Dura 65 White,	
Paint Cornices And Cover Strips	Two Coats Dura 65 White,	
Suspended Ceiling	Don Shield Suspended Ceiling,	
Acoustic Tiles	Supplied On Special Request.	
0	Paint Walls Two Coats Dulux Wash N Wear Silk, Barely Beige Code - 3h1-1 Paint Windows One Coat White Universal Under Coat And Two Coats Dulux Pearlglo Lockness Code - 3l1-5	
110	Paint Door Frames One Coat White Du Lux Universal Under Coat And Two Coats Dulux Pearlglo Lockness Code - 311-5	
Wall Paint (Inside)	(Windows Int. And Ext., Door Frames And Doors Included) (Wash Walls With Heavy Duty Detergent. Use 100grid To Sand Paper Walls, Dust Thoroughly, And Apply Crack Filler, Sand Paper Again. Dust Walls) Paint Windows	
Wall Tiles (Inside)	300 X 300mm Ceramic Wall Tiles From Ferreira's Code -Arc 0162 Jc Colour-White With 3mm Spacing And White Grouting.	
	Johnson's Gwc-4 200 X 200mm Gloss White Wall Tiles Available From Tile Africa Fixed With Tal Professional Adhesive And Flush Pointed With Tal Super White Fine Grout.	
Wall Tiles	Deinted Confess (Feenel) Two Cooks Divis CF M/Life Tive	
	Painted Surface (Enamel) - Two Coats Dura 65 White. Two Coats Dulux Eggshell Enamel, Barely Beige Code 3h1-1. (Wash	
Wall Paint (Inside)	Walls With Heavy Duty Detergent. Use 100grid To Sand Paper	

	Walls, Dust Thoroughly, And Apply Crack Filler, Sand Paper Again. Dust Walls)
Wall Paint(External)(Painted)	Painted Surface (Pva Or Enamel)-One Coat Dura 65 White. Two Coats Weatherguard, Barely Beige Code (Wash Walls With Heavy Duty Detergent. Use 100grid To Sand Paper Walls, Dust Thoroughly, And Apply Crack Filler, Sand Paper Again. Dust Walls) 3h1-1. (Wash Walls With Heavy Duty Detergent. Use 100grid To Sand Paper Walls, Dust Thoroughly, And Apply Crack Filler, Sand Paper Again. Dust Walls)
Train Carrier, annual	Raw Walls. One Coat Dura 65 White .Two Coats
Wall Paint(External) (Raw Walls)	Weatherguard, Barely Beige Code 3hi-1
Wall Paint (External) Face Brick	Two Coats Clear Brick Dressing.
Wall Paper (Inside)	Wallpaper.Design Syndicate (Ds)Paper Range Morano.Ref Nr.Mw5210 Or Similar
Floor Tiles	Lay 600x600mm, Ls (Lx) Super White Nano Porcelain Floor Tiles. Apply Super Bond Adhesive Progrip (Ezad103) With Progrip Water Proof Grout (Ezgr559) And 100mm Tiled Skirting (Similar To Floor Tiles) With Plastic Edge Cover Strip To Match Floor Tile. Tiles Obtainable At Ctm Store.
Carpets	Finish ANexus Carpet.Range Westminster.Colour.Coal City.Finish BNexus Carpet.Range; Westminster. Colour Black City. Finish CNexus Carpet.Range; Westminster.Colour Berry.
Carpets	Finish ABerberpoint 920 Nexbac Colour Charcoal Size.500x500mm Finish BBerberpoint 920 Nexbac Colour. Senegal Size.500 X 500mm Finish CBerberpoint 920 Nexbac Colour. Lava Size.500 X 500mm.
Paint Floor	Paint Floor One Coat Apoxy Floor Paint; Colour; Dark Grey.
Wood Skirting's (Painted)	Skirting Sanded, One Coat Pink Primer, Two Coats Dulux Code 3h1-1 Colour Barley Beige.
Tiled Skirting's	100mm Tiled Skirting (Similar To Floor Tiles) With White Plastic Edge Cover Strip
Skirting-	75mm Anodized Aluminium Skirting Around Columns And On New Drywall Partitioning.
Door To Toilet Cubicle.	Indicator Lock To Door (Chrome Finish)
Skirting (Wood)	19 X 75mm Maranti Skirting .Sand And Apply Two Coats Dulux Woodgard Timber Varnish
Toilet (Low Water Volume And Pressure Areas)	Low Level Vaal Pottery Pan With Separate Porcelain Cistern
Toilet (High Water Volume And	Low Loyal Vaal Pottony Pan With Flush Master
Pressure Areas)	Low Level Vaal Pottery Pan With Flush Master White Heavy Duty Plastic Econo B2
Toilet Seat	Three Roll Lockable Toilet Paper Dispenser Attached To
Toilet Paper Holder	Wall/Partition.
Shower Taps	Cobra Under Tile Stopcock- Star Type
Shower Rose	Cobra, Chrome Swivel With Swan Neck Extension
Shower Door	Aluminium Pivot Obscure Safety Glass
Shower P - Trap	Brass Deep Seal With Chrome Grid 450 X 530mm Vaal Porcelain On Wall Mounted Fixing Brackets, With Chrome Outlet, Plug And Chain. Cobra Heavy Duty Pillar
Whb	Taps Star Type. 420 X 340 X 185 Mm Oval A Basin From Franke - Fsa Code -
Whb	357456, With Chrome Outlet, Plugs And Chain.

	450 X 600mm Silver Mirror, Mounted Flush With Tiles Using
Mirror	Double Sided Tape Above Wash Hand Basins At Eye Level.
Whb Taps	Cobra Pillar, Push Button Self Closing Taps
Whb P - Trap	Anti Vac Plastic Bottle Trap
Urinal (Wall Mounted)	Flat Back Lavetera With Flush Master
	305 X 245 X 420 Mm Barron Bowl Urinal Model Te Top Entry
Urinal (Wall Mounted)	Flush - Fsa Code- 333250
Bathroom Extractor Fan	300mm Expel Air
Kitchen Cabinet Complete	1200mm Steel Cabinet Unit With Hinged Doors And S/S Sink.
Kitchen Cabinet Complete	Kombo1800. Above Full Length Of Sink Provide Two Rows Of 300 X 300mm Ceramic Wall Tiles From Ferreira's Code- Arc 0162 Jc Colour - White As Splash-Back. (Seal Unit To Tiles With Clear Silicon Sealant.
Kitchen Cupboards And Sink	Cherry Wood Melamine With Drop- In -Sink And Grey/Pink Granite Post Form Top. Bottom Skirting To Be Manufactured From A Waterproof Material.
Taps Kitchen	Cobra Mixer Star Type
Mall Tiles About Cirl	150 X 150mm White Johnson With 3mm Spacing, White Grout
Wall Tiles Above Sink	Filling
Sink P - Trap	Pvc Bottle Trap
Pressure Control Valve	Cobra 600kpa With Close Off Valve
Waste Pipes	Dia 40mm To 50mm Pvc Colour White.
Cower Dines	Dia 100mm Pvc Above Ground, Heavy Duty Coloured
Sewer Pipes	Underground Fit White Chromadek Continuous Gutters 125x80mm. Fit White
Fit New Gutters And Down Pipes	Chromadek Down Pipes 100x75mm
Tit New Gutters And Down Fipes	Painted Surface - Dulux Universal White Undercoat. Primer On
Paint Purling/Rafters/Sprocket Ends	Wood/Steel - Pink Primer (Wood) Ns4 (Steel). Two Coats White Dulux High Gloss
Fascias, Gutters / Down Pipes And Barge Boards.	One Coat Primer Suitable For Surfaces Where Applicable One Coat Universal Undercoat And Two Coats High Gloss Enamel - Colour White. Fascia Boards Two Coats Dulux Dura 65
Painting New Gutters/Down Pipes.	Wash With "Spick And Span Gal. Iron Cleaner (Gip) And Then Rinse With Clean Water, One Coat Galvogrip Metal Primer(Gip), Left For 24-72 Hours To Dry. Finish-One Coat Universal Undercoat And Two Coats High Gloss Enamel-Colour White.
Roof	Primer - Ns4 Grey (Gi Roofs Only) Two Coats Cottage White Heat Reflective Paint Du Lux Roof Guard
Window Sills And Plinths	Painted Surface - Two Coats Dura 65 White. Two Coats Weather Guard, Barely Beige Code3h1-1.
Veranda Floor Paint	Dulux Stoop Red
	(Painted) One Coat White Universal Under Coat And Two Coats Dulux Pearlglo Lockness Code - 3l1-5 Paint Burglar Bars One Coat Universal Undercoat, One Coat Dulux High Gloss Enamel.
Window Frames Inside/Outside	Colour -White Paint Door Frames One Coat White Du Lux Universal Under
Door Frames Inside/Outside	Coat And Two Coats Dulux Pearlglo Lockness Code - 3I1-5
Door Frames(Wood Finish)	Sand Frame, Two Coats Clear Varnish (Satin) Finish
Doors (Wood Finish)	Sand Door, Two Coats Clear Varnish (Satin) Finish
Doors(Inside)	Paint Doors Two Sides, One Coat White Universal Under Coat And Two Coats Dulux Pearlglo Lockness Code - 3l1-5
Daniel Outside	Paint Doors Two Sides, One Coat White Universal Under Coat
Doors(Outside)	And Two Coats Dulux Pearlglo Lockness Code - 3l1-5
Outside Pipes Paint All Dia.	One Coat White Universal Undercoat And Two Coats Dulux
	Pearlglo Lockness Code - 3l1-5

Door Closer	Dorma Ts68 (Silver Finish.)
	4 Lever Vertical Type Lockset, Satin Chrome Finish, With Two
Door Locks	Keys
	One Coat Primer Suitable For Steel Surfaces, One Coat
Steel Burglar Bars/ Security Gates	Undercoat, Two Coats Dulux High Gloss Enamel. Colour -White.
Wood Cupboards/Shelves	Two Coats Clear Varnish (Satin) Finish.
Window Panes	Reflective Film To Fixed And Opening Window Sections
	Colour Plain Fawn With Aluminium Top Rail. Blinds Inside
Vertical Blinds	Window Recesses.
Water Pipes (External)	Pipes To Be Lagged In Cold Areas
* *	2m Dia Wendy Dry (Galvanised Or Powder Coated White) With
Washing Line(Inside Court Yard)	7mm Nylon Cord Wash- Line.
	4m X 4m X 1.8m High Precast Wall (Unpainted) Court Yard For
Court Yard	Washing Line And Rubbish Bin
Gravel (25mm)	One Metre Wide Strip Around Building
Paving	One Metre Wide Strip Around Building, Colour Grey (Concrete)
Pathways. Concrete Slabs	One Metre Wide Strip Around Building
<u>,</u>	Cut Grass And Vegetation. Remove Trees Closer Than 2 M To
Vegetation: 10 M Strip	Building
	Standard Symbolic Safety Signs To Be Fitted/Displayed.Eg
	Smoking Areas, Male/Female
	Toilets, Reception, Boardrooms, Escape Routes, Fire Fighting
Symbolic Signage	Equipment Fire Hydrants Etc.
	Plant Trees Suitable To Area, 3 M Away From Building. One Tree
Plant Trees	Per Building
Electrical	
Wall Plugs.	Crabtree Flush/Surface Mounted 16a Three Pin
Light Switches.	Crabtree Flush/Surface Mounted 5a Three Pin
Isolators	Crabtree Flush/Surface Mounted 30a & 60a Triple & Double Pole
Fluorescent Light Fittings	Semi Decorative Fit. 1.5m Double Tube Thorn Tech. Electronic
Fluorescent Light Fittings	Anti-Corrosive Fit. 1.5m Double Tube Thorn Tech. Electronic
Tradicacent Light Fredrigs	Industrial Type Fit. 600mm & 1.5m Double Tube Thorn Tech.
Fluorescent Light Fittings	Electronic
Tradicacent Light Fittings	Recess Decorative Fit. 1.5m Four & Triple Tube Thorn Tech.
Fluorescent Light Fittings	Electronic
Light Fittings	2d / 16w Energy Saving Luminaries Slim Line Pvc
Light Fittings	2d / 16w Energy Saving Luminaries Industrial Type
Light Fittings	Ceiling Mount Double Round Tube Decorative Fit. (Electronic)
Lamps	Osram & Phillips Fluorescent Type 36w, 40w, 58w & 65w
Lamps	Osram & Phillips Fluorescent Type 2d / 16w, 20w & 48w
	Es & Bc Energy Saving Lamps
Lamps	50w / 12v Dicrobic (Closed)
Lamps	Kwik Boil From Kwikot 7.5 Litre Hydro Boil Placed Over Sink With
Hydro Boil	Own Isolator
Heaters	Wall Mounted With 2 Hour Timers With Epoxy Coated Finish
i icacci s	150 Litres, 600 Kpa Kwikot, With Drip Tray, Outlet And Blanket.
	Provide Vacuum Breakers And Close Off Valve. Provide Earthing
Electrical Geyser Horizontal/Vertical	Strap To Geyser And Earthing Spike.
Air Conditioners	Lg Split Unit / Window (Heating & Cooling)
Air Conditioners Air Conditioners	Lg Gazette / Under Ceiling (Heating & Cooling)
All Collaborers	
Distribution Decade	Heinemann Mcb's, E/L Relays, Isolators, Lightning Arresters,
Distribution Boards	Timers, Etc.

Price Schedule

I/We quote as follows for the goods required, on a "delivered nominated destination" basis, excluding VAT:

	SCHEDULE OF WORK A	ND PRIC	CES		<u>, </u>
	2013-2014 Witbank Renovate Office and Store 02BY215P	Qty	<u>Unit</u>	<u>Price</u>	<u>Amount</u>
1	Paint G.I. roof primer NS4 and two coats white heat reflective paint	530	m²		
2	Paint purlins one coat universal undercoat and one coat high gloss enamel white	19	М		
3	Paint sprockets one coat universal undercoat and one coat high gloss enamel white	50	Ea		
4	Paint facial and barge boards one coat universal undercoat and one coat high gloss enamel white	144	М		
5	Paint walls ext. one coat Dura 65 white .two coats Weather guard Barely Beige code 3H1/1	545	m ²		
6	Paint window frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	29	Ea		
7	Paint windows sills one coat dura 65 white and two coats weather guard barely beige code 3H1/1	70	m		
8	Paint all pipes one coat universal undercoat and one coat high gloss enamel white	1	job		
9	Paint ceilings one coat universal undercoat and two coats PVA white code M3701600	556	m²		
10	Paint walls int. one coat universal undercoat and one coat eggshell enamel barely beige code 3H1/1	692	m²		
11	Paint doors and frames one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	11	Ea		
12	Paint security gate one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	6	Ea		
13	Paint security B/bars one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	22	Ea		
14	Paint Floor one coat APOXY floor paint; colour; DARK GREY.	410	M ²		
15	Paint palisade 1.8m high one coat universal undercoat and two coat dulux pearlglo lockness coat 3L1/5	12	m		
16	Remove and replace glass	46	Ea		
17	Supply and fit toilet men and women sign	2	Ea		
18	Supply and fit steel toilet paper holders two rolls	2	Ea		
19	Remove and replace toilet complete	2	Ea		
20	Remove W/H/B complete and seal off	6	Ea		
21	Remove toilet complete and seal off	12	Ea		
22	Remove urinal complete and seal off make wall good	2	Ea		
23	Fit new W/H/B. complete with waste and hot and cold water and bottle trap anti vac and connect to sewerage	3	Ea		
24	Supply and fit new toilet complete and connect to sewerage	2	job		
25	Supply and fit new mirror 500x500mm	3	Ea		
26	Install 7.5 litre kwikot Hydro boil above sink complete with chrome ball stop valve and connect to power supply in kitchen.	1	ea		
27	Supply and fit floor unit with white melamine interior and red oak ext. and with granite top color moss grey and back splash 100mm complete with locks 2.00m long and double sink with mixer complete and connect to sewerage	1	ea		
28	Cast concrete with wood float finish 100mm thick for ramp (1/4m long x 0.30m wide)	2	M ²		
29	Remove and replace ceiling with 4mm netec board complete with trap door (inside and stoop)	435	M ²		

Date	&	Company	Stamp
------	---	---------	-------

30	Remove and replace marante door complete with lock	4	Ea		
31	Supply and fit asst. no. 02BY215P	1	Ea		
32	Strip and remove floor covering chip floor apply pro grip to floor fit new porcelain floor tiles 300x300mm code THEMIS JOHNSON complete with dove grey grouting and 100mm tile skirting and protection cover at doors and skirting and steps at toilets	14	M ²		
33	Fit new wall tiles white 200x300mm complete with white grouting and protection covers at edge	95	M ²		
34	Remove wall tiles and plaster walls complete	170	M ²		
35	Seal roof with flash harry	200	M ²		
36	Remove and replace loose roofing screws 63mm posy drive screws	2000	Ea		
37	Supply and fit seamless gutters 125mmx100mm color white	138	M		
38	Supply and fit seamless down pipes color white 100mm x 75mm (7m Long)	18	Ea		
39	Remove old gutters	1	job		
40	Remove brick wall complete and make wall and floor good	97	M ²		
41	Remove door and doorframe complete	10	Ea		
42	Remove door and doorframe make wall and floor good at old toilet	2	Ea	7	
43	Remove Roll up windows (2ea) and Roll up garage door (1ea) and Steel Window (6ea) and opening (4ea) and door (1ea) and build close plaster both sides complete	54	M ²		
44	Remove and replace steel doorframe complete ext.	5	Ea		
45	Build in new steel door frame complete	5	Ea		
46	Supply and new F/L/B marante door complete with lock	10	Ea		
47	Build new 114mm brick wall plaster both sides at toilets	20	M ²		_
48	Supply and fit new security gate in frame with lock complete Supply and fit new security B/bars in windows	6	Ea		
	2.44m x 1.49m 0.51m x 0.65m 2.50m x 0.95m 2.00m x 1.30m 2.53m x 1.25m 1.03m x 0.67m 2.53m x 0.95m 1.46m x 1.20m	15 1 1 1 1 1 1	Ea Ea Ea Ea Ea Ea ea		
50	Remove and replace corrugated iron sheets 0.30mm	16	M ²		
52	Remove and replace nutec barge board complete	12	m		
53	Remove and replace wooden fascia board complete at stoop	18	m		
54	Remove paint from glass	1	job		
55	Remove and replace plaster int, and ext.	20	M ²		
56	Repair brick work complete	2	M ²		
57	Supply and fit new security palisade sliding gate 1.80m high complete and 4m long	1	job		
58	Remove rails 1m high complete and make good	5	ea		
59	Repair cracks in brick wall	31	m		
60	Remove B / bars at opening	4	ea		
61	Remove roll up garage door and make wall good	1	job		
62	Supply and fit Industrial Roll up doors (manually operated) to suit opening of 2.47m wide x 2.17m high	1	Ea		
	1.44m wide x 2.12m high	1	ea		
63	Clean sewerage complete	1	job		
64	Remove all not working water and sewerage pipes and seal of and gulley and make wall good	1	job		
65	Supply and fit new 20mm polycop pipe to water points (50m)	1	job		
66	Strip and remove floor covering and make floor good for paint	78	M ²		
67	Install and supply a new 100 Liter Kwikot geyser complete with all valves , taps and copper pipes and supply water to 3 x H.W.B. and 1 x sink (hot and cold water)	1	Job		

			CIVIL	TOTAL	R
	ELECTRICAL				
68	Supply wire and install for the geyser an electrical connection from the D/board with a new 30A single phase circuit breaker wired with 4 mm x 3 core surflex and a 30Amp single phase isolator. All wires to be in EGA trunking	1	Job		
69	In the main kiosk next to the building: supply wire and install a new 125Amp 3 phase 25KA main circuit breaker with all mounting hardware and tails.	1	Job		
70	Supply wire and install a 40metre 25mm 3 core SWA cable complete with glands and kicker pipe for the main supply to the buildings new D/board (dig cable 500mm in ground and compact neatly) Supply a valid C.O.C. on completion of the work and label all socket outlets and light switches and D/Board and a Legend card in the D/Board	1	Job		
71	Supply wire and install a new white 32 way surface mount D/Board complete with door and lock.				
72	Supply wire and install $1 \times \text{new } 100 \text{Amp } 3$ phase isolator (green handle) for the mains , $1 \times 80 \text{Amp } 3$ phase earth leakage and $6 \times 20 \text{Amp } single$ phase circuit breakers for the socket outlets and $10 \times 10 \text{Amp } single$ phase circuit breakers for the lights wire D/board neatly and use copper bridge pieces (not wires)	1	Job		
73	Supply wire and install 4 x REEFLITE round white bulkheads (at the toilets and passage) complete with 2 x PL9 OSRAM tubes with CRABTREE light switches and 2 x 4 extension boxes wired with 1,5mm 3 core surflex all wires to be in EGA trunking	1	Job		
74	Supply wire and install 52 x TPA 4ft open channel double luminaries complete with electronic switch gear and OSRAM tubes with 12 x CRABTREE light switches with covers and 2 x 4 extension boxes wired with 1,5mm 3 core surflex from the D/board all wires to be in EGA trunking and (6 x lights must be on a day and night switch for the veranda.)	1	Job		
75	Supply wire and install 40 x CRABTREE double socket outlets complete with covers and 4 x 4 extension boxes wired with 2,5mm 3 core surflex from the D/board all wires to be in EGA trunking	1	Job		
			EL&P	TOTAL	R
		GROSS			
		AMOUN	ITDUE		

Delivery Lead-Time from date of purchase order:	[days/weeks]

Notes to Pricing:

- c) All Prices must be quoted in South African Rand, exclusive of VAT
- d) To facilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.
- e) Please note that should you have offered a discounted price(s), Transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

22 NATIONAL RAILWAY SAFETY REGULATOR ACT

In compliance with the National Railway Safety Regulator Act, 16 of 2002, the successful Respondent (**the Service Provider**) shall ensure that the Services to be supplied to Transnet, under the terms and conditions of a contract between the parties, comply fully with the specifications as set forth in this RFQ, and shall thereby adhere to railway safety requirements and/or regulations [as applicable]. Permission for the engagement of a subcontractor by the Service Provider, as applicable, both initially and during the course of a contract, shall be subject to a review of the capability of the proposed subcontractor to comply with the specified railway safety requirements and/or regulations. The Service Provider and/or its subcontractor shall grant Transnet access, during the term of the contract, to review any safety-related activities, including the coordination of such activities across all parts of the organisation.



23 SERVICE LEVELS

- 23.1 An experienced national account representative(s) is required to work with Transnet's sourcing/procurement department. [No sales representatives are needed for individual department/locations]. Additionally, there shall be a minimal number of people, fully informed and accountable for this agreement.
- 23.2 Transnet will have quarterly reviews with the Service Provider's account representative on an on-going basis.
- 23.4 Transnet reserves the right to request that any member of the Service Provider's team involved on the Transnet account be replaced if deemed not to be adding value for Transnet.
- 23.5 The Service Provider guarantees that it will achieve a 95% service level on the following measures. If the Service Provider does not achieve this level as an average over each quarter, Transnet will receive a 1.5% rebate on quarterly sales payable in the next quarter:

a)	
b)	
c)	on time deliverables

- 23.6 Service Provider must provide a telephone number for customer service calls.
- 23.7 Failure of the Service Provider to comply with stated service level requirements will give Transnet the right to cancel the contract in whole, without penalty to Transnet, giving 30 [thirty] days' notice to the Service Provider.

Acceptance	OT	Service	Leve	IS:

YES	NO	

24	RISK
~ 4	KIOK

Respondents must	elaborate	on the	control	measures	put in	place	by 1	their	entity,	which	would	mitigate	e the
risk to Transnet pe	rtaining to	potenti	al non-	performano	e by a	Service	e Pi	rovid	er, in re	elation	to:		

24.1	Quality of Services required:
-	
-	
==	
24.2	Continuity of Services [refer clause 6.9 of Form ST&C]:
_	
_	
24.3	Compliance with the Occupational Health and Safety Act, 85 of 1993 [refer clause 8.1(f)]
of Form .	
_	
_	
24.4	Compliance with the National Railway Safety Regulator Act, 16 of 2002 [refer paragraph
0 above]	

Section 3

STANDARD TERMS AND CONDITIONS FOR THE SUPPLY OF GOODS OR SERVICES TO TRANSNET

A Supplier/Service Provider shall be obliged to adhere to the Standard Terms and Conditions for the Supply of Goods and Services to Transnet as expressed hereunder. Should the Respondent find any condition(s) unacceptable, it should indicate which condition(s) is/are unacceptable and offer an alternative(s). A Quotation submitted by a Respondent will be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by Transnet's Legal Counsel, prior to consideration for an award of business.

1 SOLE AGREEMENT

Unless otherwise agreed in writing, these terms [**Terms** and each **Term**] and **Transnet**'s purchase order(s) [**Order** or **Orders**] represent the only conditions upon which Transnet SOC Ltd [**Transnet**] procures goods [**the Goods**] or services [**the Services**] specified in the Order from the person to whom the Order is addressed [**the Supplier/Service Provider**]. Transnet does not accept any other conditions which the Supplier/Service Provider may specify, unless otherwise agreed to by Transnet in writing. In the event of any inconsistency between these Terms and any Order, these Terms shall take precedence.

2 CONFORMITY WITH ORDER

Goods/Services shall conform strictly with the Order. The Supplier/Service Provider shall not vary the quantities specified and/or the specification, if any, stipulated in the Order, without the prior written consent of Transnet. The Supplier/Service Provider warrants that the Goods/Services shall be fit for their purpose and of satisfactory quality.

3 DELIVERY AND TITLE

- 3.1 The delivery dates and addresses are those in the Order. Time shall be of the essence in respect of the Supplier's/Service Provider's obligations under the Order.
- 3.2 The Supplier/Service Provider will not be excused for delay in delivery or performance except due to circumstances outside its control and then only subject to the Supplier/Service Provider having notified Transnet in writing on becoming aware of such circumstances. Transnet may terminate an Order, in whole or in part, without incurring any liability to the Supplier/Service Provider if such a delay becomes, in Transnet's absolute opinion, significant.
- 3.3 If on delivery, the Goods/Services do not conform to the Order, Transnet may reject the Goods/Services and the Supplier/Service Provider shall promptly rectify any defects or in Transnet's opinion, supply appropriate replacement Goods/Services at the Supplier's/Service Provider's expense within the specified delivery times, without any liability due by Transnet.

4 PRICE AND PAYMENT

4.1 Prices specified in an Order cannot be increased. Payment for the Goods/Services shall be made by Transnet against an original undisputed invoice(s) [a Tax Invoice], supporting documentation and month-end statement from the Supplier/Service Provider. Tax Invoices plus supporting documentation shall be posted to the address shown in the Order.

4.2 Payment of the Supplier's/Service Provider's valid Tax Invoice(s) will be made by Transnet in the South African currency and on the terms stated in the Order, the standard payment terms being 30 [thirty] days from date of receipt by Transnet of a month-end statement, unless otherwise agreed to in writing. Transnet shall arrange for payment of such Tax Invoices and any pre-authorised additional expenses incurred, provided that the authorised expenses are supported by acceptable documentary proof of expenditure incurred [where this is available]. Any amounts due in terms of these Terms shall be paid to the Supplier/Service Provider, taking into account any deduction or set-off and bank charges.

5 PROPRIETARY RIGHTS LIABILITY

If any allegations should be made or any claim asserted against Transnet that ownership of, or any act or omission by Transnet in relation to Goods/Services or any written material provided to Transnet relating to any Goods/Services or pursuant to an Order being a violation or infringement of any third party's contractual, industrial, commercial or intellectual property rights including but not limited to any patent, registered design, design right, trade mark, copyright or service mark on any application thereof, the Supplier/Service Provider hereby indemnifies Transnet against and hold it harmless from any and all losses, liabilities, costs, claims, damages and expenses [including any legal fees] arising directly or indirectly from such allegation or claim provided that this indemnity shall not apply where the allegation or claim arises solely as a result of the Supplier/Service Provider following a design or process originated and furnished by Transnet. The Supplier/Service Provider shall either

- a) procure for Transnet the right to continue using the infringing Goods; or
- b) modify or replace the Goods/Services so that they become non-infringing,

provided that in both cases the Goods/Services shall continue to meet Transnet's requirements and any specifications stipulated in the Order. Should neither option be possible, the Supplier/Service Provider may remove, with Transnet's prior written consent, such Goods/Services and will pay to Transnet a sum equivalent to the purchase price. If Transnet refuses to give such consent, the Supplier/Service Provider shall have no liability in respect of any continued use of the infringing Goods/Services after Supplier's/Service Provider's prior written request to remove the same.

6 PROPRIETARY INFORMATION

All information which Transnet has divulged or may divulge to the Supplier/Service Provider and any information relating to Transnet's business which may have come into the Supplier's/Service Provider's possession whilst carrying out an Order, and the existence of the Order, shall be treated by the Supplier/Service Provider as confidential information and shall not, without Transnet's prior written consent, be disclosed to any third party, or be used or copied for any purposes other than to perform the Order. This clause does not apply to information which is public knowledge or available from other sources other than by breach of this Term. Upon request by Transnet, the Supplier/Service Provider shall return all materials issued pursuant to the Order and, pending this, shall protect Transnet's rights in any such materials. Such confidential information shall at all material times be the property of Transnet.

7 PUBLICITY

The Supplier/Service Provider shall not name Transnet or use its trademarks, service marks [whether registered or not] or Goods in connection with any publicity without Transnet's prior written consent.

8 TERMINATION OF ORDER

- Transnet may cancel an Order in whole or in part at any time upon at least 7 [seven] days' written notice to the Supplier/Service Provider, or when there is a change in control of the Supplier/Service Provider or the Supplier/Service Provider commits any serious breach or any repeated or continued material breach of its obligations under these Terms and/or Order or shall have been guilty of conduct tending to bring itself into disrepute, on written notice to the Supplier/Service Provider when such work on the Order shall stop.
- Transnet shall pay the Supplier/Service Provider a fair and reasonable price for justified work in progress, where such price reflects only those costs not otherwise recoverable by the Supplier/Service Provider, at the time of termination, and the Supplier/Service Provider shall give Transnet full assistance to check the extent of such work in progress. Payment of such price shall be in full and final satisfaction of any claims arising out of such termination and upon such payment the Supplier/Service Provider shall deliver to Transnet all work, including any materials, completed or in progress. The sum payable to the Supplier/Service Provider under this clause will not in any event exceed the total amount that would have been payable to the Supplier/Service Provider had the Order not been terminated.
- 8.3 In the event of termination the Supplier/Service Provider must submit all claims within 2 [two] months of termination after which time claims will only be met in what Transnet considers exceptional circumstances.
- 8.4 If the Goods or Services are not provided in accordance with an Order, the Order shall be deemed terminated and the Supplier/Service Provider shall compensate Transnet for any costs incurred in obtaining substitute Goods or any damage caused due to the failure or delay in the delivery.

9 ACCESS

The Supplier/Service Provider shall be liable for the acts, omissions and defaults of its personnel or agents who, for the purposes of the Order, shall be treated as if they are the Supplier's/Service Provider's employees. The Supplier/Service Provider shall ensure that any such personnel or agents, whilst on Transnet's premises, shall comply with Transnet's health and safety, security and system security rules and procedures as and where required.

10 WARRANTY

The Supplier/Service Provider warrants that it is competent to supply the Goods/Services in accordance with these Terms to the reasonable satisfaction of Transnet and that all Goods/Services delivered under the Order: (a) conform and comply in all relevant legislation, standards, directives and orders related to [inter alia] the Goods/Services in force at the time of delivery, and to any specifications referred to in the Order; (b) will not cause any deterioration in the functionality of any Transnet equipment; and (c) do not infringe any third party rights of any kind. The Supplier/Service Provider hereby indemnifies Transnet against all losses, liabilities, costs, claims, damages, expenses and awards of any kinds incurred or made against Transnet in connection with any breach of this warranty.

11 INSOLVENCY

If the Supplier/Service Provider shall have a receiver, manager, administrator, liquidator or like person appointed over all or any part of its assets or if the Supplier/Service Provider compounds with its creditors or passes a resolution for the writing up or administration of the Supplier/Service Provider, Transnet is at liberty

to terminate the Order or Orders forthwith, or at its option, to seek performance by any such appointed person.

12 ASSIGNMENT

The Supplier/Service Provider shall not assign its obligations under an Order without Transnet's prior written consent, which consent shall not be unreasonably withheld or delayed.

13 NOTICES

Notices under these Terms shall be delivered by hand to the relevant addresses of the parties in the Order or may be served by facsimile or by email, in which event notice shall be deemed served on acknowledgement of receipt by the recipient.

14 LAW

Orders shall be governed by and interpreted in accordance with South African law and any disputes arising herein shall be subject to South African arbitration under the rules of the Arbitration Foundation of South Africa, which rules are deemed incorporated by reference in this clause. The reference to arbitration shall not prevent Transnet referring the matter to any South African courts, having jurisdiction, to which the Supplier/Service Provider hereby irrevocably submits but without prejudice to Transnet's right to take proceedings against the Supplier/Service Provider in other jurisdictions and/or obtaining interim relief on an urgent basis from a court of competent jurisdiction pending the decision in other courts or from instituting in any court of competent jurisdiction any proceedings for an interdict or any other injunctive relief. If the Supplier/Service Provider does not have a registered office in the South Africa it will at all times maintain an agent for service of process in South Africa and shall give Transnet the name and address of such agent as such may be amended, in writing, from time to time.

15 GENERAL

Completion or termination of an Order shall be without prejudice to any Term herein which by its nature would be deemed to continue after completion or termination. If any Term herein be held illegal or unenforceable, the validity or enforceability of the remaining Terms shall not be affected. No failure or delay by Transnet to enforce any rights under these Terms will operate as a waiver thereof by Transnet. All rights and remedies available to either party under these Terms shall be in addition to, not to the exclusion of, rights otherwise available at law.

16 COUNTERPARTS

These Terms and conditions may be signed in any number of counterparts, all of which taken together shall constitute one and the same instrument. Any party may enter into this agreement by signing any such counterpart.

By signing this RFQ document, the Respondent is deemed to acknowledge that he/she has made himself/herself thoroughly familiar with all the conditions governing this RFQ, including those contained in any printed form stated to form part hereof and Transnet SOC Ltd will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed to properly take it into account for the purpose of calculating quoted prices or otherwise.

SIGNED at	on this day of	20
		1"
SIGNATURE OF RESPONDENT'S	Strate Grant Park	
NAME:		
DESIGNATION:		
REGISTERED NAME OF COMPAN	Y:	
PHYSICAL ADDRESS:	3	
Respondent's contact person	: [Please complete]	
Name :		
Designation :		
Telephone :		
Cell Phone		
Facsimile		
Email		
Website :		
<u> </u>		

Transnet urges its clients, suppliers and the general public to report any fraud or corruption to TIP-OFFS ANONYMOUS: 0800 003 056

Section 4 VENDOR APPLICATION FORM

Respondents are to furnish the following documentation and complete the Vendor Application Form below:

- Original cancelled cheque OR letter from the Respondent's bank verifying banking details
 [with bank stamp]
- 2. **Certified** copy of Identity Document(s) of Shareholders/Directors/Members [where applicable]
- 3. Certified copy of Certificate of Incorporation, CM29 / CM9 [name change]
- 4. Certified copy of Share Certificates [CK1/CK2 if CC]
- 5. A letter on the company's letterhead confirm physical and postal addresses
- 6. Original valid SARS Tax Clearance Certificate
- 7. Certified copy of VAT Registration Certificate
- 8. Certified copy of valid Company Registration Certificate [if applicable]
- 9. A signed letter from your auditor or accountant confirming most recent annual turnover figures

Vendor Application Form

Company tradin	g name				
Company registere	d name				
Company Registra	tion Number or ID Num	ber if a Sole Prop	rietor		
Form of entity [√]	CC Trust	Pty Ltd L	imited Parti	nership S	ole Proprietor
VAT number [if reg	istered]				
Company telephone	number				
Company fax	number				
Company email	address			1	
Company website	address				
Bank name	and Agent State	Bran	ch & Branch coc	le	
Account holder		Bank	account number	er	
Postal address					
TO THE SECOND SE			184		Code
Physical Address					
SOME SELECTION OF THE PROPERTY					Code
Contact person					
Designation					
Telephone			The state		
Email	W. A.				
Annual turnover rang	e [last financial year]	< R5 m	R5 - 35	m :	> R35 m
Does y	our company provide	Products	Service	es	Both
	Area of delivery	National	Provinci	al	Local
	Is your company a po	ublic or private en	tity Pub	ic	Private
Does your compa	ny have a Tax Directive	e or IRP30 Certific	ate Yo	es	No
Main pro	duct or services [e.g. S	tationery/Consulti	ng]		

Complete B-BBEE Ownership Details:

led Black ownership	% Disable	% Black women ownership		% Black ownership	
No		te Ye	Does your company have a B-BBEE certificate		
		9 / Unknown	r B-BBEE status [Level 1 to 9	What is you	
Part time	# \$25 T	Permanen	How many personnel does the firm employ		

If you are an existing Vendor with Transnet please complete the following:

Transnet contact person			
Contact number		A Isa Maria	
Transnet Operating Division	1		

Duly authorised to sign for and on behalf of Company / Organisation:

Name	Designation	
Signature	Date	


Section 6: SIGNING POWER - RESOLUTION OF BOARD OF DIRECTORS

NAME OF ENTITY:				
It was resolved at a meeti	ng of the Board of Directors he	eld on		_ that
FULL NAME(S)	CAPACITY		SIGNATURE	
	-		7	
£				
		4		
	rated above is/are hereby authorations and/or Agreements fo		, execute and cor	nplete an
FULL NAME		SIGNATURE CHAIRMAN		
FULL NAME		SIGNATURE SECRETARY		
105-A				

Section 7: CERTIFICATE OF ACQUAINTANCE WITH RFQ DOCUMENTS

NAME OF ENTITY:	
I/We	
hereby certify that I/we acquainted myself/ourselves with all the	e documentation comprising this RFQ ar
all conditions contained therein, as laid down by Transnet SOC	
supply/service/works for which I/we submitted my/our response	2.
I/We furthermore agree that Transnet SOC Ltd shall recognise	o claim from me/us for relief based on a
allegation that I/we overlooked any RFQ/contract condition of purpose of calculating my/our offered prices or otherwise.	or failed to take it into account for the
R	•
SIGNED at on this	day of2012
SIGNATURE OF WITNESS	SIGNATURE OF RESPONDENT

Section 8: GENERAL BID CONDITIONS - SERVICES



Section 9: STANDARD TERMS AND CONDITIONS OF CONTRACT FOR THE PROVISION OF SERVICES TO TRANSNET

Refer Form ST&C attached hereto.

Respondents should note the obligations as set out in clause 20 [Terms and Conditions of Bid]
of the General Bid Conditions [RFQ Section 3] which reads as follows:

"The Service Provider shall adhere to the Standard Terms and Conditions of Contract as set out in Form ST&C – Services, a copy of which is attached hereto. Should the Respondent find any conditions unacceptable, it should indicate which conditions are unacceptable and offer alternatives. Any such submission shall be subject to review by Transnet's Legal Counsel who shall determine whether the proposed alternative(s) are acceptable or otherwise, as the case may be."

Section 10: RFQ DECLARATION FORM

NAME OF ENTITY:

We	do hereby certify that
Transnet has supplied and we have received approp	oriate responses to any/all questions [as applica
which were submitted by ourselves for bid clarification	
we have received all information we deemed necessary [RFQ];	ary for the completion of this Request for Quota
at no stage have we received additional information	on relating to the subject matter of this RFQ f
Transnet sources, other than information formally re nominated in the RFQ documents;	
we are satisfied, insofar as our entity is concerne	d, that the processes and procedures adopted
Transnet in issuing this RFQ and the requirements re	
been conducted in a fair and transparent manner; an	
furthermore, we declare that a family, business ar	nd/or social relationship exists / does not e
[delete as applicable] between an owner / member /	
employee or board member of the Transnet Group.	
If such a relationship exists, Respondent is to comple	te the following section:
FULL NAME OF OWNER/MEMBER/DIRECTOR/	
PARTNER/SHAREHOLDER:	ADDRESS:
0	÷
Indicate nature of relationship with Transnet:	

- We declare, to the extent that we are aware or become aware of any relationship between ourselves and Transnet [other than any existing and appropriate business relationship with Transnet] which could unfairly advantage our entity in the forthcoming adjudication process, we shall notify Transnet immediately in writing of such circumstances.
- 7. We accept that any dispute pertaining to this bid will be resolved through the Ombudsman process and will be subject to the Terms of Reference of the Ombudsman. The Ombudsman process must first be exhausted before judicial review of a decision is sought. [Refer "Important Notice to Respondents" overleaf].
- 8. We further accept that Transnet reserves the right to reverse an award of business or decision based on the recommendations of the Ombudsman without having to follow a formal court process to have such award or decision set aside.

SIGNED at on	this day or 2012
For and on behalf of	AS WITNESS:
duly authorised hereto	D
Name:	Name:
Position:	Position:
Signature:	Signature:
Date:	
Place:	

IMPORTANT NOTICE TO RESPONDENTS

- > Transnet has appointed a Procurement Ombudsman to investigate any <u>material complaint</u> in respect of RFQs exceeding R5, 000,000.00 [five million S.A. Rand] in value. Should a Respondent have any material concern regarding an RFQ process which meets this value threshold, a complaint may be lodged with Transnet's Procurement Ombudsman for further investigation.
- > It is incumbent on the Respondent to familiarise himself/herself with the Terms of Reference for the Transnet Procurement Ombudsman, details of which are available for review at Transnet's website www.transnet.net.
- An official complaint form may be downloaded from this website and submitted, together with any supporting documentation, within the prescribed period, to procurement.ombud@transnet.net
- > For transactions below the R5,000,000.00 [five million S.A. Rand] threshold, a complaint may be lodged with the Chief Procurement Officer of the relevant Transnet Operating Division.
- All Respondents should note that a complaint must be made in good faith. If a complaint is made in bad faith, Transnet reserves the right to place such a bidder on its List of Excluded Bidders.

Section 11: BREACH OF LAW

NAME OF ENTITY:
I/We
do hereby certify that <i>I/we have/have not been</i> found guilty during the preceding 5 [five] years of a serious breach of law, including but not limited to a breach of the Competition Act, 89 of 1998, by a court
of law, tribunal or other administrative body. The type of breach that the Respondent is required to
disclose excludes relatively minor offences or misdemeanours, e.g. traffic offences.
Where found guilty of such a serious breach, please disclose:
NATURE OF BREACH:
N
DATE OF BREACH:
Furthermore, I/we acknowledge that Transnet SOC Ltd reserves the right to exclude any Respondent
from the bidding process, should that person or entity have been found guilty of a serious breach of law,
tribunal or regulatory obligation.
SIGNED at on this day of20
SIGNATURE OF WITNESS SIGNATURE OF RESPONDENT

Section 12: BID CLARIFICATION REQUEST FORM

RFQ No: ERAC-\	VGO-012186
RFQ deadline fo	r questions / bid clarifications: Before 12:00 3 days prior to closing date
TO: ATTENTION: EMAIL DATE:	Transnet SOC Ltd The Secretary, Transnet Acquisition Council [TAC] prudence.nkabinde@transnet.net
FROM: RFQ Bid Clarifica	etion No [to be inserted by Transnet]
	REQUEST FOR BID CLARIFICATION
2	
*	
*	

Section 13: SERVICE PROVIDER CODE OF CONDUCT

Transnet aims to achieve the best value for money when buying or selling Services and obtaining services. This however must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any Service Provider dealing with Transnet must understand and support. These are:

The Transnet Procurement Procedures Manual [PPM];

Section 217 of the Constitution - the five pillars of Public PSCM [Procurement and Supply Chain Management]: fair, equitable, transparent, competitive and cost effective;

The Public Finance Management Act [PFMA];

The Broad Based Black Economic Empowerment Act [B-BBEE]; and

The Prevention and Combating of Corrupt Activities Act.

This Code of Conduct has been included in this RFQ to formally apprise prospective Transnet Service Providers of Transnet's expectations regarding behaviour and conduct of its Service Providers.

Prohibition of Bribes, Kickbacks, Unlawful Payments, and Other Corrupt Practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Company [SOC], actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. As such, our transformation is focused on adopting a performance culture and to adopt behaviours that will enable this transformation.

 Transnet will not participate in corrupt practices and therefore expects its Service Providers to act in a similar manner.

Transpet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions with and payments to our Service Providers.

Employees must not accept or request money or anything of value, directly or indirectly, to:

- illegally influence their judgement or conduct or to ensure the desired outcome of a sourcing activity;
- win or retain business or to influence any act or decision of any decision stakeholders involved in sourcing decisions; or
- gain an improper advantage.

There may be times when a Service Provider is confronted with fraudulent or corrupt behaviour of Transnet employees. We expect our Service Providers to use our "Tip-offs Anonymous" Hot line to report these acts [0800 003 056].

2. Transnet is firmly committed to the ideas of free and competitive enterprise.

Service Providers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust.

Transnet does not engage with non-value adding agents or representatives solely for the purpose of increasing B-BBEE spend [fronting].

- 3. Transnet's relationship with Service Providers requires us to clearly define requirements, exchange information and share mutual benefits.
 - Generally, Service Providers have their own business standards and regulations. Although Transnet cannot control the actions of our Service Providers, we will not tolerate any illegal activities. These include, but are not limited to:
 - misrepresentation of their product [e.g. origin of manufacture, specifications, intellectual property rights];
 - collusion;
 - failure to disclose accurate information required during the sourcing activity [e.g. ownership, financial situation, B-BBEE status];
 - corrupt activities listed above; and
 - harassment, intimidation or other aggressive actions towards Transnet employees.
 - Service Providers must be evaluated and approved before any materials, components, products or services are purchased from them. Rigorous due diligence is conducted and the Service Provider is expected to participate in an honest and straight forward manner.
 - Service Providers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

Conflicts of Interest

A conflict of interest arises when personal interests or activities influence [or appear to influence] the ability to act in the best interests of Transnet.

Doing business with family members

Having a financial interest in another company in our industry

Section 14: CERTIFICATE OF ATTENDANCE OF SITE MEETING / RFQ BRIEFING

It is hereby certified that —	
1,	
2	
Representative(s) of	[name of entity]
attended the site meeting / RFQ briefing in respect	of the proposed Services to be supplied in terms o
this RFQ on2012	
TRANSNET'S REPRESENTATIVE	RESPONDENT'S REPRESENTATIVE
DATE	DATE

Section 15: NON-DISCLOSURE AGREEMENT [NDA]

greemen Complete and sign the Non-Disclosure Agreement attached hereto

Section 17: E4B - MINIMUM COMMUNAL HEALTH REQUIREMENTS

MINIMUM COMMUNAL HEALTH REQUIREMENTS IN AREAS OUTSIDE THE JURISDICTION OF A LOCAL AUTHORITY: TEMPORARY FACILITIES FOR CONTRACTOR'S PERSONNEL

1. CAMPS

- 1.1 Prior to the erection of any camp, the Contractor shall submit to the Technical Officer, for his approval, details of his Quotations as to the site, water supply, sanitation, and size and type of buildings. Where the site is on private land, the Contractor shall submit the written approval for the use of the site of the relevant statutory authority and of the owner and occupier of the land (as applicable).
- 1.2 Camps must not be erected on land infested with field rodents
- 1.3 Adequate drainage shall be provided to carry off storm and waste water.
- 1.4 Buildings shall be built to a neat and orderly pattern.
- 1.5 All buildings shall have smooth, hard, impervious floors, graded to provide effective drainage and to permit washing.
- 1.6 Camps shall be maintained by the Contractor at his own expense in a clean and tidy condition.
 The Contractor shall take such steps as the Technical Officer and landowner/occupier may demand to prevent the creation of a nuisance.
- 1.7 When so instructed by the Technical Officer, the Contractor shall, at his own expense, erect suitable screens between the camp and any public road, thoroughfare or railway line.
- 1.8 After removal of a camp, the Contractor shall, at his own expense, restore the site to its original condition to the satisfaction of the Technical Officer and of the landowner and occupier where the site is on private land.

2. HOUSING

- 2.1 Every living room shall have cross ventilation, both constant and occasional. Where only one window is provided, it shall not be in the same wall as the door.
- Dimensions of living rooms shall be sufficient to allow 3.5 square metres of floor area and 11 cubic metres of air space for each person over the age of 10 years. The floor area of any living room shall not be less than 7,8 square metres.
- 2.3 Flat-roofed quarters shall have a minimum roof height of 3 metres above floor level. For quarters with pitched roofs, the wall height shall be not less than 2,6 metres above the floor with a minimum height above floor of 3 metres at the top of the pitch.
- 2.4 Doors shall not be less than $2m \times 0.75m$ and must be halved.
- 2.5 Windows of each living room shall have an area not less than one twelfth of the floor area and shall be capable of opening to at least half their full area.
- 2.6 In areas where malaria is prevalent, doors and windows must be fitted with gauze screens.

- 2.7 Cooking shelters shall comprise roofed structures, three sides of which shall be enclosed by a weatherproof material, approved by the Technical Officer to a height of at least 1m above ground level.
 - 2.7.1 Sleeping quarters shall not accommodate more than 8 persons per room.
 - 2.7.2 Pegboards shall be carried on metal or concrete supports and shall be separated by partitions not less than 0,4 metres high extending to within 150mm of the end of the bunk. Pegboards shall be removable for cleaning.

3. WATER SUPPLY AND ABLUTION FACILITIES

- 3.1 The Contractor shall ensure that an adequate and conveniently situated supply of potable water is provided.
- 3.2 Separate buildings for ablution facilities shall be provided. Where approval has been obtained for the housing of both males and females, separate facilities for each sex shall be provided. The proportion shall be 1 cubicle for 20 persons.
- 3.3 Waste water shall be hygienically disposed of.

4. SANITATION

- 4.1 Separate buildings for latrine facilities shall be provided. Where housing are provided for both males and females, separate facilities for each sex shall be provided. The proportions shall be at least one squatting seat for every 15 persons or less in the case of pit latrines, or one for every 10 persons or less in case of pail latrines.
 - Latrines shall be fly proof and sited at least 10 metres from any other building, and shall not face on any public road, thoroughfare, railway line or residential property. Pits shall not be less than 2,5 metres deep and sited not less than 120 metres from nearest underground water source.
- 4.2 Latrines shall be so constructed, situated and maintained, and night soil so disposed of as to prevent access by animals, breeding of flies, pollution of streams and domestic water supplies, and other nuisances. Where a night soil removal service is operated by a competent authority, use of such service shall be obligatory, and the use of pit latrines and atria pits will not be permitted.
- 4.3 At least one refuse bin of adequate size with close fitting lid shall be provided for each building. Refuse bins shall be emptied and cleaned out daily.
- 4.4 Labour shall be employed on camp sanitation duties on the following basis:-
 - 4.4.1 Where the number of persons living at the camp is 20 or less one unit.
 - 4.4.2 For additional numbers over 20 living at the camp one unit per 100 or part thereof.
- 4.5 Unless refuse is removed by a competent authority, it shall be disposed of in pits and covered over daily with a layer of earth or ash of sufficient thickness to prevent depredations by rodents and the breeding of flies.

- 4.6 Adequate measures shall be taken against all vermin and insects responsible for the spread of disease. Any instructions of a competent health authority shall be carried out promptly and implicitly.
- 4.7 Buildings and bedboards shall be treated whenever necessary with an approved insecticide.
- 4.8 The Contractor shall permit and facilitate inspection of the camp and structures on the site by the staff of Transnet or any other competent authority, and shall comply with any reasonable request by such staff or any other competent authority to eliminate any unsanitary condition.
- 4.9 Any outbreak of infectious disease shall immediately be reported telephonically and confirmed in writing to the Technical Officer.
- 4.10 The keeping of animals of any sort is not permitted.
- 4.11 The Contractor shall have on hand at the camp the necessary tools, disinfectants and cleaning materials to maintain and clean the sanitary facilities.

5. RATIONS

Rations, where supplied by the Contractor, shall be stored in a suitable and rodent proof building with sufficient shelving.

Section 18: E4E - SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE (ACT 85 OF 1993) AND APPLICABLE REGULATIONS

1. General

- 1.1 The Contractor and Transnet Limited (hereinafter referred to as "Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Contractor and Technical Officer or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the Works.
- 1.5 In the event of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

2. Definitions

- In this Specification any word or expression to which a meaning has been assigned in the Construction Regulations, shall have the meaning so assigned to it, unless the context otherwise indicates: -
- 2.2 The work included in this Contract shall for the purposes of compliance with the Act be deemed to be "Construction Work", which, in terms of the Construction Regulations, 2003 means any work in connection with: -
 - (a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;
 - (b) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
 - (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
 - (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;
- 2.3 **"competent person"** in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate

- qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;
- 2.4 **"Contractor"** means principal contractor and "subcontractor" means contractor as defined by the Construction Regulations, 2003.
- 2.5 **"fall protection plan"** means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;
- 2.6 **"health and safety file"** means a file, or other record in permanent form, containing the information required to be kept on site in accordance with the Act and applicable Regulations;
- 2.7 **"Health and Safety Plan"** means a documented plan which addresses the hazards identified and include safe work procedures to mitigate, reduce or control the hazards identified;
- 2.8 **"Risk Assessment"** means a programme to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;
- 2.9 "the Act" means the Occupational Health and Safety Act No. 85 of 1993.

3. Procedural Compliance

- 3.1 The Contractor who intends to carry out any construction work shall, before carrying out such work, notify the Provincial Director in writing if the construction work:-
 - (a) includes the demolition of a structure exceeding a height of 3 metres; or
 - (b) includes the use of explosives to perform construction work; or
 - (c) includes the dismantling of fixed plant at a height greater than 3m,

and shall also notify the Provincial Director in writing when the construction work exceeds 30 days or will involve more than 300 person days of construction work and if the construction work:-

- (a) includes excavation work deeper than 1m; or
- (b) includes working at a height greater than 3 metres above ground or a landing.
- 3.2 The notification to the Provincial Director shall be on a form similar to Annexure A of the Construction Regulations, 2003, also shown in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, Technical Officer or employee.
- 3.3 The Contractor shall, in accordance with the Act and applicable Regulations, make all the necessary appointments of competent persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Technical Officer. Copies should also be retained on the health and safety file.
- 3.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the Technical Officer.
- 3.5 In the case of a self-employed Contractor or any subcontractor who has the appropriate competencies and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case

execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.

- 3.6 The Contractor shall, before commencing any work, obtain from the Technical Officer an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Transnet's safety requirements and procedures.

4. Special Permits

Where special permits are required before work may be carried out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Technical Officer or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of:
 - (i) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health of his employees and subcontractors in terms of section 8 of the Act;
 - (ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
 - (iii) ensuring, as far as is reasonably practical, in terms of section 37 of the Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- 5.2 The Contractor's Health and Safety Programme shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.
- 5.3 The Contractor shall cause a risk assessment contemplated in clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall form part of the Health and Safety programme to be applied on the site and shall include at least the following:
 - (a) The identification of the risks and hazards that persons may be exposed to;
 - (b) the analysis and evaluation of the hazards identified;

- (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified;
- (d) a monitoring and review plan.
- 5.4 The Health and Safety Plan shall include full particulars in respect of: -
 - (a) The safety management structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of safety committees where applicable;
 - (b) the safe working methods and procedures to be implemented to ensure the work is performed in
 - compliance with the Act and Regulations;
 - (c) the safety equipment, devices and clothing to be made available by the Contractor to his employees;
 - (d) the site access control measures pertaining to health and safety to be implemented;
 - (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Technical Officer with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and
 - (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored for the duration of the Contract.
- 5.4.1 The Health and Safety programme shall be subject to the Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.
- 5.5 The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between the them, but at least once every month.
- 5.6 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.
- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.

- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.10 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the Risk Assessment before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.11 The Contractor shall ensure that all visitors to a construction site undergoes health and safety induction pertaining to the hazards prevalent on the site and shall be provided with the necessary personal protective equipment.

6. Fall Protection Plan

of a

- 6.1 In the event of the risk and hazard identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working from an elevated position the contractor shall cause the designation
- competent person, responsible for the preparation of a fall protection plan;
- 6.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of Contract.

The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.

- 6.3 The fall protection plan shall include:-
 - (a) A Risk Assessment of all work carried out from an elevated position;
 - (b) the procedures and methods to address all the identified risks per location;
 - (c) the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
 - (d) the training of employees working from elevated positions; and
 - (e) the procedure addressing the inspection, testing and maintenance of all fall protection equipment.

7. Hazards and Potential Hazardous Situations

The Contractor and the Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

8. Health and Safety File

- 8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Technical Officer, or subcontractor upon request.
- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Technical Officer.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.

Date & Company Stamp

Respondent's Signature

ANNEXURE 1

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 Regulation 3(1) of the Construction Regulations NOTIFICATION OF CONSTRUCTION WORK

	(a)	Name and postal address of principal contractor:
	(b)	Name and tel. no of principal contractor's contact person:
•:	Princip	al contractor's compensation registration number:
	(a)	Name and postal address of client:
	(b)	Name and tel no of client's contact person or agent:
	(a)	Name and postal address of designer(s) for the project:
	(b)	Name and tel. no of designer(s) contact person:
*		e and telephone number of principal contractor's construction supervisor on site appointed in terms gulation 6(1).
	A .	s/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of ation 6(2).
	Exact	physical address of the construction site or site office:
,	Nature	e of the construction work:
	14	

9.	Expected commencement date:	
10.	Expected completion date:	
11.	Estimated maximum number of persons on the construction site:	
12.	Planned number of contractors on the construction site accountable t	o the principle contractor:
13.	Name(s) of contractors already chosen.	
	2.2 Principal Contractor	Date
	2.3 Client	Date

- * THIS DOCUMENT IS TO BE FORWARDED TO THE OFFICE OF THE DEPARTMENT OF LABOUR **PRIOR TO COMMENCEMENT** OF WORK ON SITE.
- * ALL PRINCIPAL CONTRACTORS THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE SAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK.

(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

REQUIRED COMPETENCY:	
In terms of I,	
representing the Employer) do hereby appoint	-
As the Competent Person on the premises at	
(physical address) to assist in compliance with the Act and the applicable Regulations.	
Your designated area/s is/are as follows :-	
Date :	<u> </u>
Signature :-	
Designation :-	
ACCEPTANCE OF DESIGNATION	
do hereby accept this Designate acknowledge that I	ion and
understand the requirements of this appointment.	
Date :	
Signature :-	
Designation :-	

(COMPANY LETTER HEAD) OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

DECLARATION

In terms of the above Act I,	am personally assuming the duties
and obligations as Chief Executive	Officer, defined in Section 1 of the Act and in terms of Section 16(1), I
will, as far as is reasonably pra-	cticable, ensure that the duties and obligations of the Employer as
contemplated in the above Act are	properly discharged.
Signature :-	
Date :	
"165 ₁	

(LETTER HEAD OF BUSINESS DIVISION OR UNIT OF TRANSNET LIMITED) SITE ACCESS CERTIFICATE

Access to :			(/	Area)
Name of Contractor/Builder :-				
Contract/Order No.:				
			1	
The contract works site/area des	cribed above are i	made available t	o you for the carrying	ng out of
associated works				
In terms of your contract/order with	n		•	
(company)				
Kindly note that you are at all time persons under your control having and the form the date hereof you will be	access to the site.			
Health and Safety Act, 1993 (Act &				
to the site of the works as defined				
site or work areas forming part the				
Signed :		Date :		_
TECHNICAL OFFICER				

ACKNOWLEDGEMENT OF RECEIPT

Name of	
Contractor/Builder :-	
R	do hereby acknowledge and accept
	the duties
and obligations in respect of the Safety of the site/ar	ea of Work in terms of the Occupational
Health and Safety Act; Act 85 of 1993.	ed of work in terms of the occupational
Name : Designation	<i>I</i>
Signature : Date :	

Section 19: BBD8210 VERSION 1 - E7/1 - SPECIFICATION TO GENERAL WORK AND WORKS ON, OVER, UNDER OR ADJACENT TO RAILWAY LINES AND NEAR HIGH VOLTAGE EQUIPMENT



Section: 20 - SCHEDULE OF PLANT AND EQUIPMENT

RFQ NUMBER ERAC-WGO-012186

SCHEDULE OF PLANT


Schedule of major plant and equipment to be used in the execution of this contract in terms of the Contract Conditions and specifications. The respondent must state which plant is immediately available and which will have to be acquired.

(i)	Plant immediately available for work tendered for:
(ii)	Plant on order and which will be available for work tendered for:
(iii)	Plant to be acquired for the work tendered for:

TRANSNEF



delivering on our commitment to you



Suppliers Code of Conduct

Transnet aims to achieve the best value for money when buying or selling goods and obtaining services. This, however, must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any supplier dealing with Transnet must understand and support.

These are:

- >> Transnet Procurement Policy A guide for tenderers;
- Section 217 of the Constitution the five pillars of Public PSCM (Procurement and Supply Chain Management): fair, equitable, transparent, competitive and cost effective:
- >> The Public Finance Management Act (PFMA);
- >> The Broad Based Black Economic Empowerment Act (BBBEE); and
- >> The Anti-Corruption Act.


This code of conduct has been compiled to formally apprise Transnet Suppliers of Transnet's expectations regarding behaviour and conduct of its Suppliers.

Prohibition of Bribes, Kickbacks, Unlawful Payments, and Other Corrupt Practices

Transnet is in the process of transforming itself into a selfsustaining State Owned Enterprise, actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. Assuch, our transformation is focused on adopting a performance culture and to adopt behaviours that will enable this transformation.

Transnet will not participate in corrupt practices. Therefore, it expects its suppliers to act in a similar manner.

>> Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions with, and payments to, our suppliers.





Employees must not accept or request money or anything of value, directly or indirectly, from suppliers.

Employees may not recieve anything that is calculated to:

- Illegally influence their judgement or conduct or to influence the outcome of a sourcing activity;
- Win or retain business or to influence any act or decision of any person involved in sourcing decisions; gain an improper advantage.
- There may be times when a supplier is confronted with fraudulent or corrupt behaviour of Transnet employees. We expect our suppliers to use our "Tip-offs Anonymous" Hotline to report these acts - 0800 003 056.

Transnet is firmly committed to free and competitive enterprise.


- » Suppliers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust practices
- >> Transnet does not engage non-value adding agents or representatives solely for the purpose of increasing BBBEE spend (fronting).

Transnet's relationship with suppliers requires us to clearly define requirements, to exchange information and share mutual benefits.

>>> Generally, suppliers have their own business standards and regulations. Although Transnet cannot control the actions of our suppliers, we will not tolerate any illegal activities.







These include, but are not limited to:

- Misrepresentation of their product (origin of manufacture, specifications, intellectual property rights, etc);
- Collusion:
- Failure to disclose accurate information required during the sourcing activity (ownership financial situation, BBBEE status, etc.);
- Corrupt activities listed above; and harassment, intimidation or other aggressive actions towards Transnet employees.
- Suppliers must be evaluated and approved before any materials, components, products or services are purchased from them. Rigorous due diligence must be conducted and the supplier is expected to participate in an honest and straight forward manner.
- » Suppliers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.









Conflict of Interest

A conflict of interest arises when personal interests or activities influence (or appear to influence) the ability to act in the best interests of Transnet. Examples are:

- >> Doing business with family members.
- >> Having a financial interest in another company in our industry.

Show that you support good business practice by logging onto www.transnet-suppliers.net and completing the form.

This will allow us to confirm that you have received, and agree to, the terms and conditions set out in our Suppliers Code of Conduct.

TIP-OFFS ANONYMOUS HOTLINE 0800 003 056

TRANSNET



MINIMUM COMMUNAL **HEALTH REQUIREMENTS** IN **AREAS OUTSIDE** THE JURISDICTION OF LOCAL **AUTHORITY: TEMPORARY FACILITIES FOR** Α CONTRACTOR'S PERSONNEL

1. CAMPS

- 1.1 Prior to the erection of any camp, the Contractor shall submit to the Employer's Deputy, for his approval, details of his proposals as to the site, water supply, sanitation, and size and type of buildings. Where the site is on private land, the Contractor shall submit the written approval for the use of the site of the relevant statutory authority and of the owner and occupier of the land (as applicable).
- 1.2 Camps must not be erected on land infested with field rodents.
- 1.3 Adequate drainage shall be provided to carry off storm and waste water.
- 1.4 Buildings shall be built to a neat and orderly pattern.
- 1.5 All buildings shall have smooth, hard, impervious floors, graded to provide effective drainage and to permit washing.
- 1.6 Camps shall be maintained by the Contractor at his own expense in a clean and tidy condition. The Contractor shall take such steps as the Employer's Deputy and landowner/occupier may demand to prevent the creation of a nuisance.
- 1.7 When so instructed by the Employer's Deputy, the Contractor shall, at his own expense, erect suitable screens between the camp and any public road, thoroughfare or railway line.
- 1.8 After removal of a camp, the Contractor shall, at his own expense, restore the site to its original condition to the satisfaction of the Employer's Deputy and of the landowner and occupier where the site is on private land.

2. HOUSING

- 2.1 Every living room shall have cross ventilation, both constant and occasional. Where only one window is provided, it shall not be in the same wall as the door.
- 2.2 Dimensions of living rooms shall be sufficient to allow 3.5 square metres of floor area and 11 cubic metres of air space for each person over the age of 10 years. The floor area of any living room shall not be less than 7,8 square metres.

- 2.3 Flat-roofed quarters shall have a minimum roof height of 3 metres above floor level. For quarters with pitched roofs, the wall height shall be not less than 2,6 metres above the floor with a minimum height above floor of 3 metres at the top of the pitch.
- 2.4 Doors shall not be less than 2m x 0,75m and must be halved.
- 2.5 Windows of each living room shall have an area not less than one twelfth of the floor area and shall be capable of opening to at least half their full area.
- 2.6 In areas where malaria is prevalent, doors and windows must be fitted with gauze screens.
- 2.7 Cooking shelters shall comprise roofed structures, three sides of which shall be enclosed by a weatherproof material, approved by the Employer's Deputy to a height of at least **1m** above ground level.
 - 2.7.1 Sleeping quarters shall not accommodate more than 8 persons per room.
 - 2.7.2 Pegboards shall be carried on metal or concrete supports and shall be separated by partitions not less than 0,4 metres high extending to within 150mm of the end of the bunk. Pegboards shall be removable for cleaning.

3. WATER SUPPLY AND ABLUTION FACILITIES

- 3.1 The Contractor shall ensure that an adequate and conveniently situated supply of potable water is provided.
- 3.2 Separate buildings for ablution facilities shall be provided. Where approval has been obtained for the housing of both males and females, separate facilities for each sex shall be provided. The proportion shall be 1 cubicle for 20 persons.
- 3.3 Waste water shall be hygienically disposed of

4. **SANITATION**

- 4.1 Separate buildings for latrine facilities shall be provided. Where housing are provided for both males and females, separate facilities for each sex shall be provided. The proportions shall be at least one squatting seat for every 15 persons or less in the case of pit latrines, or one for every 10 persons or less in case of pail latrines.
 - Latrines shall be fly proof and sited at least 10 metres from any other building, and shall not face on any public road, thoroughfare, railway line or residential property. Pits shall not be less than 2,5 metres deep and sited not less than 120 metres from nearest underground water source.
- 4.2 Latrines shall be so constructed, situated and maintained, and night soil so disposed of as to prevent access by animals, breeding of flies, pollution of streams and domestic water supplies, and other nuisances. Where a night soil removal service is operated by a competent authority, use of such service shall be obligatory, and the use of pit latrines and atria pits will not be permitted.

- 4.3 At least one refuse bin of adequate size with close fitting lid shall be provided for each building. Refuse bins shall be emptied and cleaned out daily.
- 4.4 Labour shall be employed on camp sanitation duties on the following basis:-
 - 4.4.1 Where the number of persons living at the camp is 20 or less one unit.
 - 4.4.2 For additional numbers over 20 living at the camp one unit per 100 or part thereof.
- 4.5 Unless refuse is removed by a competent authority, it shall be disposed of in pits and covered over daily with a layer of earth or ash of sufficient thickness to prevent depredations by rodents and the breeding of flies.
- 4.6 Adequate measures shall be taken against all vermin and insects responsible for the spread of disease. Any instructions of a competent health authority shall be carried out promptly and implicitly.
- 4.7 Buildings and bedboards shall be treated whenever necessary with an approved insecticide.
- 4.8 The Contractor shall permit and facilitate inspection of the camp and structures on the site by the staff of Transnet or any other competent authority, and shall comply with any reasonable request by such staff or any other competent authority to eliminate any unsanitary condition.
- 4.9 Any outbreak of infectious disease shall immediately be reported telephonically and confirmed in writing to the Employer's Deputy.
- 4.10 The keeping of animals of any sort is not permitted.
- 4.11 The Contractor shall have on hand at the camp the necessary tools, disinfectants and cleaning materials to maintain and clean the sanitary facilities.

RATIONS

Rations, where supplied by the Contractor, shall be stored in a suitable and rodent proof building with sufficient shelving.

P02b-06 (JLH)

TRANSNET SOC LIMITED

(Registration no. 1990/000900/30)

SAFETY ARRANGEMENTS AND PROCEDURAL COMPLIANCE WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT (ACT 85 OF 1993) AND APPLICABLE REGULATIONS

1. General

- 1.1 The Contractor and Transnet SOC Limited (hereinafter referred to as Transnet") are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (the Act) and applicable Regulations.
- 1.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. He shall, before commencement with the execution of the contract work, comply with the provisions set out in the Act, and shall implement and maintain a Health and Safety Plan as described in the Construction Regulations, 2003 and as approved by Transnet, on the Site and place of work for the duration of the Contract.
- 1.3 The Contractor accepts his obligation to complying fully with the Act and applicable Regulations notwithstanding the omission of some of the provisions of the Act and the Regulations from this document.
- 1.4 Transnet accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Contractor and Project Manager or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the Works.
- 1.5 In the event of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

2. Definitions

- 2.1 In this Specification any word or expression to which a meaning has been assigned in the Construction Regulations, shall have the meaning so assigned to it, unless the context otherwise indicates: -
- 2.2 The work included in this Contract shall for the purposes of compliance with the Act be deemed to be "Construction Work", which, in terms of the Construction Regulations, 2003 means any work in connection with: -
 - (a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;



- (b) the installation, erection, dismantling or maintenance of fixed plant where such work includes the risk of a person falling;
- (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
- (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;
- 2.3 "competent person" in relation to construction work, means any person having the knowledge, training and experience specific to the work or task being performed: Provided that where appropriate qualifications and training are registered as per the South African Qualifications Authority Act, 1995 these qualifications and training shall be deemed to be the required qualifications and training;
- 2.4 "contractor" means principal contractor and "subcontractor" means contractor as defined by the Construction Regulations, 2003.
- 2.5 "fall protection plan" means a documented plan, of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods applied to eliminate the risk;
- 2.6 "health and safety file" means a file, or other record in permanent form, containing the information required to be kept on site in accordance with the Act and applicable Regulations;
- 2.7 "Health and Safety Plan" means a documented plan which addresses the hazards identified and include safe work procedures to mitigate, reduce or control the hazards identified:
- 2.8 "Risk Assessment" means a programme to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard;
- 2.9 "the Act" means the Occupational Health and Safety Act No. 85 of 1993.

3. Procedural Compliance

- 3.1 The Contractor who intends to carry out any construction work shall, before carrying out such work, notify the Provincial Director in writing if the construction work:-
 - (a) includes the demolition of a structure exceeding a height of 3 metres; or
 - (b) includes the use of explosives to perform construction work; or
 - (c) includes the dismantling of fixed plant at a height greater than 3m,

and shall also notify the Provincial Director in writing when the construction work exceeds 30 days or will involve more than 300 person days of construction work and if the construction work:-

(a) includes excavation work deeper than 1m; or



- (b) includes working at a height greater than 3 metres above ground or a landing.
- 3.2 The notification to the Provincial Director shall be on a form similar to Annexure A of the Construction Regulations, 2003, also shown in Annexure 1 of this Specification. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, Project Manager or employee.
- 3.3 The Contractor shall, in accordance with the Act and applicable Regulations, make all the necessary appointments of competent persons in writing on a form similar to Annexure 2 of this Specification and deliver copies thereof to the Project Manager. Copies should also be retained on the health and safety file.
- 3.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the Project Manager.
- In the case of a self-employed Contractor or any subcontractor who has the appropriate competencies and supervises the work himself, the appointment of a construction supervisor in terms of regulation 6.1 of the Construction Regulations, 2003 will not be necessary. The Contractor shall in such a case execute and sign a declaration, as in Annexure 3, by which he personally undertakes the duties and obligations of the "Chief Executive Officer" in terms of section 16(1) of the Act.
- The Contractor shall, before commencing any work, obtain from the Project Manager an access certificate as in Annexure 4 executed and signed by him, permitting and limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.
- 3.7 Procedural compliance with Act and Regulations, as above, shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the Project Manager with full particulars of such subcontractors and shall ensure that they comply with the Act and Regulations and Transnet's safety requirements and procedures.

4. Special Permits

Where special permits are required before work may be carried out such as for hotwork, isolation permits, work permits and occupations, the Contractor shall apply to the Project Manager or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such permits.

5. Health and Safety Programme

- 5.1 The Tenderer shall, with his tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the Act and Regulations and particularly in respect of: -
 - (i) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health of his employees and subcontractors in terms of section 8 of the Act;



- (ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
- (iii) ensuring, as far as is reasonably practical, in terms of section 37 of the Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- The Contractor's Health and Safety Programme shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.
- 5.3 The Contractor shall cause a risk assessment contemplated in clause 5.2 above to be performed by a competent person, appointed in writing, before commencement of any Construction Work and reviewed during construction. The Risk Assessments shall form part of the Health and Safety programme to be applied on the site and shall include at least the following:
 - (a) The identification of the risks and hazards that persons may be exposed to:
 - (b) the analysis and evaluation of the hazards identified;
 - (c) a documented Health and Safety Plan, including safe work procedures to mitigate, reduce or control the risks identified:
 - (d) a monitoring and review plan.
- 5.4 The Health and Safety Plan shall include full particulars in respect of: -
 - (a) The safety management structure to be instituted on site or place of work and the names of the Contractor's health and safety representatives and members of safety committees where applicable;
 - (b) the safe working methods and procedures to be implemented to ensure the work is performed in compliance with the Act and Regulations;
 - (c) the safety equipment, devices and clothing to be made available by the Contractor to his employees;
 - (d) the site access control measures pertaining to health and safety to be implemented;
 - (e) the arrangements in respect of communication of health and safety related matters and incidents between the Contractor, his employees, subcontractors and the Project Manager with particular reference to the reporting of incidents in compliance with Section 24 and General Administrative Regulation 8 of the Act and with the pertinent clause of the General Conditions of Contract forming part of the Contract and



- (f) the introduction of control measures for ensuring that the Safety Plan is maintained and monitored for the duration of the Contract.
- 5.4 The Health and Safety programme shall be subject to the Project Manager's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the Project Manager's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the Act and Regulations. The Project Manager or his deputy shall be allowed to attend meetings of the Contractor's safety committee as an observer.
- 5.5 The Contractor shall take reasonable steps to ensure that each subcontractor's Health and Safety Plan is implemented and maintained on the construction site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between the them, but at least once every month.
- The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's Health and Safety Plan for the site or which poses a threat to the health and safety of persons.
- 5.7 The Contractor shall ensure that a copy of the Health and Safety Plan is available on site for inspection by an inspector, Project Manager, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.
- 5.8 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the Risk Assessment.
- 5.9 The Contractor shall ensure that all employees under his control are informed, instructed and trained by a competent person regarding any hazard and the related work procedures before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.10 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the Risk Assessment before any work commences, and thereafter at such times as may be determined in the Risk Assessment.
- 5.11 The Contractor shall ensure that all visitors to a construction site undergoes health and safety induction pertaining to the hazards prevalent on the site and shall be provided with the necessary personal protective equipment.

6. Fall Protection Plan

6.1 In the event of the risk and hazard identification, as required in terms of clause 5.3 of this Specification, revealing risks relating to working from an elevated position the contractor shall cause the designation of a competent person, responsible for the preparation of a fall protection plan;



- 6.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of Contract. The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.
- 6.3 The fall protection plan shall include:-
 - (a) A Risk Assessment of all work carried out from an elevated position;
 - (b) the procedures and methods to address all the identified risks per location;
 - (c) the evaluation of the employees physical and psychological fitness necessary to work at elevated positions;
 - (d) the training of employees working from elevated positions; and
 - (e) the procedure addressing the inspection, testing and maintenance of all fall protection equipment.

7. Hazards and Potential Hazardous Situations

The Contractor and the Project Manager shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the Contract by the Contractor or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.

8. Health and Safety File

- 8.1 The Contractor shall ensure that a health and safety file is opened and kept on site and shall include all documentation required as per the Act and applicable regulations, and made available to an inspector, the Project Manager, or subcontractor upon request.
- 8.2 The Contractor shall ensure that a copy of the both his Health and Safety Plan as well as any subcontractor's Health and Safety Plan is available on request to an employee, inspector, contractor or the Project Manager.
- 8.3 The Contractor shall hand over a consolidated health and safety file to the Project Manager upon completion of the Construction Work and shall in addition to documentation mentioned in the Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.



OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Regulation 3(1) of the Construction Regulations

NOTIFICATION OF CONSTRUCTION WORK

1(a)	Name and postal address of principal contractor:
(b)	Name and tel. no of principal contractor's contact person:
2.	Principal contractor's compensation registration number:
3.(a)	Name and postal address of client:
(b)	Name and tel no of client's contact person or agent:
4.(a)	Name and postal address of designer(s) for the project:
(b)	Name and tel. no of designer(s) contact person:
5.	Name and telephone number of principal contractor's construction supervisor on site appointed in terms of regulation 6(1).
6.	Name/s of principal contractor's construction sub-ordinate supervisors on site appointed in terms of regulation 6(2).
7.	Exact physical address of the construction site or site office:
8.	Nature of the construction work:
9.	Expected commencement date:
10.	Expected completion date:



11. Estimated maximum r	nber of persons on the construction site:	
12. Planned number of co contractor:	ractors on the construction site accountable to the principle	
13. Name(s) of contract	rs already chosen.	
Principal Contractor	Date	
Client	Date	

- * THIS DOCUMENT IS TO BE FORWARDED TO THE OFFICE OF THE DEPARTMENT OF LABOUR PRIOR TO COMMENCEMENT OF WORK ON SITE.
- * ALL PRINCIPAL CONTRACTORS THAT QUALIFY TO NOTIFY MUST DO SO EVEN IF ANOTHER PRINCIPAL CONTRACTOR ON THE SAME SITE HAD DONE SO PRIOR TO THE COMMENCEMENT OF WORK.



(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

SECTION/REGULATION:
REQUIRED COMPETENCY:
n terms of
epresenting the Employer) do hereby
as the Competent Person on the premises at
physical address) to assist in compliance with the Act and the applicable Regulations.
our designated area/s is/are as follows :-
Date :
Signature :-
Designation :-
ACCEPTANCE OF DESIGNATION
do hereby accept this Designation and
acknowledge that I and are also and are also and are also are also and are also are
Date :
Signature :
Designation :-
TRANSNEC Page 9 of 11



(COMPANY LETTER HEAD)

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT 85 OF 1993):

DECLARATION

Section 16(1), I will, as far as	am personally assuming the duties on 1 of the Act and in terms of re that the duties and obligations y discharged.
Signature :	
118	



(LETTER HEAD OF BUSINESS DIVISION OR UNIT OF TRANSNET SOC LIMITED)

SITE ACCESS CERTIFICATE

Access to :				(Area)
Name	of			==25
Contractor/Builder :-				
Contract/Order No.:				
				•
The contract works si	te/area described	l above are made av	ailable to you for the	carrying out
of associated works				
In terms of your cont	ract/order			
with				
(company				
		9.1. 6 . 0		- \\\\ Cita
Kindly note that you a				e vvorks Site,
and for persons unde	r your control nav	ing access to the site	} ,	
As from the date here	oof you will be re	ananaible for compli	ango with the require	monte of the
Occupational Health a				
the Contract pertainir				
documents including				THE COMMON
documents including	uie pians oi uie s	ile of work areas for	ning part thereor.	
Signed :			Date :	2
oignou i				
		7		
PROJECT MA	NAGER	,		
1 1100201 1111				
	ACKNOWL	EDGEMENT OF RE	CEIPT	
	V			
Name	of			I,
Contractor/Builder :	=			
		do he	reby acknowledge	and accept
		the du		•
and obligations in	respect of the	Safety of the site	area of Work in t	erms of the
Occupational Health				
	, ., ,			
Name :			Designation :	
1				
Signature :			Date :	
		-	= 237 6	



Page 11 of 11