

Transnet Freight Rail RME, a division of

TRANSNET SOC LTD

Registration Number 1990/000900/30 [hereinafter referred to as **Transnet**]

REQUEST FOR QUOTATION [RFQ] NO RM DBN-051/2014

FOR THE SUPPLY OF: INSTLATORS AND SWITCHES

FOR DELIVERY TO: EEL ROAD BAYHEAD DURBAN

ISSUL DATE:

14 JULY 2014

COSING DATE:

22 JULY 2014

LOSING TIME:

12:00

Section 1 NOTICE TO BIDDERS

Quotations which must be completed as indicated in Section 2 of this RFQ are to be submitted as follows:

METHOD: Tender Box

CLOSING VENUE: The Chairman of the Acquisition Council

Ground Floor Queens Warehouse 237 Mahatma Gandhi (Point) Road

Point, Durban

1 Responses to RFQ

Responses to this RFQ [**Quotations**] must not include docum as reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

2 Broad-Based Black Economic Empowerment [B-BBEE]

Transnet fully endorses and supports the Given ment's Broad-Based Black Economic Empowerment Programme and it would therefore prefer to a bisiness with local business enterprises who share these same values. Transnet will accordingly allow a "preference" to companies who provide a valid B-BBEE Verification Certificate. All procurement transactions will be evaluated accordingly.

2.1 B-BBEE Scorecard and Rating

As prescribed in tends of the Preferential Procurement Policy Framework Act (PPPFA), Act 5 of 2000 and its Rigulations, Respondents are to note that the following preference point system is applicable to 11 bids:

• 80/20 system for requirements with a Rand value of up to R1 000 000 (all applicable taxes included).

Bidders are to note that if the 80/20 preference point system is stipulated in this RFQand all Bids received exceed R1 000 000.00, the RFQ must be cancelled.

The value of this bid is estimated to be below R1000 000 (all applicable taxes included) and therefore the **80/20** system shall be applicable.

When Transnet invites prospective suppliers to submit Proposals for its various expenditure programmes, it requires Respondents to have their B-BBEE status verified in compliance with the Codes of Good Practice issued in terms of the Broad Based Black Economic Empowerment Act No. 53 of 2003.

The Department of Trade and Industry recently revised the Codes of Good Practice on 11 October 2013 [Government Gazette No. 36928]. The Revised Codes will replace the Black Economic Empowerment Codes of Good Practice issued on 9 February 2007. The Revised Codes provide for a one year transitional period starting 11 October 2013. During the transitional period, companies may elect to be measured in terms of the Revised Codes or the 2007 version of the Codes. After

the first year of the implementation of the Revised Codes, B-BBEE compliance will be measured in terms of the Revised Codes without any discretion. Companies which are governed by Sector-specific Codes will be measured in terms of those Sector Codes.

As such, Transnet will accept B-BBEE certificates issued based on the Revised Codes. Transnet will also continue to accept B-BBEE certificates issued in terms of the 2007 version of the Codes provided it was issued before 10 October 2014. Thereafter, Transnet will only accept B-BBEE certificates issued based on the Revised Codes.

Respondents are required to complete Annexure A [the B-BBEE Preference Point Claim Form] and submit it together with proof of their B-BBEE Status as stipulated in the Claim Form in order to obtain preference points for their B-BBEE status.

Note: Failure to submit a valid and original B-BBEE certificate or a certified copy thereof at the Closing Date of this RFQ will result in a score of the being allocated for B-BBEE.

[Refer clause 19 below for Returnable Documents required

2.2 B-BBEE Improvement Plan - Not Applicable

2.3 Supplier Development In ciative Not Applicable

3 Communication

- a) Respondents at warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of Transnet in respect of this RFQ between the closing date and the date of the award of the breviess.
 - A Respondent may, however, before the closing date and time, direct any written enquiries relating to the RFQ to the following Transnet employee:

Name: Anne Mongie Email: anne.mongie@transnet.net

c) Respondents may also, at any time after the closing date of the RFQ, communicate with the Regional Supply Chain Manager Durban Boitumelo Manyakalle on any matter relating to its RFQ response:

Telephone 031 361 1016 Email Boitumelo.manyakalle@transnet.net

Tax Clearance

The Respondent's original and valid Tax Clearance Certificate must accompany the Quotation. Note that no business shall be awarded to any Respondent whose tax matters have not been declared by SARS to be in order.

4 VAT Registration

the valid vali redistration number must be stated here:	registration number must be stated here:[if applicable	27.
---	--	-----

5 Legal Compliance

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

6 Changes to Quotations

Changes by the Respondent to its submission will not be considered after the closing date and time.

7 Pricing

All prices must be quoted in South African Rand on a fixed price basis, excluding VAT.

8 Prices Subject to Confirmation

Prices quoted which are subject to confirmation will not be considered

9 Negotiations

Transnet reserves the right to undertake post-tender negotiations with selected Respondents or any number of short-listed Respondents.

10 Binding Offer

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and spec fically indicated.

11 Disclaimers

Transnet is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that Transnet reserves the right to:

- modify the RPN's goods / service(s) and request Respondents to re-bid on any changes;
- reject by Quotation which does not conform to instructions and specifications which are detailed
 htteir.
- Squalify Quotations submitted after the stated submission deadline;
- oot necessarily accept the lowest priced Quotation;
 - reject all Quotations, if it so decides;
- place an order in connection with this Quotation at any time after the RFQ's closing date;
- award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider; or
- make no award at all.

Transnet reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another bidder.

12 Transnet's supplier integrity pact

Transnet's Integrity Pact requires a commitment from suppliers and Transnet that they will not engage in any corrupt and fraudulent practices, anti-competitive practices; and act in bad faith towards each other.

The Integrity Pact also serves to communicate Transnet's Gift Policy as well as the remedies available to Transnet where a Respondent contravenes any provision of the Integrity Pact.

Respondents are required to familiarise themselves with the contents of the Integrity Pact which is available on the Transnet Internet site [www.transnet.net/Tenders/Pages/default.aspx] or on request. Furthermore, Respondents are required to certify that they have acquainted themselves with all the documentation comprising the Transnet Integrity Pact and that they fully comply with all the terms and conditions stipulated in the Transnet Supplier Integrity Pact as follows:



Should a Respondent need to declare previous transgressions or a Sario is breach of law in the preceding 5 years as required by Annexure A to the Integrity Pact, Judicial Claration must accompany the Respondent's bid submission.

13 Respondent's Samples - Not Applicable

14 Evaluation Criteria

Transnet will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required:

Criterion/C	riteria	Explanation
Administrative responsiveness		Completeness of response and returnable documents
Final wei	ighted based	Pricing and price basis [firm] - whilst not the sole factor for consideration, competitive pricing and overall level of unconditional discounts ¹ will be critical
on preference	point	B-BBEE status of company - Preference points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table
s, ste n in dice ted	as in	indicated in Annexure A.
aragraph	Error!	
Reference not found.	source	

15 Validity Period

Transnet desires a valid	lity period of 90 [ninety] days fro	om the closing date of this RFQ.
This RFQ is valid until		

Respondent's Signature Date & Company Stamp

¹ Only unconditional discounts will be taken into account during evaluation. A discount which has been offered conditionally will, despite not being taken into account for evaluation purposes, be implemented when payment is effected.

16	Banking Details
	BANK:
	BRANCH NAME / CODE:
	ACCOUNT HOLDER:
	ACCOUNT NUMBER:
17	Company Registration
	Registration number of company / C.C.
	Registered name of company / C.C.
18	Disclosure of Prices Quoted
	Respondents must indicate here whether Transnet may disclose their quot d prices and conditions to
	other Respondents:
	YES NO NO
19	Returnable Documents

Returnable Documents means all the documents Sections and Annexures, as listed in the tables below.

 Respondents are required to submit with their Quotations the <u>Returnable Documents</u>, as detailed below.

Failure to provide all these Returnable Documents at the Closing Date and time of this RFQ may result in a Respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Rocuments are returned with their Quotations.

All Sections, a indicated in the footer of each page, must be signed, stamped and dated by the Respondent. Reason confirm submission of these Returnable Documents by so indicating [Yes or No] in the table belox.

	Returnable Documents	Submitted [Yes or No]
SECTION	1 : Notice to Bidders	
-	Valid and original B-BBEE Verification Certificate or certified copy thereof [Large Enterprises and QSEs]	
	Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the RFQ will result in an automatic score of zero for preference	
:=:	Valid and original B-BBEE certificate/sworn affidavit or certified copy thereof from auditor, accounting officer or SANAS accredited Verification Agency [EMEs]	
	Note: failure to provide a valid B-BBEE Verification Certificate at the closing date and time of the RFQ will result in an automatic score of zero being allocated for preference	
:83	In the case of Joint Ventures, a copy of the Joint Venture Agreement or written confirmation of the intention to enter into a Joint Venture Agreement	

Returnable Documents	Submitted [Yes or No]
 Original valid Tax Clearance Certificate [Consortia / Joint Ventures must submit a separate Tax Clearance Certificate for each party] 	
SECTION 2 : Quotation Form	
SECTION 3: Vendor Application Form	
Original cancelled cheque or bank verification of banking details	
Certified copies of IDs of shareholder/directors/members [as applicable]	
 Certified copies of the relevant company registration documents from Companies and Intellectual Property Commission (CIPC) 	
Certified copies of the company's shareholding/director's portfolice.	
Entity's letterhead	
Certified copy of VAT Registration Certificate [RSA entition only]	
Certified copy of valid Company Registration Certificate [applicable]	
Financial Statements signed by your Accounting Office A Audited Financial Statements for previous 3 years	
ANNEXURE A – B-BBEE Preference Points Claim Form	

b) In addition to the requirements operagraph a) above, Respondents are further requested to submit with their Proposals the following a ditional documents as detailed below.

Please confirm subhissists of these additional documents by so indicating [Yes or No] in the table below:

Section 2 OUOTATION FORM

I/We	
7/ 110	

hereby offer to supply the goods/services at the prices quoted in the Price Schedule below, in accordance with the conditions related thereto.

I/We agree to be bound by those terms and conditions in:

- the Standard Terms and Conditions for the Supply of Goods or Services to Transnet [available on request]; and
- any other standard or special conditions mentioned and/or embodied in this lequest for Quotation.

I/We accept that unless Transnet should otherwise decide and so inform me, is, this Quotation [and, if any, its covering letter and any subsequent exchange of correst on ence), together with Transnet's acceptance thereof shall constitute a binding contract between Nauscaland me/us.

I/We further agree that if, after I/we have been notified of the arceptance of my/our Quotation, I/we fail to deliver the said goods/service/s within the delivery ead-time quoted, Transnet may, without prejudice to any other legal remedy which it may have, calcel the order and recover from me/us any expenses incurred by Transnet in calling for Quotations of the and/or having to accept any less favourable offer.

Price Schedule

I/We quote as follows for the goods required, on a "delivered nominated destination" basis, excluding VAT:

Item No	Description of Goods / Services	Unit of Measure	Quantity	Unit Price (ZAR)	Total Price (ZAR)
1	Supply 5kv/AC section Insulator 107mm2 "Aranu, Flury" as per spec.	Each	5		
-					
2	Track Switch 24kv AC as per spec.	Each	3		

De	livery Lead-Tim	e from date of	purchase order :	[davs/weeks

Notes to Pricing:

- All Prices must be quoted in South African Rand, exclusive of VAT
- b) To facilitate like-for-like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being disqualified.
- c) Please note that should you have offered a discounted price(s), Transnet will only consider such price discount(s) in the final evaluation stage if offered on an unconditional basis.

Respondent's Signature Date & Company Stamp

Section 3 VENDOR APPLICATION FORM

Respondents are to furnish the following documentation and complete the Vendor Application Form below:

- Original cancelled cheque OR letter from the Respondent's bank verifying banking details
 [with bank stamp]
- Certified copy of Identity Document(s) of Shareholders/Directors/Members [where applicable]
- 3. **Certified copies** of the relevant company registration documents from Companies and Intellectual Property Commission (CIPC)
- 4. Certified copies of the company's shareholding/directer's portfolio
- 5. A letter on the company's letterhead confirm physical and postal addresses
- 6. Original valid SARS Tax Clearance Certificate
- 7. Certified copy of VAT Registration Certificate
- 8. **A valid and original** B-BBEE Verification Certificate / sworn affidavit **or certified copy** thereof meeting the requirements for b-BBEE compliance as per the B-BBEE Codes of Good Practice
- 9. **Certified copy** of valid Corpany Registration Certificate [if applicable]

Vendor Application Form

Company trading name					
Contrany registered name					
Company Registration Nun	nber or ID Nur	mber if a Sole	Proprietor		
Form of entity [√] CC	Trust	Pty Ltd	Limited	Partnership	Sole Proprietor
VAT number [if registered]					
Company telephone number					
Company fax number					
Company email address					
Company website address					
Bank name			Branch & Bran	nch code	
Account holder			Bank account	number	
Postal address					

Respondent's Signature

				Code	
Physical Address				Code	
Contact person					
Designation					
Telephone	The state of the s				
Email					2.3
Annual turnove	er range [last financial year]	< R5 m	R5 - 35 M	> R35 m	
	Does your company provide	Products	Services	Both	2
	Area of delivery	National	Provincial	Local	1112-
	Is your company a pub	olic or private entit	Public	Private	
Does your	company have a Tax Directive	or IRP30 Certil cate	Yes	No	
Ma	ain product or services [e.g. Sta	tionery/Consulting]			

Complete B-BBEE Ownership Details:

% Black ownership		sabled ownership	% Youth ownership
Does you	r entity have a R-BBTE certificate	Yes	No
	What is your B-BBEE status [Le	evel 1 to 9 / Unknown]	
How many	personne does the entity employ	Permanent	Part time

If you are an existing Vendor with Transnet please complete the following:

Transpet contact person			
Contact number			
ranshet Operating Division			

Duly authorised to sign for and on behalf of Company / Organisation:

Name	Designation	
Signature	Date	

RFQ FOR THE SUPPLY OF 240MM X 4CORE PVC SWA ECC CABLE FOR A PERIOD OF ONCE OFF

ANNEXURE A: B-BBEE PREFERENCE POINTS CLAIM FORM

This preference form contains general information and serves as a claim for preference points for Broad-Based Black Economic Empowerment [**B-BBEE**] Status Level of Contribution.

1. INTRODUCTION

- 1.1 A total of 20 (twenty) preference points shall be awarded for B-BBEE Status Level of Contribution.
- 1.2 Failure on the part of a Bidder to fill in and/or to sign this form and submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System [SANAS] or a Registered Auditor approved by the Independent Regulatory Board of Auditors [IRBA] or an Accounting Officer as contemplated in the Close Corp Operation Act [CCA] together with the bid will be interpreted to mean that preference points for B-BBEE Status Level of Contribution are not claimed.
- 1.3 Transnet reserves the right to require of a Bidder, either before a Bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by Transnet.

2. GENERAL DEFINITIONS

- 2.1 **"all applicable taxes"** include value- dded tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- 2.2 **"B-BBEE"** means broad based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.3 **"B-BBEE status of scritributor"** means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- 2 Transnet for the provision of goods, works or services;
- 2.5 **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 [Act No. 53 of 2003];
- 2.6 "comparative price" means the price after the factors of a non-firm price and all unconditional discounts that can utilised have been taken into consideration;
- 2.7 "consortium or joint venture" means an association of persons for the purpose of combining their expertise, property, capital, efforts, skills and knowledge in an activity for the execution of a contract;
- 2.8 "contract" means the agreement that results from the acceptance of a bid by Transnet;
- 2.9 "EME" means any enterprise with an annual total revenue of R5 [five] million or less as per the 2007 version of the B-BBEE Codes of Good Practice and means any enterprise with an annual total revenue of R10 [ten] million or less as per the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928;

- 2.10 "firm price" means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs and excise duty and any other duty, levy, or tax, which, in terms of the law or regulation, is binding on the contractor and demonstrably has an influence on the price of any supplies, or the rendering costs of any service, for the execution of the contract;
- 2.11 **"functionality"** means the measurement according to predetermined norms, as set out in the bid documents, of a service or commodity that is designed to be practical and useful, working or operating, taking into account, among other factors, the quality, reliability, viability and durability of a service and the technical capacity and ability of a bidder;
- 2.12 "non-firm prices" means all prices other than "firm" prices;
- 2.13 "person" includes reference to a juristic person;
- 2.14 "QSE" means any enterprise with an annual total revenue between R* [five] million and R35 [thirty five] million as per the 2007 version of the B-BBEE Cooks or bood Practice and means any enterprise with an annual total revenue of between R10 [ten] million and R50 [fifty] million as per the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928
- 2.15 "**rand value**" means the total estimated value of a contract in South African currency, calculated at the time of bid invitations, and includes at applicable taxes and excise duties;
- 2.16 **"subcontract"** means the primary contractor's assigning or leasing or making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract;
- 2.17 **"total revenue"** bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Empowerment of and promulgated in the Government Gazette on 9 February 2007;
- 2.18 **"trust"** near the arrangement through which the property of one person is made over or bequeat lied to a trustee to administer such property for the benefit of another person; and
- 2.19 **c'tri stee** means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.

3. ADJUDICATION USING A POINT SYSTEM

- 3.1 The Bidder obtaining the highest number of total points for the evaluation criteria as enumerated in Section 2 of the RFP will be awarded the contract, unless objective criteria justifies the award to another bidder.
- 3.2 Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts.
- 3.3 Points scored will be rounded off to 2 [two] decimal places.
- 3.4 In the event of equal points scored, the Bid will be awarded to the Bidder scoring the highest number of preference points for B-BBEE.
- 3.5 However, when functionality is part of the evaluation process and two or more Bids have scored equal points including equal preference points for B-BBEE, the successful Bid will be the one

scoring the highest score for functionality.

3.6 Should two or more Bids be equal in all respect, the award shall be decided by the drawing of lots.



4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

4.1 In terms of the Preferential Procurement Regulations, 2011, preference points shall be awarded to a Bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of Points [Maximum 20]
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0


- 4.2 Bidders who qualify as EMEs in terms of the zood version of the Codes of Good Practice must submit a certificate issued by an Accounting Oficer as contemplated in the CCA or a Verification Agency accredited by SANAS or a Registered Additor. Registered auditors do not need to meet the prerequisite for IRBA's approval for the purpose of conducting verification and issuing EME's with B-BBEE Status Level Certificates.
- 4.3 Bidders who qualify as EMEs in terms of the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928 are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R10 million or less and the entity's Level of Rlack ownership.
- In terms of the 2017 version of the Codes of Good Practice, Bidders other than EMEs must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating issued by a Registered Auditor approved by IRBA or a Verification Agency accredited by SANAS.
- In terms of the Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928, Bidders who qualify as QSEs are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R50 million or less and the entity's Level of Black ownership. Large enterprises must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating issued by a Registered Auditor approved by IRBA or a Verification Agency accredited by SANAS.
- 4.6 A trust, consortium or joint venture will qualify for points for its B-BBEE status level as a legal entity, provided that the entity submits its B-BBEE status level certificate.
- 4.7 A trust, consortium or joint venture will qualify for points for their B-BBEE status level as an unincorporated entity, provided that the entity submits their consolidated B-BBEE scorecard as if they were a group structure and that such a consolidated B-BBEE scorecard is prepared for every separate bid.
- 4.8 Tertiary institutions and public entities will be required to submit their B-BBEE status level

- certificates in terms of the specialised scorecard contained in the B-BBEE Codes of Good Practice.
- 4.9 A person will not be awarded points for B-BBEE status level if it is indicated in the Bid documents that such a Bidder intends subcontracting more than 25% [twenty-five per cent] of the value of the contract to any other enterprise that does not qualify for at least the same number of points that such a Bidder qualifies for, unless the intended subcontractor is an EME that has the capability and ability to execute the subcontract.
- 4.10 A person awarded a contract may not subcontract more than 25% [twenty-five per cent] of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is subcontracted to an EME that has the capability and ability to execute the subcontract.
- 4.11 Bidders are to note that in terms of paragraph 2.6 of Statement 000 Revised Codes of Good Practice issued on 11 October 2013 in terms of Government Gazette No. 36928, any representation made by an entity about its B-BBEE compliance bus de supported by suitable evidence or documentation. As such, Transnet reserve the light to request such evidence or documentation from Bidders in order to verify any B-BB reconnition claimed.

5.

B-BE	BEE STATU	JS AND SUBCONTRACTING			
5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribu			ibution must		
	complet	te the following:			
	B-BBEE Status Level of Contributor = [maximum of 20 points]				
	Note: Points claimed in respect of this paragraph 5.1 must be in accordance with the table				
	reflected	in paragraph a love and must be substantiated by means of a B-E	BBEE certificate		
	issued by	y a Verification to ncy accredited by SANAS or a Registered Auditor appro	ved by IRBA or		
	a sworn	affidayit it the case of an EME or QSE.			
5.2	Subcon	tricting:			
	Will ak 👣	portion of the contract be subcontracted? YES/NO [delete which is not app	licable]		
	E Y LOT II	ndicate:			
	(i)	What percentage of the contract will be subcontracted?	%		
	(ii)	The name of the subcontractor	**************		
	(iii)	The B-BBEE status level of the subcontractor			
	(iv)	Is the subcontractor an EME?	YES/NO		
5.3	Declaration	on with regard to Company/Firm			
	(i)	Name of Company/Firm			
	(ii)	VAT registration number			
	(iii)	Company registration number			
	(iv)	Type of Company / Firm [TICK APPLICABLE BOX]			
		☐ Partnership/Joint Venture/Consortium			
		☐One person business/sole propriety			
		□Close Corporations			

	□Company (Pty) Ltd
(v)	Describe Principal Business Activities
(vi) C	Company Classification [TICK APPLICABLE BOX]
	□Manufacturer
	□Supplier
	□Professional Service Provider
(vii)	□Other Service Providers, e.g Transporter, etc Total number of years the company/firm has been a business
ID DECLARAT	ION
/we, the under	rsigned, who warrants that he/she is duly authoused to do so on behalf of
ompany/firm, ce	ertify that points claimed, based on the -BBEE status level of contribution indicate
-	ve, qualifies the company/firm for the preference(s) shown and I \prime we acknowledge the
(i) T	The information furnished is true and correct.
(ii)	In the event of a contract being awarded as a result of points claimed as show
	paragraph 6 above, the contractor may be required to furnish documentary proof to
	satisfaction of Transnet hat the claims are correct.
(iii)	If the B-BBEE states level of contribution has been claimed or obtained on a fraudu
	basis or an of the conditions of contract have not been fulfilled, Transnet may
	addition to any other remedy it may have:
	(s) lisquery the person from the bidding process;
	(b) recover costs, losses or damages it has incurred or suffered as a result of
	person's conduct;
	c) cancel the contract and claim any damages which it has suffered as a resu
OV	having to make less favourable arrangements due to such cancellation;
	(d) restrict the Bidder or contractor, its shareholders and directors, and/or associ
•	entities, or only the shareholders and directors who acted in a fraudulent man
	from obtaining business from Transnet for a period not exceeding 10 years, a
	the audi alteram partem [hear the other side] rule has been applied; and/or
	(e) forward the matter for criminal prosecution.
WITNESSES	S:
	SIGNATURE OF BIDDER
	DATE:



į,

SOUTH AFRICAN TRANSPORT SERVICES

ELECTRICAL ENGINEERING

SPECIFICATION NO. CEE.0055.86

PENIE

Specification for Section Insultors for 25 kV AC, overhead track equipment for both high and low speed traffic.

2/.....

I N D E X

SECTION	CONTENT	PAGE	NO.	1
1.	SCOPE		3	
2.	REFERENCES		3	
3.	METHOD OF TENDERING		3	
4	SERVICE CONDITIONS		3	
5.	DRAWINGS AND INSTRUCTIONS)	
6.	DESIGN REQUIREMENTS		5	
7,	TESTS		8	
8.	SPARES		9	
9.	SPECIAL TOOLS		10	
10.	PACKING		10	

3/.....

STATEMENT OF COMPLIANCE

1.0	SCOPE	
1.1	This specification covers the South African Transport Services' requirements for bidirectional 25 kV, AC section insulators, excluding catenary insulation.	
2.0	REFERENCE	
2.1	The following specifications (latest edition) are referred to herein :-	
2.1.1	American Standards and Test Methods ASTM D2303	
2.1.2	South African Transport Services CET-0012.83	/1
2.1.3	I.E.C. Standard, publication 383	
2.2	The follwoing drawings are relaried to herein :-	
2.2.1	Siemens drawing No. NT 4 2 703 405 (pantografor AC locomotive).	ph
3.0	METHOD OF TENDERING	
3.1	Tendering shall a in accordance with South Africar Themsport Services' specification CEE. (01), 83, V.	complies/does not comply
3.1.1	The tender price shall include all accessories such as support fittings, (where equired) i.e. droppers and insulators, camps etc. but shall exclude catenary insulation which shall be supplied by others.	<pre>complies/does not comply</pre>
1.	Spares shall be quoted for separately as per clause 8.	complies/does not comply
3.1.3	Tools shall be quoted for separately as per clause 9.	complies/does not comply
4.0	SERVICE CONDITIONS	
4.1	The section insulators shall be suitable for use under the following service conditions:	

4/....

STATEMENT OF COMPLIANCE

4.1.1 Environmental conditions:

Altitude : 0 - 1 800 m above

sea level

Relative humidity : Up to 86 %

Ambient temperature : Minus 5 °C plus 40 °C

Wind pressure on equivalent projected area normal to direction of

wind : 750 Pa

Lightning conditions : Severe, 7,75 flashes

km²/year

Pollution : Normal. However sea

and diesel-el ctric locomotives will operate under the

equipme

4.1.2 Mechanical Conditions:

4.1.2.1 Contact wire tension (11 k)(min) to (new wire) 17 k (max).

4.1.2.2 Required safety factor: 2 for 107 mm² (overall) 2,7 for 161 mm²

contact wire.

4.1.2.3 Contact wife siz : 107 mm² or

161 mm² as speci-

fied

4.1.3 Electrical Conditions:

4.1.3.1 Highest voltage of system : 27,5 kV AC owert voltage of system : 19,9 kV AC

4.1.2 Maximum commutated current: 600 amps
Maximum short circuit current: 8 000 amps

The circuit breakers opening time on the occurrence of a fault is 60 - 150 milliseconds for 25 kV AC systems.

5.0 DRAWINGS AND INSTRUCTIONS

Tenderers shall provide the following information at time of tendering to enable a proper adjudication to be made. Failure to do so shall be indicated in the "STATEMENT OF COMPLIANCE" and may lead to rejection of the tender. Where feasible the information may be provided on the drawing:

5/......

STATEMENT OF COMPLIANCE

5.1.1	A detailed drawing showing insulation inserts, runners, arcing horns and suspension arrangements with all relevant dimensions and in particular deviation,	
	if any, from a plane surface after installation. (See clause 6 for design requirements.)	complies/does not comply
5.1.2	Details of insulating materials used. Resistance to Ultra-violet radiation shall be stated.	complies/does not comply
5.1.3	Detail and composition of metallic components used.	complies/does not comply
5.1.4	Minimum distance to be allowed between section insulator and catenary.	complies/does not comply
5.1.5	Details of adjusting height and level at right angles, as well as local dinal, to the track.	complies/does not comply
5.1.6	Overall mass.	complies/does not comply
5.1.7	Details of adjustment of arcing borns.	complies/does not comply
5.1.8	Comprehensive instructions for installation and details or any special tools or equipment required.	complies/does not comply
5.1.9	List of rail ays and service conditions where the ection insulator offered is in successful use.	complies/does not comply
5.1.10	est certificates for tests called for in c. use 7.2.	complies/does not comply
5.	Photocopies of original documentation shall be clearly legible.	complies/does not comply
6.0	DESIGN REQUIREMENTS :	
6.1	The section insulators shall be of durable design and shall be capable of carrying out their functions reliably under the service conditions stated. They shall be suitable for bi-directional traffic at speeds of up	
	to 160 km/h.	complies/does not comply
6.2	The overall suspended mass of the section insulator shall not exceed 21 kg. (The mass of support droppers and fittings excluded).	complies/does not comply

6/....

STATEMENT OF COMPLIANCE

6.3 The overall width of that part of the section insulator in contact with the pantograph shall not exceed 330 mm.

complies/does not comply

The section insulator shall be provided with suitable runners of either metal or insulating material such that a smooth continuous running surface is created for the passage of a pantograph.

complies loes not comply

They shall be so designed that electrical contact between pantograph and the overhead system will under no circumstances be completely broken whilst being traversed by the pantograph Designs incorporating a gap longitudinally across the section insulator (i.e. with in line runners) the gap width shall not exceed 300 mm such that the gap can be bringed out by the pantograph. Drawing W. 4 2-703 405 shows the detail of the partograph.

complies/does not comply

Allowance shall be made in the design to ensure that no obstruction shall the ormed to the passing pantograph should the section insulator not be set perfectly less cross-wise to the

complies/does not comply

The section is quarter shall preferably present a perfectly plane running surface to the pantograph, where installed at the normal tension of 11,5 kM. It not perfectly plane, or if variations in tension can result in deviations from a perfect plane, the maximum allowable deviation shall be 6 mm at any point on the ranning surface within the range of operating tensions quoted in clause 4.1.2.1.

complies/does not comply

All runners or parts in contact with the pantograph shall be of rigid design such that no part shall deflect by more than that specified in clause 6.7 whilst being subjected to the upward thrust of the pantograph of 70 Newtons.

complies/does not comply

Arcing horns shall be provided and designed such to assist in extinguishing any arc. They shall also be placed such that the insulation used will not be damaged by the arcs drawn during operation and shall be of rigid design.

STATEMENT OF COMPLIANCE

6.16 Means of locking all bolts and screws shall be provided. All screw threads shall be of complies/does not comply metal. 7.0 TESTS 7.1 Ceneral 7.1.1 The first section insulator shall be subjected pmplies/does not comply to type tests as specified in clauses 7.2. All main insulators of the composite type, 7.1.2 shall be subjected to the routine test as specified in clause 7.3. complies/does not comply At least five samples of the main insulate 7.1.3 material shall be subjected to the type test as specified in clause 7.2.1. complies/does not comply The responsibility for arranging these tests shall rest with the tende er although the South African Transport Service reserves the 7.1.4 right to perform such tests rependently. complies/does not comply 7.1.5 The South African Trans Services reserves the right to call or further type tests if complies/does not comply considered necessa 7.1.6 The South African Transport Services reserves the right be present at all tests. complies/does not comply 7.2 Type t

lating material (if of synthetic type)

Mall be tested for resistance to tracking in accordance with the test method described in CTM D 2303. The average time to track 13 mm for five samples shall not be less than 24 hours at a constant test voltage of 2 kV with a constant contaminating flow rate as prescribed in ASTM D 2303. The cabinet in which the tracking test is performed shall be open at the top in order to create sufficient ventilation, thus limiting the relative humidity inside the chamber to a value that will not give false results. The flow rate of the contaminant should be accomplished by a gravity feed from a large reservoir mounted at a sufficient height

to obtain the desired flow rate.

The ins

7.2.1

complies/does not comply

STATEMENT OF COMPLIANCE

7.42.42	carried out on a complete section insulator in accordance with IEC Standard, Publication 383.	complies/does not comply
7.2.3	Mechanical load tests shall be carried out to establish whether the section insulator can withstand the maximum tension called for in clause 4.1.2.1 at a safety factor as specified.	apmplies/does not comply
7.3	Water immersion tests shall be carried out a follows :- (Routine test)	
7.3.1	Immerse the sample in hot tap water (50 °C) and allow water to cool over 8 hours to approximately 20 °C.	•
7.3.2	Repeat 7.3.1 nine times.	
7.3.3	After the 10th cycle, remove the sample from the water, wipe the surface dry with a paper towel and apply a DC test voltage 12.25 kV/m length of insulator within 10 minutes. Measure the current after one minute and DC ammeter capable of reading 10 A.	
7.3.4	Insulators case in more than 10^{-7} Amperes have failed the test and must be rejected.	complies/does not comply
8.0	SPARES	
8.1	Tondorers shall quote separately for the collowing spares :-	
8.1.1	Arctig horns.	
8.12	Main insulators.	
0.1.3	Metal runners (if not integrated with arcing horns).	
8.2	The following information shall be made available for spares :-	
8.2.1	Complete ordering description.	
8.2.2	Name of manufacturer.	
8.2.3	Catalogue description number.	
8.2.4	Type- and ordering number.	complies/does not comply

10/....

STATEMENT OF COMPLIANCE

The air-gap between arcing horns at different potential shall not be less than 150 mm. Each horn shall have a straight length above this air gap not less than 120 mm and not more than 350 mm.

complies does not comply

6.10 The main insulating material forming the insulation between the two circuits shall have a creepage length of not less than 750 mm. It shall also be able to withstand abrasion resulting from the passage of pantographs (if applicable) as well as electric arcing and ultra-violet radiation.

P.T.F.E. (Teflon) shall not be used if direct contact with the pantograph.

complies/does not comply

Where composite insulators are sed a main insulation the protective coating on the outside shall be bonded to the cart such that no cavities are formed between the coating and the core and shall be scaled at the ends to prevent the possibility of tacking along the insulator underneath the protective coating.

complies/does not comply

Each insulator of this type shall be subjected to the water immer in test described in clause 7.3.

complies/does not comply

6.12 Clause 6.1 also applies to any other protection material provided to protect the insulation gainst arcing.

complies/does not comply

6.13 Supporting droppers shall (if provided) be insulated to prevent any arcs from jumping onto the catenary wire via the droppers.

In y shall also be adjustable either by means of turnbuckles or some other means of providing fine adjustments to its length.

Droppers shall be protected by thimbles or similar means to prevent wear taking place at sharp edges.

complies/does not comply

6.14 Supporting droppers must be provided if the mass of the section insulator exceeds 5 kg or if its overall width is in excess of 75 mm.

complies/does not comply

6.15 Only non-corrosive materials shall be used in the construction of the section insulator. Brass may not be used.

complies/does not comply